Appendix:5G Wi-Fi



Content

1. Carrier Frequencies 3
1.1 Test Result 3
1.1.1 Ant1 3
1.1.2 Ant2 5
1.1.3 Ant3 8
2. Occupied Channel Bandwidth 11
2.1 Test Result 11
2.1.1 OBW 11
2.2 Test Graph 12
2.2.1 OBW 12
3. RF Output Power 44
3.1 Test Result 44
3.1.1 Power 44
3.1.2 Power-TPC_H 48
3.1.3 Power-TPC_L 56
4. Power Density 65
4.1 Test Result 65
4.1.1 PSD 65
4.2 Test Graph 71
4.2.1 PSD 71
5. Transmitter Unwanted Emissions Within The 5 GHz RLAN Bands 131
5.1 Test Result 131
5.1.1 Mask 131
5.2 Test Graph 136
5.2.1 Mask 136
6. Adaptivity (Channel Access Mechanism) 190
6.1 Test Result 190
6.2 Test Graph 191
7. Receiver Blocking 199
7.1 Test Result 199
7.1.1 Ant1 199
8. Adjacent channel selectivity 201
8.1 Test Result 201
8.1.1 Ant1 201

1. Carrier Frequencies

1.1 Test Result

1.1.1 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Carrier Frequencies (MHz)		Verdict
						Result	Limit	
NTNV	802.11a	SISO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.000	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.080	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
HTNV	802.11a	SISO	5180	/	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.040	5499.8900 to 5500.1100	Pass

	802.11n (HT20)	MIMO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.000	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
LTNV	802.11a	SISO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.000	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass

			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.000	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.080	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass

1.1.2 Ant2

Ant2								
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Carrier Frequencies (MHz)		Verdict
						Result	Limit	
NTNV	802.11a	SISO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass

	802.11ax (HEW20)	MIMO	5180	SU	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.000	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.080	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
HTNV	802.11a	SISO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.000	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass

	802.11be (EHT20)	MIMO	5180	SU	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.080	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.080	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
LTNV	802.11a	SISO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.000	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.080	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass

1.1.3 Ant3

Ant3								
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Carrier Frequencies (MHz)		Verdict
						Result	Limit	
NTNV	802.11a	SISO	5180	/	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.000	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.000	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.000	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.080	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.080	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.080	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
HTNV	802.11a	SISO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n	MIMO	5190	/	/	5190.040	5189.8962 to 5190.1038	Pass

	(HT40)		5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.040	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.080	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.080	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.080	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
LTNV	802.11a	SISO	5180	/	/	5180.020	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT20)	MIMO	5180	/	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11n (HT40)	MIMO	5190	/	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	5180.000	5179.8964 to 5180.1036	Pass
			5260	/	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	/	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	5190.080	5189.8962 to 5190.1038	Pass
			5270	/	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	/	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	/	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	/	/	5530.000	5529.8894 to 5530.1106	Pass

	802.11ac (VHT160)	MIMO	5250	/	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	/	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	5180.040	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.020	5499.8900 to 5500.1100	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	5190.040	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.040	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.000	5509.8898 to 5510.1102	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	5210.000	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	5180.060	5179.8964 to 5180.1036	Pass
			5260	SU	/	5260.020	5259.8948 to 5260.1052	Pass
			5500	SU	/	5500.040	5499.8900 to 5500.1100	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	5190.080	5189.8962 to 5190.1038	Pass
			5270	SU	/	5270.000	5269.8946 to 5270.1054	Pass
			5510	SU	/	5510.040	5509.8898 to 5510.1102	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	5210.080	5209.8958 to 5210.1042	Pass
			5290	SU	/	5290.000	5289.8942 to 5290.1058	Pass
			5530	SU	/	5530.000	5529.8894 to 5530.1106	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	5250.000	5249.8950 to 5250.1050	Pass
			5570	SU	/	5570.000	5569.8886 to 5570.1114	Pass

2. Occupied Channel Bandwidth





2.1 Test Result





2.1.1 OBW





ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	99% Occupied Bandwidth (MHz)				Verdict
						ANT1	ANT2	ANT3	Limit	
NTNV	802.11a	SISO	5180	/	/	16.348	16.347	16.353	<=20	Pass
			5260	/	/	16.345	16.343	16.345	>=16	Pass
			5500	/	/	16.502	16.430	16.463	>=16	Pass
	802.11n (HT20)	MIMO	5180	/	/	17.557	17.557	17.549	<=20	Pass
			5260	/	/	17.554	17.547	17.542	>=16	Pass
			5500	/	/	17.563	17.566	17.558	>=16	Pass
	802.11n (HT40)	MIMO	5190	/	/	35.935	35.916	35.921	<=40	Pass
			5270	/	/	35.902	35.879	35.899	>=32	Pass
			5510	/	/	35.945	35.935	35.932	>=32	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	17.559	17.559	17.552	<=20	Pass
			5260	/	/	17.555	17.542	17.541	>=16	Pass
			5500	/	/	17.565	17.546	17.558	>=16	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	35.941	35.947	35.918	<=40	Pass
			5270	/	/	35.908	35.890	35.890	>=32	Pass
			5510	/	/	35.950	35.912	35.929	>=32	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	75.213	75.150	75.166	<=80	Pass
			5290	/	/	75.245	75.136	75.128	>=64	Pass
			5530	/	/	75.273	75.088	75.162	>=64	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	153.952	154.400	154.228	>=128	Pass
			5570	/	/	153.963	154.276	154.291	>=128	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	18.868	18.865	18.864	<=20	Pass
			5260	SU	/	18.858	18.842	18.852	>=16	Pass
			5500	SU	/	18.867	18.876	18.860	>=16	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	37.490	37.495	37.489	<=40	Pass
			5270	SU	/	37.463	37.466	37.461	>=32	Pass
			5510	SU	/	37.484	37.516	37.493	>=32	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	76.711	76.730	76.689	<=80	Pass
			5290	SU	/	76.717	76.694	76.749	>=64	Pass
			5530	SU	/	76.783	76.588	76.734	>=64	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	154.189	154.363	154.026	>=128	Pass
			5570	SU	/	154.502	154.169	154.231	>=128	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	18.869	18.858	18.862	<=20	Pass
			5260	SU	/	18.859	18.846	18.845	>=16	Pass
			5500	SU	/	18.871	18.876	18.865	>=16	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	37.484	37.498	37.486	<=40	Pass
			5270	SU	/	37.451	37.458	37.454	>=32	Pass
			5510	SU	/	37.487	37.454	37.495	>=32	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	76.729	76.740	76.694	<=80	Pass
			5290	SU	/	76.719	76.647	76.752	>=64	Pass
			5530	SU	/	76.762	76.707	76.708	>=64	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	155.310	155.779	155.421	>=128	Pass
			5570	SU	/	155.314	155.560	155.659	>=128	Pass





2.2 Test Graph





2.2.1 OBW





802.11a_LCH_5180MHz_Ant1_NTNV	802.11a_LCH_5180MHz_Ant2_NTNV
	
802.11a_LCH_5180MHz_Ant3_NTNV	802.11a_LCH_5260MHz_Ant1_NTNV
	





802.11a_LCH_5260MHz_Ant2_NTNV	802.11a_LCH_5260MHz_Ant3_NTNV
	
802.11a_LCH_5500MHz_Ant1_NTNV	802.11a_LCH_5500MHz_Ant2_NTNV
	





802.11a_LCH_5500MHz_Ant3_NTNV	802.11n(HT20)_LCH_5180MHz_Ant1_NTNV
	
802.11n(HT20)_LCH_5180MHz_Ant2_NTNV	802.11n(HT20)_LCH_5180MHz_Ant3_NTNV
	





802.11n(HT20)_LCH_5260MHz_Ant1_NTNV	802.11n(HT20)_LCH_5260MHz_Ant2_NTNV
	
802.11n(HT20)_LCH_5260MHz_Ant3_NTNV	802.11n(HT20)_LCH_5500MHz_Ant1_NTNV
	





802.11n(HT20)_LCH_5500MHz_Ant2_NTNV	802.11n(HT20)_LCH_5500MHz_Ant3_NTNV
	
802.11n(HT40)_LCH_5190MHz_Ant1_NTNV	802.11n(HT40)_LCH_5190MHz_Ant2_NTNV
	





802.11n(HT40)_LCH_5190MHz_Ant3_NTNV	802.11n(HT40)_LCH_5270MHz_Ant1_NTNV
	
802.11n(HT40)_LCH_5270MHz_Ant2_NTNV	802.11n(HT40)_LCH_5270MHz_Ant3_NTNV
	





802.11n(HT40)_LCH_5510MHz_Ant1_NTNV	802.11n(HT40)_LCH_5510MHz_Ant2_NTNV
	
802.11n(HT40)_LCH_5510MHz_Ant3_NTNV	802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV
	





802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV	802.11ac(VHT20)_LCH_5180MHz_Ant3_NTNV
	
802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV	802.11ac(VHT20)_LCH_5260MHz_Ant2_NTNV
	





802.11ac(VHT20)_LCH_5260MHz_Ant3_NTNV	802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV
	
802.11ac(VHT20)_LCH_5500MHz_Ant2_NTNV	802.11ac(VHT20)_LCH_5500MHz_Ant3_NTNV
	





802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV
	
802.11ac(VHT40)_LCH_5190MHz_Ant3_NTNV	802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV
	





802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV	802.11ac(VHT40)_LCH_5270MHz_Ant3_NTNV
	
802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV
	





802.11ac(VHT40)_LCH_5510MHz_Ant3_NTNV	802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV
	
802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV	802.11ac(VHT80)_MCH_5210MHz_Ant3_NTNV
	





802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV	802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV
	
802.11ac(VHT80)_MCH_5290MHz_Ant3_NTNV	802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV
	





802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV	802.11ac(VHT80)_LCH_5530MHz_Ant3_NTNV
	
802.11ac(VHT160)_MCH_5250MHz_Ant1_NTNV	802.11ac(VHT160)_MCH_5250MHz_Ant2_NTNV
	





802.11ac(VHT160)_MCH_5250MHz_Ant3_NTNV	802.11ac(VHT160)_MCH_5570MHz_Ant1_NTNV
	
802.11ac(VHT160)_MCH_5570MHz_Ant2_NTNV	802.11ac(VHT160)_MCH_5570MHz_Ant3_NTNV
	




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant2_NTNV	802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant3_NTNV
	
802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV
	
802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV	802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant3_NTNV
	





802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant2_NTNV	802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant3_NTNV
	
802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant3_NTNV	802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV
	
802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant2_NTNV	802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant3_NTNV
	





802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant3_NTNV	802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant2_NTNV	802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant3_NTNV
	
802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant1_NTNV	802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant3_NTNV	802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant2_NTNV	802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant3_NTNV
	

802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant1_NTNV	802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant3_NTNV	802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant1_NTNV
	


802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant2_NTNV	802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant2_NTNV
	

802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant3_NTNV	802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant2_NTNV	802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant3_NTNV
	


802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant3_NTNV	802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant1_NTNV
	

802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant2_NTNV	802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant1_NTNV	802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant2_NTNV
	


802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant3_NTNV




802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant1_NTNV









802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant2_NTNV



802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant3_NTNV



802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant1_NTNV	802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant3_NTNV	802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant1_NTNV
	

802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant2_NTNV	802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant3_NTNV
	

3. RF Output Power

3.1 Test Result

3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
NTNV	802.11a	SISO	5180	/	/	1	3	0.19	17.41	20.60	<=23	Pass
						2	3	0.19	16.93	20.12	<=23	Pass
						3	3	0.18	17.80	20.98	<=23	Pass
			5240	/	/	1	3	0.19	18.05	21.24	<=23	Pass
						2	3	0.19	17.37	20.56	<=23	Pass
						3	3	0.18	18.16	21.34	<=23	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	3	0.19	8.85	12.04	<=23	Pass
						2	3	0.19	10.83	14.02	<=23	Pass
						3	3	0.20	10.94	14.14	<=23	Pass
						MIMO	/	0.20	15.08	21.28	<=23	Pass
			5240	/	/	1	3	0.19	9.03	12.22	<=23	Pass
						2	3	0.19	11.57	14.76	<=23	Pass
						3	3	0.20	11.00	14.20	<=23	Pass
						MIMO	/	0.20	15.43	21.63	<=23	Pass
	802.11n (HT40)	MIMO	5190	/	/	1	3	0.39	10.33	13.72	<=23	Pass
						2	3	0.39	12.45	15.84	<=23	Pass
						3	3	0.39	12.31	15.70	<=23	Pass
						MIMO	/	0.39	16.57	22.96	<=23	Pass
			5230	/	/	1	3	0.39	9.77	13.16	<=23	Pass
						2	3	0.39	12.15	15.54	<=23	Pass
						3	3	0.39	11.82	15.21	<=23	Pass
						MIMO	/	0.39	16.14	22.53	<=23	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	3	0.20	8.37	11.57	<=23	Pass
						2	3	0.19	10.45	13.64	<=23	Pass
						3	3	0.20	10.49	13.69	<=23	Pass
						MIMO	/	0.20	14.65	20.85	<=23	Pass
			5240	/	/	1	3	0.20	8.97	12.17	<=23	Pass
						2	3	0.19	11.53	14.72	<=23	Pass
						3	3	0.20	10.92	14.12	<=23	Pass
						MIMO	/	0.20	15.37	21.57	<=23	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	3	0.39	9.83	13.22	<=23	Pass
						2	3	0.38	12.22	15.60	<=23	Pass
						3	3	0.38	12.07	15.45	<=23	Pass
						MIMO	/	0.38	16.27	22.65	<=23	Pass
			5230	/	/	1	3	0.39	9.91	13.30	<=23	Pass
						2	3	0.38	12.47	15.85	<=23	Pass
						3	3	0.38	12.18	15.56	<=23	Pass
						MIMO	/	0.38	16.43	22.81	<=23	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	MIMO	/	/	16.61	22.61	<=23	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	MIMO	/	/	16.80	22.80	<=23	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	MIMO	/	/	15.43	21.43	<=23	Pass
			5240	SU	/	MIMO	/	/	15.61	21.61	<=23	Pass
	802.11ax	MIMO	5190	SU	/	MIMO	/	/	16.75	22.75	<=23	Pass

	(HEW40)		5230	SU	/	MIMO	/	/	16.80	22.80	<=23	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	MIMO	/	/	16.98	22.98	<=23	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	MIMO	/	/	16.56	22.56	<=23	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	3	0.67	8.53	12.20	<=23	Pass
						2	3	0.67	10.74	14.41	<=23	Pass
						3	3	0.67	10.80	14.47	<=23	Pass
						MIMO	/	0.67	14.91	21.58	<=23	Pass
			5240	SU	/	1	3	0.67	8.71	12.38	<=23	Pass
						2	3	0.67	11.25	14.92	<=23	Pass
						3	3	0.67	10.83	14.50	<=23	Pass
						MIMO	/	0.67	15.17	21.84	<=23	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	1	3	0.67	9.60	13.27	<=23	Pass
						2	3	0.67	11.87	15.54	<=23	Pass
						3	3	0.66	11.98	15.64	<=23	Pass
						MIMO	/	0.66	16.05	22.71	<=23	Pass
			5230	SU	/	1	3	0.67	9.71	13.38	<=23	Pass
						2	3	0.67	12.26	15.93	<=23	Pass
						3	3	0.66	12.12	15.78	<=23	Pass
						MIMO	/	0.66	16.28	22.94	<=23	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	3	0.69	9.50	13.19	<=23	Pass
						2	3	0.70	12.09	15.79	<=23	Pass
						3	3	0.69	11.96	15.65	<=23	Pass
						MIMO	/	0.69	16.11	22.80	<=23	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	3	0.69	9.58	13.27	<=23	Pass
						2	3	0.69	12.55	16.24	<=23	Pass
						3	3	0.70	11.92	15.62	<=23	Pass
						MIMO	/	0.70	16.30	23.00	<=23	Pass
HTNV	802.11a	SISO	5180	/	/	1	3	0.19	17.38	20.57	<=23	Pass
						2	3	0.19	16.93	20.12	<=23	Pass
						3	3	0.18	17.77	20.95	<=23	Pass
			5240	/	/	1	3	0.19	18.02	21.21	<=23	Pass
						2	3	0.19	17.46	20.65	<=23	Pass
						3	3	0.18	18.17	21.35	<=23	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	3	0.19	8.85	12.04	<=23	Pass
						2	3	0.19	10.84	14.03	<=23	Pass
						3	3	0.20	10.94	14.14	<=23	Pass
						MIMO	/	0.20	15.08	21.28	<=23	Pass
			5240	/	/	1	3	0.19	9.03	12.22	<=23	Pass
						2	3	0.19	11.61	14.80	<=23	Pass
						3	3	0.20	11.00	14.20	<=23	Pass
						MIMO	/	0.20	15.45	21.65	<=23	Pass
	802.11n (HT40)	MIMO	5190	/	/	1	3	0.39	10.34	13.73	<=23	Pass
						2	3	0.39	12.46	15.85	<=23	Pass
						3	3	0.39	12.31	15.70	<=23	Pass
						MIMO	/	0.39	16.58	22.97	<=23	Pass
			5230	/	/	1	3	0.39	9.80	13.19	<=23	Pass
						2	3	0.39	12.19	15.58	<=23	Pass
						3	3	0.39	11.85	15.24	<=23	Pass
						MIMO	/	0.39	16.17	22.56	<=23	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	3	0.20	8.35	11.55	<=23	Pass
						2	3	0.19	10.46	13.65	<=23	Pass
						3	3	0.20	10.50	13.70	<=23	Pass

						MIMO	/	0.20	14.65	20.85	<=23	Pass
			5240	/	/	1	3	0.20	8.98	12.18	<=23	Pass
						2	3	0.19	11.57	14.76	<=23	Pass
						3	3	0.20	10.93	14.13	<=23	Pass
						MIMO	/	0.20	15.40	21.60	<=23	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	3	0.39	9.82	13.21	<=23	Pass
						2	3	0.38	12.22	15.60	<=23	Pass
						3	3	0.38	12.07	15.45	<=23	Pass
						MIMO	/	0.38	16.27	22.65	<=23	Pass
			5230	/	/	1	3	0.39	9.94	13.33	<=23	Pass
						2	3	0.38	12.44	15.82	<=23	Pass
						3	3	0.38	12.16	15.54	<=23	Pass
						MIMO	/	0.38	16.42	22.80	<=23	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	MIMO	/	/	16.60	22.60	<=23	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	MIMO	/	/	16.81	22.81	<=23	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	MIMO	/	/	15.44	21.44	<=23	Pass
			5240	SU	/	MIMO	/	/	15.61	21.61	<=23	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	MIMO	/	/	16.77	22.77	<=23	Pass
			5230	SU	/	MIMO	/	/	16.70	22.70	<=23	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	MIMO	/	/	16.98	22.98	<=23	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	MIMO	/	/	16.55	22.55	<=23	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	3	0.67	8.52	12.19	<=23	Pass
						2	3	0.67	10.73	14.40	<=23	Pass
						3	3	0.67	10.80	14.47	<=23	Pass
						MIMO	/	0.67	14.91	21.58	<=23	Pass
			5240	SU	/	1	3	0.67	8.71	12.38	<=23	Pass
						2	3	0.67	11.25	14.92	<=23	Pass
						3	3	0.67	10.82	14.49	<=23	Pass
						MIMO	/	0.67	15.16	21.83	<=23	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	1	3	0.67	9.60	13.27	<=23	Pass
						2	3	0.67	11.88	15.55	<=23	Pass
						3	3	0.66	11.98	15.64	<=23	Pass
						MIMO	/	0.66	16.05	22.71	<=23	Pass
			5230	SU	/	1	3	0.67	9.76	13.43	<=23	Pass
						2	3	0.67	12.24	15.91	<=23	Pass
						3	3	0.66	12.09	15.75	<=23	Pass
						MIMO	/	0.66	16.27	22.93	<=23	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	3	0.69	9.51	13.20	<=23	Pass
						2	3	0.70	12.09	15.79	<=23	Pass
						3	3	0.69	11.96	15.65	<=23	Pass
						MIMO	/	0.69	16.11	22.80	<=23	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	3	0.69	9.58	13.27	<=23	Pass
						2	3	0.69	12.54	16.23	<=23	Pass
						3	3	0.70	11.92	15.62	<=23	Pass
						MIMO	/	0.70	16.29	22.99	<=23	Pass
LTNV	802.11a	SISO	5180	/	/	1	3	0.19	17.37	20.56	<=23	Pass
						2	3	0.19	16.93	20.12	<=23	Pass
						3	3	0.18	17.77	20.95	<=23	Pass
			5240	/	/	1	3	0.19	18.03	21.22	<=23	Pass
						2	3	0.19	17.46	20.65	<=23	Pass

						3	3	0.18	18.16	21.34	<=23	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	3	0.19	8.85	12.04	<=23	Pass
						2	3	0.19	10.82	14.01	<=23	Pass
						3	3	0.20	10.94	14.14	<=23	Pass
						MIMO	/	0.20	15.07	21.27	<=23	Pass
			5240	/	/	1	3	0.19	9.02	12.21	<=23	Pass
						2	3	0.19	11.60	14.79	<=23	Pass
						3	3	0.20	11.00	14.20	<=23	Pass
						MIMO	/	0.20	15.44	21.64	<=23	Pass
	802.11n (HT40)	MIMO	5190	/	/	1	3	0.39	10.34	13.73	<=23	Pass
						2	3	0.39	12.45	15.84	<=23	Pass
						3	3	0.39	12.31	15.70	<=23	Pass
						MIMO	/	0.39	16.57	22.96	<=23	Pass
			5230	/	/	1	3	0.39	9.79	13.18	<=23	Pass
						2	3	0.39	12.19	15.58	<=23	Pass
						3	3	0.39	11.85	15.24	<=23	Pass
						MIMO	/	0.39	16.17	22.56	<=23	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	3	0.20	8.36	11.56	<=23	Pass
						2	3	0.19	10.45	13.64	<=23	Pass
						3	3	0.20	10.49	13.69	<=23	Pass
						MIMO	/	0.20	14.65	20.85	<=23	Pass
			5240	/	/	1	3	0.20	8.98	12.18	<=23	Pass
						2	3	0.19	11.56	14.75	<=23	Pass
						3	3	0.20	10.92	14.12	<=23	Pass
						MIMO	/	0.20	15.39	21.59	<=23	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	3	0.39	9.82	13.21	<=23	Pass
						2	3	0.38	12.22	15.60	<=23	Pass
						3	3	0.38	12.07	15.45	<=23	Pass
						MIMO	/	0.38	16.27	22.65	<=23	Pass
			5230	/	/	1	3	0.39	9.94	13.33	<=23	Pass
						2	3	0.38	12.44	15.82	<=23	Pass
						3	3	0.38	12.15	15.53	<=23	Pass
						MIMO	/	0.38	16.42	22.80	<=23	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	MIMO	/	/	16.63	22.63	<=23	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	MIMO	/	/	16.80	22.80	<=23	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	MIMO	/	/	15.44	21.44	<=23	Pass
			5240	SU	/	MIMO	/	/	15.61	21.61	<=23	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	MIMO	/	/	16.82	22.82	<=23	Pass
			5230	SU	/	MIMO	/	/	16.76	22.76	<=23	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	MIMO	/	/	16.98	22.98	<=23	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	MIMO	/	/	16.52	22.52	<=23	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	3	0.67	8.52	12.19	<=23	Pass
						2	3	0.67	10.73	14.40	<=23	Pass
						3	3	0.67	10.81	14.48	<=23	Pass
						MIMO	/	0.67	14.91	21.58	<=23	Pass
			5240	SU	/	1	3	0.67	8.71	12.38	<=23	Pass
						2	3	0.67	11.25	14.92	<=23	Pass
						3	3	0.67	10.83	14.50	<=23	Pass
						MIMO	/	0.67	15.17	21.84	<=23	Pass
	802.11be	MIMO	5190	SU	/	1	3	0.67	9.60	13.27	<=23	Pass

	(EHT40)					2	3	0.67	11.88	15.55	<=23	Pass
						3	3	0.66	11.98	15.64	<=23	Pass
						MIMO	/	0.66	16.05	22.71	<=23	Pass
			5230	SU	/	1	3	0.67	9.76	13.43	<=23	Pass
						2	3	0.67	12.23	15.90	<=23	Pass
						3	3	0.66	12.09	15.75	<=23	Pass
						MIMO	/	0.66	16.27	22.93	<=23	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	3	0.69	9.51	13.20	<=23	Pass
						2	3	0.70	12.09	15.79	<=23	Pass
						3	3	0.69	11.96	15.65	<=23	Pass
						MIMO	/	0.69	16.11	22.80	<=23	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	3	0.69	9.58	13.27	<=23	Pass
						2	3	0.69	12.54	16.23	<=23	Pass
						3	3	0.70	11.92	15.62	<=23	Pass
						MIMO	/	0.70	16.29	22.99	<=23	Pass
Note1: Beamforming Gain: 3.00dBi Note2: E.I.R.P = Measured Power + DCCF + Antenna Gain + Beamforming Gain												

3.1.2 Power-TPC_H

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
NTNV	802.11a	SISO	5260	/	/	1	3	0.19	18.48	21.67	<=23	Pass
						2	3	0.18	17.74	20.92	<=23	Pass
						3	3	0.19	17.85	21.04	<=23	Pass
			5320	/	/	1	3	0.19	18.62	21.81	<=23	Pass
						2	3	0.18	19.05	22.23	<=23	Pass
						3	3	0.19	18.56	21.75	<=23	Pass
			5500	/	/	1	3	0.19	23.11	26.30	<=30	Pass
						2	3	0.18	24.77	27.95	<=30	Pass
						3	3	0.19	26.63	29.82	<=30	Pass
			5720	/	/	1	3	0.19	22.76	25.95	<=30	Pass
						2	3	0.18	25.56	28.74	<=30	Pass
						3	3	0.19	26.70	29.89	<=30	Pass
	802.11n (HT20)	MIMO	5260	/	/	1	3	0.20	9.47	12.67	<=23	Pass
						2	3	0.19	11.92	15.11	<=23	Pass
						3	3	0.20	10.89	14.09	<=23	Pass
						MIMO	/	0.20	15.64	21.84	<=23	Pass
			5320	/	/	1	3	0.20	9.35	12.55	<=23	Pass
						2	3	0.19	12.83	16.02	<=23	Pass
						3	3	0.20	11.30	14.50	<=23	Pass
						MIMO	/	0.20	16.16	22.36	<=23	Pass
			5500	/	/	1	3	0.20	17.78	20.98	<=30	Pass
						2	3	0.19	18.53	21.72	<=30	Pass
						3	3	0.20	17.60	20.80	<=30	Pass
						MIMO	/	0.20	22.76	28.96	<=30	Pass
			5720	/	/	1	3	0.20	17.49	20.69	<=30	Pass
						2	3	0.19	19.22	22.41	<=30	Pass
						3	3	0.20	17.98	21.18	<=30	Pass
						MIMO	/	0.20	23.06	29.26	<=30	Pass
	802.11n (HT40)	MIMO	5270	/	/	1	3	0.39	10.20	13.59	<=23	Pass
						2	3	0.38	12.56	15.94	<=23	Pass
						3	3	0.39	11.54	14.93	<=23	Pass
						MIMO	/	0.39	16.31	22.70	<=23	Pass

			5310	/	/	1	3	0.39	9.70	13.09	<=23	Pass
						2	3	0.38	12.95	16.33	<=23	Pass
						3	3	0.39	11.19	14.58	<=23	Pass
						MIMO	/	0.39	16.25	22.64	<=23	Pass
			5510	/	/	1	3	0.39	18.40	21.79	<=30	Pass
						2	3	0.38	19.13	22.51	<=30	Pass
						3	3	0.39	18.07	21.46	<=30	Pass
						MIMO	/	0.39	23.33	29.72	<=30	Pass
			5710	/	/	1	3	0.39	17.66	21.05	<=30	Pass
						2	3	0.38	19.24	22.62	<=30	Pass
						3	3	0.39	17.67	21.06	<=30	Pass
						MIMO	/	0.39	23.03	29.42	<=30	Pass
	802.11ac (VHT20)	MIMO	5260	/	/	1	3	0.20	9.33	12.53	<=23	Pass
						2	3	0.20	11.75	14.95	<=23	Pass
						3	3	0.20	10.74	13.94	<=23	Pass
						MIMO	/	0.20	15.49	21.69	<=23	Pass
			5320	/	/	1	3	0.20	9.35	12.55	<=23	Pass
						2	3	0.20	13.07	16.27	<=23	Pass
						3	3	0.20	11.32	14.52	<=23	Pass
						MIMO	/	0.20	16.28	22.48	<=23	Pass
			5500	/	/	1	3	0.20	18.22	21.42	<=30	Pass
						2	3	0.20	18.83	22.03	<=30	Pass
						3	3	0.20	18.00	21.20	<=30	Pass
						MIMO	/	0.20	23.14	29.34	<=30	Pass
			5720	/	/	1	3	0.20	18.02	21.22	<=30	Pass
						2	3	0.20	19.76	22.96	<=30	Pass
						3	3	0.20	18.02	21.22	<=30	Pass
						MIMO	/	0.20	23.45	29.65	<=30	Pass
	802.11ac (VHT40)	MIMO	5270	/	/	1	3	0.39	10.30	13.69	<=23	Pass
						2	3	0.38	12.89	16.27	<=23	Pass
						3	3	0.38	11.80	15.18	<=23	Pass
						MIMO	/	0.38	16.56	22.94	<=23	Pass
			5310	/	/	1	3	0.39	9.73	13.12	<=23	Pass
						2	3	0.38	13.14	16.52	<=23	Pass
						3	3	0.38	11.40	14.78	<=23	Pass
						MIMO	/	0.38	16.42	22.80	<=23	Pass
			5510	/	/	1	3	0.39	18.40	21.79	<=30	Pass
						2	3	0.38	19.05	22.43	<=30	Pass
						3	3	0.38	18.06	21.44	<=30	Pass
						MIMO	/	0.38	23.29	29.67	<=30	Pass
			5710	/	/	1	3	0.39	17.87	21.26	<=30	Pass
						2	3	0.38	19.96	23.34	<=30	Pass
						3	3	0.38	18.28	21.66	<=30	Pass
						MIMO	/	0.38	23.57	29.95	<=30	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	/	16.80	22.80	<=23	Pass
			5530	/	/	MIMO	/	/	23.96	29.96	<=30	Pass
			5690	/	/	MIMO	/	/	23.88	29.88	<=30	Pass
	802.11ac (VHT160)	MIMO	5570	/	/	MIMO	/	/	23.97	29.97	<=30	Pass
	802.11ax (HEW20)	MIMO	5260	SU	/	MIMO	/	/	15.31	21.31	<=23	Pass
			5320	SU	/	MIMO	/	/	15.19	21.19	<=23	Pass
			5500	SU	/	MIMO	/	/	22.52	28.52	<=30	Pass
			5720	SU	/	MIMO	/	/	21.29	27.29	<=30	Pass
	802.11ax	MIMO	5270	SU	/	MIMO	/	/	16.87	22.87	<=23	Pass

	(HEW40)		5310	SU	/	MIMO	/	/	16.47	22.47	<=23	Pass
			5510	SU	/	MIMO	/	/	23.80	29.80	<=30	Pass
			5710	SU	/	MIMO	/	/	23.72	29.72	<=30	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	/	16.91	22.91	<=23	Pass
			5530	SU	/	MIMO	/	/	23.69	29.69	<=30	Pass
			5690	SU	/	MIMO	/	/	23.83	29.83	<=30	Pass
	802.11ax (HEW160)	MIMO	5570	SU	/	MIMO	/	/	23.57	29.57	<=30	Pass
	802.11be (EHT20)	MIMO	5260	SU	/	1	3	0.67	9.03	12.70	<=23	Pass
						2	3	0.67	11.44	15.11	<=23	Pass
						3	3	0.67	10.54	14.21	<=23	Pass
						MIMO	/	0.67	15.22	21.89	<=23	Pass
			5320	SU	/	1	3	0.67	9.05	12.72	<=23	Pass
						2	3	0.67	12.60	16.27	<=23	Pass
						3	3	0.67	11.06	14.73	<=23	Pass
						MIMO	/	0.67	15.91	22.58	<=23	Pass
			5500	SU	/	1	3	0.67	17.40	21.07	<=30	Pass
						2	3	0.66	18.54	22.20	<=30	Pass
						3	3	0.67	17.43	21.10	<=30	Pass
						MIMO	/	0.67	22.59	29.26	<=30	Pass
			5720	SU	/	1	3	0.67	17.12	20.79	<=30	Pass
						2	3	0.66	18.99	22.65	<=30	Pass
						3	3	0.67	17.29	20.96	<=30	Pass
						MIMO	/	0.67	22.66	29.33	<=30	Pass
	802.11be (EHT40)	MIMO	5270	SU	/	1	3	0.67	10.11	13.78	<=23	Pass
						2	3	0.67	12.57	16.24	<=23	Pass
						3	3	0.66	11.52	15.18	<=23	Pass
						MIMO	/	0.66	16.29	22.95	<=23	Pass
			5310	SU	/	1	3	0.67	9.55	13.22	<=23	Pass
						2	3	0.67	12.97	16.64	<=23	Pass
						3	3	0.66	11.32	14.98	<=23	Pass
						MIMO	/	0.66	16.27	22.93	<=23	Pass
			5510	SU	/	1	3	0.67	18.13	21.80	<=30	Pass
						2	3	0.66	19.14	22.80	<=30	Pass
						3	3	0.67	18.05	21.72	<=30	Pass
						MIMO	/	0.67	23.24	29.91	<=30	Pass
			5710	SU	/	1	3	0.67	17.35	21.02	<=30	Pass
						2	3	0.66	19.25	22.91	<=30	Pass
						3	3	0.67	17.28	20.95	<=30	Pass
						MIMO	/	0.67	22.83	29.50	<=30	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	3	0.70	9.61	13.31	<=23	Pass
						2	3	0.69	12.58	16.27	<=23	Pass
						3	3	0.70	11.13	14.83	<=23	Pass
						MIMO	/	0.70	16.05	22.75	<=23	Pass
			5530	SU	/	1	3	0.70	17.89	21.59	<=30	Pass
						2	3	0.70	19.03	22.73	<=30	Pass
						3	3	0.62	17.63	21.25	<=30	Pass
						MIMO	/	0.62	23.00	29.62	<=30	Pass
			5690	SU	/	1	3	0.70	17.65	21.35	<=30	Pass
						2	3	0.70	19.39	23.09	<=30	Pass
						3	3	0.62	17.27	20.89	<=30	Pass
						MIMO	/	0.62	22.98	29.60	<=30	Pass
	802.11be (EHT160)	MIMO	5570	SU	/	1	3	0.68	17.69	21.37	<=30	Pass
						2	3	0.68	18.94	22.62	<=30	Pass

						3	3	0.69	17.57	21.26	<=30	Pass
						MIMO	/	0.69	22.88	29.57	<=30	Pass
HTNV	802.11a	SISO	5260	/	/	1	3	0.19	18.48	21.67	<=23	Pass
						2	3	0.18	17.83	21.01	<=23	Pass
						3	3	0.19	17.89	21.08	<=23	Pass
			5320	/	/	1	3	0.19	18.60	21.79	<=23	Pass
						2	3	0.18	19.15	22.33	<=23	Pass
						3	3	0.19	18.65	21.84	<=23	Pass
			5500	/	/	1	3	0.19	23.10	26.29	<=30	Pass
						2	3	0.18	24.76	27.94	<=30	Pass
						3	3	0.19	26.57	29.76	<=30	Pass
			5720	/	/	1	3	0.19	22.82	26.01	<=30	Pass
						2	3	0.18	25.56	28.74	<=30	Pass
						3	3	0.19	26.66	29.85	<=30	Pass
	802.11n (HT20)	MIMO	5260	/	/	1	3	0.20	9.48	12.68	<=23	Pass
						2	3	0.19	11.92	15.11	<=23	Pass
						3	3	0.20	10.88	14.08	<=23	Pass
						MIMO	/	0.20	15.64	21.84	<=23	Pass
			5320	/	/	1	3	0.20	9.36	12.56	<=23	Pass
						2	3	0.19	12.84	16.03	<=23	Pass
						3	3	0.20	11.29	14.49	<=23	Pass
						MIMO	/	0.20	16.16	22.36	<=23	Pass
			5500	/	/	1	3	0.20	17.78	20.98	<=30	Pass
						2	3	0.19	18.53	21.72	<=30	Pass
						3	3	0.20	17.60	20.80	<=30	Pass
						MIMO	/	0.20	22.76	28.96	<=30	Pass
			5720	/	/	1	3	0.20	17.50	20.70	<=30	Pass
						2	3	0.19	19.23	22.42	<=30	Pass
						3	3	0.20	17.98	21.18	<=30	Pass
						MIMO	/	0.20	23.07	29.27	<=30	Pass
	802.11n (HT40)	MIMO	5270	/	/	1	3	0.39	10.21	13.60	<=23	Pass
						2	3	0.38	12.56	15.94	<=23	Pass
						3	3	0.39	11.54	14.93	<=23	Pass
						MIMO	/	0.39	16.31	22.70	<=23	Pass
			5310	/	/	1	3	0.39	9.66	13.05	<=23	Pass
						2	3	0.38	12.90	16.28	<=23	Pass
						3	3	0.39	11.20	14.59	<=23	Pass
						MIMO	/	0.39	16.23	22.62	<=23	Pass
			5510	/	/	1	3	0.39	18.41	21.80	<=30	Pass
						2	3	0.38	19.13	22.51	<=30	Pass
						3	3	0.39	18.07	21.46	<=30	Pass
						MIMO	/	0.39	23.33	29.72	<=30	Pass
			5710	/	/	1	3	0.39	17.68	21.07	<=30	Pass
						2	3	0.38	19.35	22.73	<=30	Pass
						3	3	0.39	17.72	21.11	<=30	Pass
						MIMO	/	0.39	23.09	29.48	<=30	Pass
	802.11ac (VHT20)	MIMO	5260	/	/	1	3	0.20	9.32	12.52	<=23	Pass
						2	3	0.20	11.75	14.95	<=23	Pass
						3	3	0.20	10.75	13.95	<=23	Pass
						MIMO	/	0.20	15.49	21.69	<=23	Pass
			5320	/	/	1	3	0.20	9.34	12.54	<=23	Pass
						2	3	0.20	13.07	16.27	<=23	Pass
						3	3	0.20	11.33	14.53	<=23	Pass

						MIMO	/	0.20	16.28	22.48	<=23	Pass
			5500	/	/	1	3	0.20	18.21	21.41	<=30	Pass
						2	3	0.20	18.83	22.03	<=30	Pass
						3	3	0.20	18.00	21.20	<=30	Pass
						MIMO	/	0.20	23.13	29.33	<=30	Pass
			5720	/	/	1	3	0.20	18.01	21.21	<=30	Pass
						2	3	0.20	19.77	22.97	<=30	Pass
						3	3	0.20	18.02	21.22	<=30	Pass
						MIMO	/	0.20	23.45	29.65	<=30	Pass
	802.11ac (VHT40)	MIMO	5270	/	/	1	3	0.39	10.30	13.69	<=23	Pass
						2	3	0.38	12.89	16.27	<=23	Pass
						3	3	0.38	11.80	15.18	<=23	Pass
						MIMO	/	0.38	16.56	22.94	<=23	Pass
			5310	/	/	1	3	0.39	9.64	13.03	<=23	Pass
						2	3	0.38	13.01	16.39	<=23	Pass
						3	3	0.38	11.24	14.62	<=23	Pass
						MIMO	/	0.38	16.28	22.66	<=23	Pass
			5510	/	/	1	3	0.39	18.39	21.78	<=30	Pass
						2	3	0.38	19.04	22.42	<=30	Pass
						3	3	0.38	18.08	21.46	<=30	Pass
						MIMO	/	0.38	23.29	29.67	<=30	Pass
			5710	/	/	1	3	0.39	17.82	21.21	<=30	Pass
						2	3	0.38	19.95	23.33	<=30	Pass
						3	3	0.38	18.26	21.64	<=30	Pass
						MIMO	/	0.38	23.55	29.93	<=30	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	/	16.80	22.80	<=23	Pass
			5530	/	/	MIMO	/	/	23.94	29.94	<=30	Pass
			5690	/	/	MIMO	/	/	23.92	29.92	<=30	Pass
	802.11ac (VHT160)	MIMO	5570	/	/	MIMO	/	/	23.97	29.97	<=30	Pass
	802.11ax (HEW20)	MIMO	5260	SU	/	MIMO	/	/	15.32	21.32	<=23	Pass
			5320	SU	/	MIMO	/	/	15.21	21.21	<=23	Pass
			5500	SU	/	MIMO	/	/	22.52	28.52	<=30	Pass
			5720	SU	/	MIMO	/	/	21.28	27.28	<=30	Pass
	802.11ax (HEW40)	MIMO	5270	SU	/	MIMO	/	/	16.89	22.89	<=23	Pass
			5310	SU	/	MIMO	/	/	16.46	22.46	<=23	Pass
			5510	SU	/	MIMO	/	/	23.74	29.74	<=30	Pass
			5710	SU	/	MIMO	/	/	23.77	29.77	<=30	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	/	16.91	22.91	<=23	Pass
			5530	SU	/	MIMO	/	/	23.65	29.65	<=30	Pass
			5690	SU	/	MIMO	/	/	23.75	29.75	<=30	Pass
	802.11ax (HEW160)	MIMO	5570	SU	/	MIMO	/	/	23.59	29.59	<=30	Pass
	802.11be (EHT20)	MIMO	5260	SU	/	1	3	0.67	9.02	12.69	<=23	Pass
						2	3	0.67	11.45	15.12	<=23	Pass
						3	3	0.67	10.54	14.21	<=23	Pass
						MIMO	/	0.67	15.22	21.89	<=23	Pass
			5320	SU	/	1	3	0.67	9.05	12.72	<=23	Pass
						2	3	0.67	12.66	16.33	<=23	Pass
						3	3	0.67	11.06	14.73	<=23	Pass
						MIMO	/	0.67	15.94	22.61	<=23	Pass
			5500	SU	/	1	3	0.67	17.41	21.08	<=30	Pass
						2	3	0.66	18.54	22.20	<=30	Pass
						3	3	0.67	17.43	21.10	<=30	Pass

						MIMO	/	0.67	22.60	29.27	<=30	Pass
			5720	SU	/	1	3	0.67	17.09	20.76	<=30	Pass
						2	3	0.66	19.06	22.72	<=30	Pass
						3	3	0.67	17.29	20.96	<=30	Pass
						MIMO	/	0.67	22.68	29.35	<=30	Pass
	802.11be (EHT40)	MIMO	5270	SU	/	1	3	0.67	10.15	13.82	<=23	Pass
						2	3	0.67	12.57	16.24	<=23	Pass
						3	3	0.66	11.49	15.15	<=23	Pass
						MIMO	/	0.66	16.29	22.95	<=23	Pass
			5310	SU	/	1	3	0.67	9.46	13.13	<=23	Pass
						2	3	0.67	12.83	16.50	<=23	Pass
						3	3	0.66	11.18	14.84	<=23	Pass
						MIMO	/	0.66	16.14	22.80	<=23	Pass
			5510	SU	/	1	3	0.67	18.14	21.81	<=30	Pass
						2	3	0.66	19.14	22.80	<=30	Pass
						3	3	0.67	18.06	21.73	<=30	Pass
						MIMO	/	0.67	23.25	29.92	<=30	Pass
			5710	SU	/	1	3	0.67	17.43	21.10	<=30	Pass
						2	3	0.66	19.22	22.88	<=30	Pass
						3	3	0.67	17.24	20.91	<=30	Pass
						MIMO	/	0.67	22.83	29.50	<=30	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	3	0.70	9.62	13.32	<=23	Pass
						2	3	0.69	12.57	16.26	<=23	Pass
						3	3	0.70	11.13	14.83	<=23	Pass
						MIMO	/	0.70	16.04	22.74	<=23	Pass
			5530	SU	/	1	3	0.70	17.89	21.59	<=30	Pass
						2	3	0.70	19.03	22.73	<=30	Pass
						3	3	0.62	17.64	21.26	<=30	Pass
						MIMO	/	0.62	23.00	29.62	<=30	Pass
			5690	SU	/	1	3	0.70	17.65	21.35	<=30	Pass
						2	3	0.70	19.38	23.08	<=30	Pass
						3	3	0.62	17.27	20.89	<=30	Pass
						MIMO	/	0.62	22.97	29.59	<=30	Pass
	802.11be (EHT160)	MIMO	5570	SU	/	1	3	0.68	17.68	21.36	<=30	Pass
						2	3	0.68	18.94	22.62	<=30	Pass
						3	3	0.69	17.56	21.25	<=30	Pass
						MIMO	/	0.69	22.88	29.57	<=30	Pass
LTNV	802.11a	SISO	5260	/	/	1	3	0.19	18.48	21.67	<=23	Pass
						2	3	0.18	17.82	21.00	<=23	Pass
						3	3	0.19	17.88	21.07	<=23	Pass
			5320	/	/	1	3	0.19	18.59	21.78	<=23	Pass
						2	3	0.18	19.14	22.32	<=23	Pass
						3	3	0.19	18.65	21.84	<=23	Pass
			5500	/	/	1	3	0.19	23.10	26.29	<=30	Pass
						2	3	0.18	24.76	27.94	<=30	Pass
						3	3	0.19	26.56	29.75	<=30	Pass
			5720	/	/	1	3	0.19	22.80	25.99	<=30	Pass
						2	3	0.18	25.55	28.73	<=30	Pass
						3	3	0.19	26.74	29.93	<=30	Pass
	802.11n (HT20)	MIMO	5260	/	/	1	3	0.20	9.47	12.67	<=23	Pass
						2	3	0.19	11.93	15.12	<=23	Pass
						3	3	0.20	10.89	14.09	<=23	Pass
						MIMO	/	0.20	15.65	21.85	<=23	Pass

			5320	/	/	1	3	0.20	9.35	12.55	<=23	Pass
						2	3	0.19	12.87	16.06	<=23	Pass
						3	3	0.20	11.30	14.50	<=23	Pass
						MIMO	/	0.20	16.18	22.38	<=23	Pass
			5500	/	/	1	3	0.20	17.78	20.98	<=30	Pass
						2	3	0.19	18.53	21.72	<=30	Pass
						3	3	0.20	17.60	20.80	<=30	Pass
						MIMO	/	0.20	22.76	28.96	<=30	Pass
			5720	/	/	1	3	0.20	17.49	20.69	<=30	Pass
						2	3	0.19	19.22	22.41	<=30	Pass
						3	3	0.20	17.98	21.18	<=30	Pass
						MIMO	/	0.20	23.06	29.26	<=30	Pass
	802.11n (HT40)	MIMO	5270	/	/	1	3	0.39	10.21	13.60	<=23	Pass
						2	3	0.38	12.56	15.94	<=23	Pass
						3	3	0.39	11.54	14.93	<=23	Pass
						MIMO	/	0.39	16.31	22.70	<=23	Pass
			5310	/	/	1	3	0.39	9.66	13.05	<=23	Pass
						2	3	0.38	12.90	16.28	<=23	Pass
						3	3	0.39	11.19	14.58	<=23	Pass
						MIMO	/	0.39	16.22	22.61	<=23	Pass
			5510	/	/	1	3	0.39	18.40	21.79	<=30	Pass
						2	3	0.38	19.12	22.50	<=30	Pass
						3	3	0.39	18.07	21.46	<=30	Pass
						MIMO	/	0.39	23.32	29.71	<=30	Pass
			5710	/	/	1	3	0.39	17.66	21.05	<=30	Pass
						2	3	0.38	19.33	22.71	<=30	Pass
						3	3	0.39	17.74	21.13	<=30	Pass
						MIMO	/	0.39	23.09	29.48	<=30	Pass
	802.11ac (VHT20)	MIMO	5260	/	/	1	3	0.20	9.33	12.53	<=23	Pass
						2	3	0.20	11.75	14.95	<=23	Pass
						3	3	0.20	10.74	13.94	<=23	Pass
						MIMO	/	0.20	15.49	21.69	<=23	Pass
			5320	/	/	1	3	0.20	9.37	12.57	<=23	Pass
						2	3	0.20	13.07	16.27	<=23	Pass
						3	3	0.20	11.32	14.52	<=23	Pass
						MIMO	/	0.20	16.28	22.48	<=23	Pass
			5500	/	/	1	3	0.20	18.22	21.42	<=30	Pass
						2	3	0.20	18.83	22.03	<=30	Pass
						3	3	0.20	18.00	21.20	<=30	Pass
						MIMO	/	0.20	23.14	29.34	<=30	Pass
			5720	/	/	1	3	0.20	18.02	21.22	<=30	Pass
						2	3	0.20	19.76	22.96	<=30	Pass
						3	3	0.20	18.02	21.22	<=30	Pass
						MIMO	/	0.20	23.45	29.65	<=30	Pass
	802.11ac (VHT40)	MIMO	5270	/	/	1	3	0.39	10.18	13.57	<=23	Pass
						2	3	0.38	12.77	16.15	<=23	Pass
						3	3	0.38	11.68	15.06	<=23	Pass
						MIMO	/	0.38	16.44	22.82	<=23	Pass
			5310	/	/	1	3	0.39	9.65	13.04	<=23	Pass
						2	3	0.38	13.00	16.38	<=23	Pass
						3	3	0.38	11.25	14.63	<=23	Pass
						MIMO	/	0.38	16.29	22.67	<=23	Pass
			5510	/	/	1	3	0.39	18.38	21.77	<=30	Pass

						2	3	0.38	19.03	22.41	<=30	Pass
						3	3	0.38	18.11	21.49	<=30	Pass
						MIMO	/	0.38	23.30	29.68	<=30	Pass
			5710	/	/	1	3	0.39	17.90	21.29	<=30	Pass
						2	3	0.38	19.92	23.30	<=30	Pass
						3	3	0.38	18.30	21.68	<=30	Pass
						MIMO	/	0.38	23.57	29.95	<=30	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	/	16.82	22.82	<=23	Pass
			5530	/	/	MIMO	/	/	23.94	29.94	<=30	Pass
			5690	/	/	MIMO	/	/	23.91	29.91	<=30	Pass
	802.11ac (VHT160)	MIMO	5570	/	/	MIMO	/	/	23.96	29.96	<=30	Pass
	802.11ax (HEW20)	MIMO	5260	SU	/	MIMO	/	/	15.29	21.29	<=23	Pass
			5320	SU	/	MIMO	/	/	15.17	21.17	<=23	Pass
			5500	SU	/	MIMO	/	/	22.50	28.50	<=30	Pass
			5720	SU	/	MIMO	/	/	21.27	27.27	<=30	Pass
	802.11ax (HEW40)	MIMO	5270	SU	/	MIMO	/	/	16.92	22.92	<=23	Pass
			5310	SU	/	MIMO	/	/	16.50	22.50	<=23	Pass
			5510	SU	/	MIMO	/	/	23.76	29.76	<=30	Pass
			5710	SU	/	MIMO	/	/	23.71	29.71	<=30	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	/	16.91	22.91	<=23	Pass
			5530	SU	/	MIMO	/	/	23.69	29.69	<=30	Pass
			5690	SU	/	MIMO	/	/	23.74	29.74	<=30	Pass
	802.11ax (HEW160)	MIMO	5570	SU	/	MIMO	/	/	23.63	29.63	<=30	Pass
	802.11be (EHT20)	MIMO	5260	SU	/	1	3	0.67	9.02	12.69	<=23	Pass
						2	3	0.67	11.45	15.12	<=23	Pass
						3	3	0.67	10.54	14.21	<=23	Pass
						MIMO	/	0.67	15.22	21.89	<=23	Pass
			5320	SU	/	1	3	0.67	9.03	12.70	<=23	Pass
						2	3	0.67	12.67	16.34	<=23	Pass
						3	3	0.67	11.05	14.72	<=23	Pass
						MIMO	/	0.67	15.94	22.61	<=23	Pass
			5500	SU	/	1	3	0.67	17.41	21.08	<=30	Pass
						2	3	0.66	18.54	22.20	<=30	Pass
						3	3	0.67	17.43	21.10	<=30	Pass
						MIMO	/	0.67	22.60	29.27	<=30	Pass
			5720	SU	/	1	3	0.67	17.09	20.76	<=30	Pass
						2	3	0.66	19.05	22.71	<=30	Pass
						3	3	0.67	17.29	20.96	<=30	Pass
						MIMO	/	0.67	22.67	29.34	<=30	Pass
	802.11be (EHT40)	MIMO	5270	SU	/	1	3	0.67	10.14	13.81	<=23	Pass
						2	3	0.67	12.58	16.25	<=23	Pass
						3	3	0.66	11.49	15.15	<=23	Pass
						MIMO	/	0.66	16.29	22.95	<=23	Pass
			5310	SU	/	1	3	0.67	9.44	13.11	<=23	Pass
						2	3	0.67	12.80	16.47	<=23	Pass
						3	3	0.66	11.16	14.82	<=23	Pass
						MIMO	/	0.66	16.12	22.78	<=23	Pass
			5510	SU	/	1	3	0.67	18.13	21.80	<=30	Pass
						2	3	0.66	19.14	22.80	<=30	Pass
						3	3	0.67	18.07	21.74	<=30	Pass
						MIMO	/	0.67	23.25	29.92	<=30	Pass
			5710	SU	/	1	3	0.67	17.41	21.08	<=30	Pass

						2	3	0.66	19.21	22.87	<=30	Pass
						3	3	0.67	17.23	20.90	<=30	Pass
						MIMO	/	0.67	22.82	29.49	<=30	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	3	0.70	9.61	13.31	<=23	Pass
						2	3	0.69	12.58	16.27	<=23	Pass
						3	3	0.70	11.13	14.83	<=23	Pass
						MIMO	/	0.70	16.05	22.75	<=23	Pass
			5530	SU	/	1	3	0.70	17.89	21.59	<=30	Pass
						2	3	0.70	19.02	22.72	<=30	Pass
						3	3	0.62	17.65	21.27	<=30	Pass
						MIMO	/	0.62	23.00	29.62	<=30	Pass
			5690	SU	/	1	3	0.70	17.64	21.34	<=30	Pass
						2	3	0.70	19.38	23.08	<=30	Pass
						3	3	0.62	17.27	20.89	<=30	Pass
						MIMO	/	0.62	22.97	29.59	<=30	Pass
	802.11be (EHT160)	MIMO	5570	SU	/	1	3	0.68	17.68	21.36	<=30	Pass
						2	3	0.68	18.95	22.63	<=30	Pass
						3	3	0.69	17.56	21.25	<=30	Pass
						MIMO	/	0.69	22.88	29.57	<=30	Pass

Note1: Beamforming Gain: 3.00dBi
Note2: E.I.R.P = Measured Power + DCCF + Antenna Gain + Beamforming Gain

3.1.3 Power-TPC_L

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
NTNV	802.11a	SISO	5260	/	/	1	3	0.19	12.19	15.38	<=17	Pass
						2	3	0.18	11.60	14.78	<=17	Pass
						3	3	0.19	11.67	14.86	<=17	Pass
			5320	/	/	1	3	0.19	12.25	15.44	<=17	Pass
						2	3	0.18	12.73	15.91	<=17	Pass
						3	3	0.19	12.19	15.38	<=17	Pass
			5500	/	/	1	3	0.19	16.81	20.00	<=24	Pass
						2	3	0.18	18.21	21.39	<=24	Pass
						3	3	0.19	19.91	23.10	<=24	Pass
			5720	/	/	1	3	0.19	16.44	19.63	<=24	Pass
						2	3	0.18	19.11	22.29	<=24	Pass
						3	3	0.19	20.48	23.67	<=24	Pass
	802.11n (HT20)	MIMO	5260	/	/	1	3	0.20	2.95	6.15	<=17	Pass
						2	3	0.19	5.28	8.47	<=17	Pass
						3	3	0.20	4.41	7.61	<=17	Pass
						MIMO	/	0.20	9.09	15.29	<=17	Pass
			5320	/	/	1	3	0.20	2.86	6.06	<=17	Pass
						2	3	0.19	6.31	9.50	<=17	Pass
						3	3	0.20	4.67	7.87	<=17	Pass
						MIMO	/	0.20	9.61	15.81	<=17	Pass
			5500	/	/	1	3	0.20	11.51	14.71	<=24	Pass
						2	3	0.19	12.10	15.29	<=24	Pass
						3	3	0.20	11.28	14.48	<=24	Pass
						MIMO	/	0.20	16.42	22.62	<=24	Pass
			5720	/	/	1	3	0.20	11.28	14.48	<=24	Pass
						2	3	0.19	13.03	16.22	<=24	Pass
						3	3	0.20	11.86	15.06	<=24	Pass
						MIMO	/	0.20	16.89	23.09	<=24	Pass

	802.11n (HT40)	MIMO	5270	/	/	1	3	0.39	3.81	7.20	<=17	Pass
						2	3	0.38	6.13	9.51	<=17	Pass
						3	3	0.39	5.25	8.64	<=17	Pass
						MIMO	/	0.39	9.94	16.33	<=17	Pass
			5310	/	/	1	3	0.39	3.11	6.50	<=17	Pass
						2	3	0.38	6.42	9.80	<=17	Pass
						3	3	0.39	4.55	7.94	<=17	Pass
						MIMO	/	0.39	9.68	16.07	<=17	Pass
			5510	/	/	1	3	0.39	12.09	15.48	<=24	Pass
						2	3	0.38	12.64	16.02	<=24	Pass
						3	3	0.39	11.71	15.10	<=24	Pass
						MIMO	/	0.39	16.93	23.32	<=24	Pass
			5710	/	/	1	3	0.39	11.38	14.77	<=24	Pass
						2	3	0.38	13.09	16.47	<=24	Pass
						3	3	0.39	11.52	14.91	<=24	Pass
						MIMO	/	0.39	16.84	23.23	<=24	Pass
	802.11ac (VHT20)	MIMO	5260	/	/	1	3	0.20	2.92	6.12	<=17	Pass
						2	3	0.20	5.15	8.35	<=17	Pass
						3	3	0.20	4.36	7.56	<=17	Pass
						MIMO	/	0.20	9.01	15.21	<=17	Pass
			5320	/	/	1	3	0.20	2.83	6.03	<=17	Pass
						2	3	0.20	6.56	9.76	<=17	Pass
						3	3	0.20	4.68	7.88	<=17	Pass
						MIMO	/	0.20	9.72	15.92	<=17	Pass
			5500	/	/	1	3	0.20	12.03	15.23	<=24	Pass
						2	3	0.20	12.54	15.74	<=24	Pass
						3	3	0.20	11.76	14.96	<=24	Pass
						MIMO	/	0.20	16.89	23.09	<=24	Pass
			5720	/	/	1	3	0.20	11.66	14.86	<=24	Pass
						2	3	0.20	13.52	16.72	<=24	Pass
						3	3	0.20	11.83	15.03	<=24	Pass
						MIMO	/	0.20	17.19	23.39	<=24	Pass
	802.11ac (VHT40)	MIMO	5270	/	/	1	3	0.39	3.80	7.19	<=17	Pass
						2	3	0.38	6.32	9.70	<=17	Pass
						3	3	0.38	5.36	8.74	<=17	Pass
						MIMO	/	0.38	10.05	16.43	<=17	Pass
			5310	/	/	1	3	0.39	3.16	6.55	<=17	Pass
						2	3	0.38	6.65	10.03	<=17	Pass
						3	3	0.38	4.72	8.10	<=17	Pass
						MIMO	/	0.38	9.85	16.23	<=17	Pass
			5510	/	/	1	3	0.39	12.10	15.49	<=24	Pass
						2	3	0.38	12.59	15.97	<=24	Pass
						3	3	0.38	11.75	15.13	<=24	Pass
						MIMO	/	0.38	16.93	23.31	<=24	Pass
			5710	/	/	1	3	0.39	11.56	14.95	<=24	Pass
						2	3	0.38	13.63	17.01	<=24	Pass
						3	3	0.38	11.98	15.36	<=24	Pass
						MIMO	/	0.38	17.26	23.64	<=24	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	/	10.14	16.14	<=17	Pass
			5530	/	/	MIMO	/	/	17.48	23.48	<=24	Pass
			5690	/	/	MIMO	/	/	17.63	23.63	<=24	Pass
	802.11ac (VHT160)	MIMO	5570	/	/	MIMO	/	/	17.44	23.44	<=24	Pass
	802.11ax	MIMO	5260	SU	/	MIMO	/	/	8.73	14.73	<=17	Pass

	(HEW20)		5320	SU	/	MIMO	/	/	8.66	14.66	<=17	Pass
			5500	SU	/	MIMO	/	/	16.24	22.24	<=24	Pass
			5720	SU	/	MIMO	/	/	14.99	20.99	<=24	Pass
	802.11ax (HEW40)	MIMO	5270	SU	/	MIMO	/	/	10.36	16.36	<=17	Pass
			5310	SU	/	MIMO	/	/	9.96	15.96	<=17	Pass
			5510	SU	/	MIMO	/	/	17.46	23.46	<=24	Pass
			5710	SU	/	MIMO	/	/	17.48	23.48	<=24	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	/	10.49	16.49	<=17	Pass
			5530	SU	/	MIMO	/	/	17.24	23.24	<=24	Pass
			5690	SU	/	MIMO	/	/	17.53	23.53	<=24	Pass
	802.11ax (HEW160)	MIMO	5570	SU	/	MIMO	/	/	16.53	22.53	<=24	Pass
	802.11be (EHT20)	MIMO	5260	SU	/	1	3	0.67	2.51	6.18	<=17	Pass
						2	3	0.67	4.78	8.45	<=17	Pass
						3	3	0.67	4.09	7.76	<=17	Pass
						MIMO	/	0.67	8.66	15.33	<=17	Pass
			5320	SU	/	1	3	0.67	2.55	6.22	<=17	Pass
						2	3	0.67	5.88	9.55	<=17	Pass
						3	3	0.67	4.41	8.08	<=17	Pass
						MIMO	/	0.67	9.26	15.93	<=17	Pass
			5500	SU	/	1	3	0.67	11.10	14.77	<=24	Pass
						2	3	0.66	12.11	15.77	<=24	Pass
						3	3	0.67	11.06	14.73	<=24	Pass
						MIMO	/	0.67	16.22	22.89	<=24	Pass
			5720	SU	/	1	3	0.67	10.94	14.61	<=24	Pass
						2	3	0.66	12.92	16.58	<=24	Pass
						3	3	0.67	11.24	14.91	<=24	Pass
						MIMO	/	0.67	16.56	23.23	<=24	Pass
	802.11be (EHT40)	MIMO	5270	SU	/	1	3	0.67	3.93	7.60	<=17	Pass
						2	3	0.67	2.79	6.46	<=17	Pass
						3	3	0.66	3.27	6.93	<=17	Pass
						MIMO	/	0.66	8.13	14.79	<=17	Pass
			5310	SU	/	1	3	0.67	3.01	6.68	<=17	Pass
						2	3	0.67	6.46	10.13	<=17	Pass
						3	3	0.66	4.67	8.33	<=17	Pass
						MIMO	/	0.66	9.71	16.37	<=17	Pass
			5510	SU	/	1	3	0.67	12.02	15.69	<=24	Pass
						2	3	0.66	12.80	16.46	<=24	Pass
						3	3	0.67	11.83	15.50	<=24	Pass
						MIMO	/	0.67	17.01	23.68	<=24	Pass
			5710	SU	/	1	3	0.67	11.22	14.89	<=24	Pass
						2	3	0.66	13.07	16.73	<=24	Pass
						3	3	0.67	11.14	14.81	<=24	Pass
						MIMO	/	0.67	16.68	23.35	<=24	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	3	0.70	3.19	6.89	<=17	Pass
						2	3	0.69	6.05	9.74	<=17	Pass
						3	3	0.70	4.77	8.47	<=17	Pass
						MIMO	/	0.70	9.60	16.30	<=17	Pass
			5530	SU	/	1	3	0.70	11.52	15.22	<=24	Pass
						2	3	0.70	12.52	16.22	<=24	Pass
						3	3	0.62	11.25	14.87	<=24	Pass
						MIMO	/	0.62	16.57	23.19	<=24	Pass
			5690	SU	/	1	3	0.70	11.29	14.99	<=24	Pass
						2	3	0.70	13.17	16.87	<=24	Pass

						3	3	0.62	11.07	14.69	<=24	Pass
						MIMO	/	0.62	16.72	23.34	<=24	Pass
	802.11be (EHT160)	MIMO	5570	SU	/	1	3	0.68	11.16	14.84	<=24	Pass
						2	3	0.68	12.21	15.89	<=24	Pass
						3	3	0.69	11.07	14.76	<=24	Pass
						MIMO	/	0.69	16.28	22.97	<=24	Pass
HTNV	802.11a	SISO	5260	/	/	1	3	0.19	12.18	15.37	<=17	Pass
						2	3	0.18	11.61	14.79	<=17	Pass
						3	3	0.19	11.67	14.86	<=17	Pass
			5320	/	/	1	3	0.19	12.31	15.50	<=17	Pass
						2	3	0.18	12.70	15.88	<=17	Pass
						3	3	0.19	12.24	15.43	<=17	Pass
			5500	/	/	1	3	0.19	16.77	19.96	<=24	Pass
						2	3	0.18	18.21	21.39	<=24	Pass
						3	3	0.19	19.93	23.12	<=24	Pass
			5720	/	/	1	3	0.19	16.44	19.63	<=24	Pass
						2	3	0.18	19.10	22.28	<=24	Pass
						3	3	0.19	20.35	23.54	<=24	Pass
	802.11n (HT20)	MIMO	5260	/	/	1	3	0.20	2.97	6.17	<=17	Pass
						2	3	0.19	5.31	8.50	<=17	Pass
						3	3	0.20	4.45	7.65	<=17	Pass
						MIMO	/	0.20	9.12	15.32	<=17	Pass
			5320	/	/	1	3	0.20	2.90	6.10	<=17	Pass
						2	3	0.19	6.35	9.54	<=17	Pass
						3	3	0.20	4.71	7.91	<=17	Pass
						MIMO	/	0.20	9.65	15.85	<=17	Pass
			5500	/	/	1	3	0.20	11.50	14.70	<=24	Pass
						2	3	0.19	12.13	15.32	<=24	Pass
						3	3	0.20	11.26	14.46	<=24	Pass
						MIMO	/	0.20	16.42	22.62	<=24	Pass
			5720	/	/	1	3	0.20	11.23	14.43	<=24	Pass
						2	3	0.19	12.97	16.16	<=24	Pass
						3	3	0.20	11.85	15.05	<=24	Pass
						MIMO	/	0.20	16.85	23.05	<=24	Pass
	802.11n (HT40)	MIMO	5270	/	/	1	3	0.39	3.84	7.23	<=17	Pass
						2	3	0.38	6.17	9.55	<=17	Pass
						3	3	0.39	5.29	8.68	<=17	Pass
						MIMO	/	0.39	9.97	16.36	<=17	Pass
			5310	/	/	1	3	0.39	3.12	6.51	<=17	Pass
						2	3	0.38	6.45	9.83	<=17	Pass
						3	3	0.39	4.58	7.97	<=17	Pass
						MIMO	/	0.39	9.70	16.09	<=17	Pass
			5510	/	/	1	3	0.39	12.16	15.55	<=24	Pass
						2	3	0.38	12.68	16.06	<=24	Pass
						3	3	0.39	11.74	15.13	<=24	Pass
						MIMO	/	0.39	16.98	23.37	<=24	Pass
			5710	/	/	1	3	0.39	11.30	14.69	<=24	Pass
						2	3	0.38	13.02	16.40	<=24	Pass
						3	3	0.39	11.44	14.83	<=24	Pass
						MIMO	/	0.39	16.76	23.15	<=24	Pass
	802.11ac (VHT20)	MIMO	5260	/	/	1	3	0.20	2.96	6.16	<=17	Pass
						2	3	0.20	5.21	8.41	<=17	Pass
						3	3	0.20	4.41	7.61	<=17	Pass

						MIMO	/	0.20	9.06	15.26	<=17	Pass
			5320	/	/	1	3	0.20	2.86	6.06	<=17	Pass
						2	3	0.20	6.61	9.81	<=17	Pass
						3	3	0.20	4.71	7.91	<=17	Pass
						MIMO	/	0.20	9.76	15.96	<=17	Pass
			5500	/	/	1	3	0.20	11.97	15.17	<=24	Pass
						2	3	0.20	12.48	15.68	<=24	Pass
						3	3	0.20	11.78	14.98	<=24	Pass
						MIMO	/	0.20	16.86	23.06	<=24	Pass
			5720	/	/	1	3	0.20	11.68	14.88	<=24	Pass
						2	3	0.20	13.56	16.76	<=24	Pass
						3	3	0.20	11.88	15.08	<=24	Pass
						MIMO	/	0.20	17.23	23.43	<=24	Pass
	802.11ac (VHT40)	MIMO	5270	/	/	1	3	0.39	3.82	7.21	<=17	Pass
						2	3	0.38	6.34	9.72	<=17	Pass
						3	3	0.38	5.37	8.75	<=17	Pass
						MIMO	/	0.38	10.07	16.45	<=17	Pass
			5310	/	/	1	3	0.39	3.17	6.56	<=17	Pass
						2	3	0.38	6.69	10.07	<=17	Pass
						3	3	0.38	4.75	8.13	<=17	Pass
						MIMO	/	0.38	9.88	16.26	<=17	Pass
			5510	/	/	1	3	0.39	12.14	15.53	<=24	Pass
						2	3	0.38	12.61	15.99	<=24	Pass
						3	3	0.38	11.79	15.17	<=24	Pass
						MIMO	/	0.38	16.96	23.34	<=24	Pass
			5710	/	/	1	3	0.39	11.48	14.87	<=24	Pass
						2	3	0.38	13.57	16.95	<=24	Pass
						3	3	0.38	11.93	15.31	<=24	Pass
						MIMO	/	0.38	17.19	23.57	<=24	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	/	10.20	16.20	<=17	Pass
			5530	/	/	MIMO	/	/	17.54	23.54	<=24	Pass
			5690	/	/	MIMO	/	/	17.53	23.53	<=24	Pass
	802.11ac (VHT160)	MIMO	5570	/	/	MIMO	/	/	17.34	23.34	<=24	Pass
	802.11ax (HEW20)	MIMO	5260	SU	/	MIMO	/	/	8.76	14.76	<=17	Pass
			5320	SU	/	MIMO	/	/	8.68	14.68	<=17	Pass
			5500	SU	/	MIMO	/	/	16.18	22.18	<=24	Pass
			5720	SU	/	MIMO	/	/	15.02	21.02	<=24	Pass
	802.11ax (HEW40)	MIMO	5270	SU	/	MIMO	/	/	10.38	16.38	<=17	Pass
			5310	SU	/	MIMO	/	/	9.98	15.98	<=17	Pass
			5510	SU	/	MIMO	/	/	17.42	23.42	<=24	Pass
			5710	SU	/	MIMO	/	/	17.40	23.40	<=24	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	/	10.50	16.50	<=17	Pass
			5530	SU	/	MIMO	/	/	17.25	23.25	<=24	Pass
			5690	SU	/	MIMO	/	/	17.49	23.49	<=24	Pass
	802.11ax (HEW160)	MIMO	5570	SU	/	MIMO	/	/	16.54	22.54	<=24	Pass
	802.11be (EHT20)	MIMO	5260	SU	/	1	3	0.67	2.53	6.20	<=17	Pass
						2	3	0.67	4.82	8.49	<=17	Pass
						3	3	0.67	4.13	7.80	<=17	Pass
						MIMO	/	0.67	8.70	15.37	<=17	Pass
			5320	SU	/	1	3	0.67	2.58	6.25	<=17	Pass
						2	3	0.67	5.90	9.57	<=17	Pass
						3	3	0.67	4.45	8.12	<=17	Pass

						MIMO	/	0.67	9.29	15.96	<=17	Pass
			5500	SU	/	1	3	0.67	11.11	14.78	<=24	Pass
						2	3	0.66	12.12	15.78	<=24	Pass
						3	3	0.67	11.07	14.74	<=24	Pass
						MIMO	/	0.67	16.23	22.90	<=24	Pass
			5720	SU	/	1	3	0.67	10.93	14.60	<=24	Pass
						2	3	0.66	12.92	16.58	<=24	Pass
						3	3	0.67	11.29	14.96	<=24	Pass
						MIMO	/	0.67	16.57	23.24	<=24	Pass
	802.11be (EHT40)	MIMO	5270	SU	/	1	3	0.67	3.93	7.60	<=17	Pass
						2	3	0.67	2.80	6.47	<=17	Pass
						3	3	0.66	3.27	6.93	<=17	Pass
						MIMO	/	0.66	8.13	14.79	<=17	Pass
			5310	SU	/	1	3	0.67	3.03	6.70	<=17	Pass
						2	3	0.67	6.50	10.17	<=17	Pass
						3	3	0.66	4.71	8.37	<=17	Pass
						MIMO	/	0.66	9.75	16.41	<=17	Pass
			5510	SU	/	1	3	0.67	11.94	15.61	<=24	Pass
						2	3	0.66	12.73	16.39	<=24	Pass
						3	3	0.67	11.76	15.43	<=24	Pass
						MIMO	/	0.67	16.94	23.61	<=24	Pass
			5710	SU	/	1	3	0.67	11.18	14.85	<=24	Pass
						2	3	0.66	13.04	16.70	<=24	Pass
						3	3	0.67	11.12	14.79	<=24	Pass
						MIMO	/	0.67	16.65	23.32	<=24	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	3	0.70	3.20	6.90	<=17	Pass
						2	3	0.69	6.09	9.78	<=17	Pass
						3	3	0.70	4.83	8.53	<=17	Pass
						MIMO	/	0.70	9.64	16.34	<=17	Pass
			5530	SU	/	1	3	0.70	11.55	15.25	<=24	Pass
						2	3	0.70	12.50	16.20	<=24	Pass
						3	3	0.62	11.27	14.89	<=24	Pass
						MIMO	/	0.62	16.58	23.20	<=24	Pass
			5690	SU	/	1	3	0.70	11.33	15.03	<=24	Pass
						2	3	0.70	13.24	16.94	<=24	Pass
						3	3	0.62	11.07	14.69	<=24	Pass
						MIMO	/	0.62	16.76	23.38	<=24	Pass
	802.11be (EHT160)	MIMO	5570	SU	/	1	3	0.68	11.19	14.87	<=24	Pass
						2	3	0.68	12.24	15.92	<=24	Pass
						3	3	0.69	11.06	14.75	<=24	Pass
						MIMO	/	0.69	16.30	22.99	<=24	Pass
LTNV	802.11a	SISO	5260	/	/	1	3	0.19	12.19	15.38	<=17	Pass
						2	3	0.18	11.61	14.79	<=17	Pass
						3	3	0.19	11.67	14.86	<=17	Pass
			5320	/	/	1	3	0.19	12.33	15.52	<=17	Pass
						2	3	0.18	12.71	15.89	<=17	Pass
						3	3	0.19	12.24	15.43	<=17	Pass
			5500	/	/	1	3	0.19	16.75	19.94	<=24	Pass
						2	3	0.18	18.21	21.39	<=24	Pass
						3	3	0.19	20.04	23.23	<=24	Pass
			5720	/	/	1	3	0.19	16.44	19.63	<=24	Pass
						2	3	0.18	19.10	22.28	<=24	Pass
						3	3	0.19	20.36	23.55	<=24	Pass

	802.11n (HT20)	MIMO	5260	/	/	1	3	0.20	2.98	6.18	<=17	Pass
						2	3	0.19	5.31	8.50	<=17	Pass
						3	3	0.20	4.44	7.64	<=17	Pass
						MIMO	/	0.20	9.12	15.32	<=17	Pass
			5320	/	/	1	3	0.20	2.90	6.10	<=17	Pass
						2	3	0.19	6.35	9.54	<=17	Pass
						3	3	0.20	4.72	7.92	<=17	Pass
						MIMO	/	0.20	9.65	15.85	<=17	Pass
			5500	/	/	1	3	0.20	11.50	14.70	<=24	Pass
						2	3	0.19	12.13	15.32	<=24	Pass
						3	3	0.20	11.28	14.48	<=24	Pass
						MIMO	/	0.20	16.42	22.62	<=24	Pass
			5720	/	/	1	3	0.20	11.24	14.44	<=24	Pass
						2	3	0.19	12.97	16.16	<=24	Pass
						3	3	0.20	11.86	15.06	<=24	Pass
						MIMO	/	0.20	16.85	23.05	<=24	Pass
	802.11n (HT40)	MIMO	5270	/	/	1	3	0.39	3.84	7.23	<=17	Pass
						2	3	0.38	6.16	9.54	<=17	Pass
						3	3	0.39	5.29	8.68	<=17	Pass
						MIMO	/	0.39	9.97	16.36	<=17	Pass
			5310	/	/	1	3	0.39	3.07	6.46	<=17	Pass
						2	3	0.38	6.40	9.78	<=17	Pass
						3	3	0.39	4.53	7.92	<=17	Pass
						MIMO	/	0.39	9.65	16.04	<=17	Pass
			5510	/	/	1	3	0.39	12.16	15.55	<=24	Pass
						2	3	0.38	12.69	16.07	<=24	Pass
						3	3	0.39	11.74	15.13	<=24	Pass
						MIMO	/	0.39	16.99	23.38	<=24	Pass
			5710	/	/	1	3	0.39	11.32	14.71	<=24	Pass
						2	3	0.38	13.01	16.39	<=24	Pass
						3	3	0.39	11.46	14.85	<=24	Pass
						MIMO	/	0.39	16.77	23.16	<=24	Pass
	802.11ac (VHT20)	MIMO	5260	/	/	1	3	0.20	2.97	6.17	<=17	Pass
						2	3	0.20	5.21	8.41	<=17	Pass
						3	3	0.20	4.42	7.62	<=17	Pass
						MIMO	/	0.20	9.07	15.27	<=17	Pass
			5320	/	/	1	3	0.20	2.86	6.06	<=17	Pass
						2	3	0.20	6.60	9.80	<=17	Pass
						3	3	0.20	4.72	7.92	<=17	Pass
						MIMO	/	0.20	9.76	15.96	<=17	Pass
			5500	/	/	1	3	0.20	12.01	15.21	<=24	Pass
						2	3	0.20	12.48	15.68	<=24	Pass
						3	3	0.20	11.77	14.97	<=24	Pass
						MIMO	/	0.20	16.87	23.07	<=24	Pass
			5720	/	/	1	3	0.20	11.68	14.88	<=24	Pass
						2	3	0.20	13.55	16.75	<=24	Pass
						3	3	0.20	11.88	15.08	<=24	Pass
						MIMO	/	0.20	17.23	23.43	<=24	Pass
	802.11ac (VHT40)	MIMO	5270	/	/	1	3	0.39	3.76	7.15	<=17	Pass
						2	3	0.38	6.29	9.67	<=17	Pass
						3	3	0.38	5.33	8.71	<=17	Pass
						MIMO	/	0.38	10.02	16.40	<=17	Pass
			5310	/	/	1	3	0.39	3.07	6.46	<=17	Pass

						2	3	0.38	6.55	9.93	<=17	Pass
						3	3	0.38	4.65	8.03	<=17	Pass
						MIMO	/	0.38	9.76	16.14	<=17	Pass
			5510	/	/	1	3	0.39	12.14	15.53	<=24	Pass
						2	3	0.38	12.60	15.98	<=24	Pass
						3	3	0.38	11.79	15.17	<=24	Pass
						MIMO	/	0.38	16.96	23.34	<=24	Pass
			5710	/	/	1	3	0.39	11.48	14.87	<=24	Pass
						2	3	0.38	13.57	16.95	<=24	Pass
						3	3	0.38	11.93	15.31	<=24	Pass
						MIMO	/	0.38	17.19	23.57	<=24	Pass
	802.11ac (VHT80)	MIMO	5290	/	/	MIMO	/	/	10.19	16.19	<=17	Pass
			5530	/	/	MIMO	/	/	17.46	23.46	<=24	Pass
			5690	/	/	MIMO	/	/	17.50	23.50	<=24	Pass
	802.11ac (VHT160)	MIMO	5570	/	/	MIMO	/	/	17.33	23.33	<=24	Pass
	802.11ax (HEW20)	MIMO	5260	SU	/	MIMO	/	/	8.75	14.75	<=17	Pass
			5320	SU	/	MIMO	/	/	8.65	14.65	<=17	Pass
			5500	SU	/	MIMO	/	/	16.14	22.14	<=24	Pass
			5720	SU	/	MIMO	/	/	15.04	21.04	<=24	Pass
	802.11ax (HEW40)	MIMO	5270	SU	/	MIMO	/	/	10.39	16.39	<=17	Pass
			5310	SU	/	MIMO	/	/	9.98	15.98	<=17	Pass
			5510	SU	/	MIMO	/	/	17.33	23.33	<=24	Pass
			5710	SU	/	MIMO	/	/	17.41	23.41	<=24	Pass
	802.11ax (HEW80)	MIMO	5290	SU	/	MIMO	/	/	10.50	16.50	<=17	Pass
			5530	SU	/	MIMO	/	/	17.28	23.28	<=24	Pass
			5690	SU	/	MIMO	/	/	17.50	23.50	<=24	Pass
	802.11ax (HEW160)	MIMO	5570	SU	/	MIMO	/	/	16.55	22.55	<=24	Pass
	802.11be (EHT20)	MIMO	5260	SU	/	1	3	0.67	2.53	6.20	<=17	Pass
						2	3	0.67	4.82	8.49	<=17	Pass
						3	3	0.67	4.14	7.81	<=17	Pass
						MIMO	/	0.67	8.70	15.37	<=17	Pass
			5320	SU	/	1	3	0.67	2.57	6.24	<=17	Pass
						2	3	0.67	5.91	9.58	<=17	Pass
						3	3	0.67	4.45	8.12	<=17	Pass
						MIMO	/	0.67	9.29	15.96	<=17	Pass
			5500	SU	/	1	3	0.67	11.10	14.77	<=24	Pass
						2	3	0.66	12.11	15.77	<=24	Pass
						3	3	0.67	11.05	14.72	<=24	Pass
						MIMO	/	0.67	16.22	22.89	<=24	Pass
			5720	SU	/	1	3	0.67	10.95	14.62	<=24	Pass
						2	3	0.66	12.93	16.59	<=24	Pass
						3	3	0.67	11.28	14.95	<=24	Pass
						MIMO	/	0.67	16.58	23.25	<=24	Pass
	802.11be (EHT40)	MIMO	5270	SU	/	1	3	0.67	3.93	7.60	<=17	Pass
						2	3	0.67	2.81	6.48	<=17	Pass
						3	3	0.66	3.28	6.94	<=17	Pass
						MIMO	/	0.66	8.14	14.80	<=17	Pass
			5310	SU	/	1	3	0.67	3.03	6.70	<=17	Pass
						2	3	0.67	6.49	10.16	<=17	Pass
						3	3	0.66	4.70	8.36	<=17	Pass
						MIMO	/	0.66	9.74	16.40	<=17	Pass
			5510	SU	/	1	3	0.67	11.92	15.59	<=24	Pass

						2	3	0.66	12.71	16.37	<=24	Pass
						3	3	0.67	11.75	15.42	<=24	Pass
						MIMO	/	0.67	16.92	23.59	<=24	Pass
			5710	SU	/	1	3	0.67	11.18	14.85	<=24	Pass
						2	3	0.66	13.04	16.70	<=24	Pass
						3	3	0.67	11.12	14.79	<=24	Pass
						MIMO	/	0.67	16.65	23.32	<=24	Pass
	802.11be (EHT80)	MIMO	5290	SU	/	1	3	0.70	3.22	6.92	<=17	Pass
						2	3	0.69	6.09	9.78	<=17	Pass
						3	3	0.70	4.83	8.53	<=17	Pass
						MIMO	/	0.70	9.64	16.34	<=17	Pass
			5530	SU	/	1	3	0.70	11.55	15.25	<=24	Pass
						2	3	0.70	12.50	16.20	<=24	Pass
						3	3	0.62	11.27	14.89	<=24	Pass
						MIMO	/	0.62	16.58	23.20	<=24	Pass
			5690	SU	/	1	3	0.70	11.32	15.02	<=24	Pass
						2	3	0.70	13.23	16.93	<=24	Pass
						3	3	0.62	11.07	14.69	<=24	Pass
						MIMO	/	0.62	16.76	23.38	<=24	Pass
	802.11be (EHT160)	MIMO	5570	SU	/	1	3	0.68	11.19	14.87	<=24	Pass
						2	3	0.68	12.23	15.91	<=24	Pass
						3	3	0.69	11.09	14.78	<=24	Pass
						MIMO	/	0.69	16.31	23.00	<=24	Pass

Note1: Beamforming Gain: 3.00dBi
Note2: E.I.R.P = Measured Power + DCCF + Antenna Gain + Beamforming Gain

4. Power Density

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Gain (dBi)	DCCF (dB)	PD (dBm)	E.I.R.PD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NTNV	802.11a	SISO	5180	/	/	1	3.00	0.19	6.37	9.56	<=10	Pass
						2	3.00	0.19	6.42	9.61	<=10	Pass
						3	3.00	0.18	6.33	9.51	<=10	Pass
			5240	/	/	1	3.00	0.19	6.62	9.81	<=10	Pass
						2	3.00	0.19	6.40	9.59	<=10	Pass
						3	3.00	0.18	6.62	9.80	<=10	Pass
			5260	/	/	1	3.00	0.19	6.62	9.81	<=10	Pass
						2	3.00	0.18	5.90	9.08	<=10	Pass
						3	3.00	0.19	6.46	9.65	<=10	Pass
			5320	/	/	1	3.00	0.19	6.64	9.83	<=10	Pass
						2	3.00	0.18	6.57	9.75	<=10	Pass
						3	3.00	0.19	6.76	9.95	<=10	Pass
			5500	/	/	1	3.00	0.19	10.48	13.67	<=17	Pass
						2	3.00	0.18	13.11	16.29	<=17	Pass
						3	3.00	0.19	13.70	16.89	<=17	Pass
			5720	/	/	1	3.00	0.19	9.98	13.17	<=17	Pass
						2	3.00	0.18	13.04	16.22	<=17	Pass
						3	3.00	0.19	11.28	14.47	<=17	Pass
	802.11n (HT20)	MIMO	5180	/	/	1	3.00	0.19	-2.50	0.69	<=10	Pass
						2	3.00	0.19	-0.58	2.61	<=10	Pass
						3	3.00	0.20	-1.18	2.02	<=10	Pass
						MIMO	3.00	0.20	3.42	9.62	<=10	Pass
			5240	/	/	1	3.00	0.19	-3.31	-0.12	<=10	Pass
						2	3.00	0.19	0.46	3.65	<=10	Pass
						3	3.00	0.20	-1.13	2.07	<=10	Pass
						MIMO	3.00	0.20	3.71	9.91	<=10	Pass
			5260	/	/	1	3.00	0.20	-2.87	0.33	<=10	Pass
						2	3.00	0.19	-0.29	2.90	<=10	Pass
						3	3.00	0.20	-1.02	2.18	<=10	Pass
						MIMO	3.00	0.20	3.51	9.71	<=10	Pass
			5320	/	/	1	3.00	0.20	-2.95	0.25	<=10	Pass
						2	3.00	0.19	-0.12	3.07	<=10	Pass
						3	3.00	0.20	-1.18	2.02	<=10	Pass
						MIMO	3.00	0.20	3.51	9.71	<=10	Pass
			5500	/	/	1	3.00	0.20	5.16	8.36	<=17	Pass
						2	3.00	0.19	6.65	9.84	<=17	Pass
						3	3.00	0.20	5.08	8.28	<=17	Pass
						MIMO	3.00	0.20	10.46	16.66	<=17	Pass
			5720	/	/	1	3.00	0.20	5.12	8.32	<=17	Pass
						2	3.00	0.19	6.57	9.76	<=17	Pass
						3	3.00	0.20	4.84	8.04	<=17	Pass
						MIMO	3.00	0.20	10.35	16.55	<=17	Pass
	802.11n (HT40)	MIMO	5190	/	/	1	3.00	0.39	-3.29	0.10	<=10	Pass
						2	3.00	0.39	-0.53	2.86	<=10	Pass
						3	3.00	0.39	-1.82	1.57	<=10	Pass

						MIMO	3.00	0.39	3.04	9.43	<=10	Pass
			5230	/	/	1	3.00	0.39	-4.16	-0.77	<=10	Pass
						2	3.00	0.39	-1.35	2.04	<=10	Pass
						3	3.00	0.39	-2.29	1.10	<=10	Pass
						MIMO	3.00	0.39	2.32	8.71	<=10	Pass
			5270	/	/	1	3.00	0.39	-3.93	-0.54	<=10	Pass
						2	3.00	0.38	-1.47	1.91	<=10	Pass
						3	3.00	0.39	-2.41	0.98	<=10	Pass
						MIMO	3.00	0.39	2.28	8.67	<=10	Pass
			5310	/	/	1	3.00	0.39	-4.87	-1.48	<=10	Pass
						2	3.00	0.38	-2.30	1.08	<=10	Pass
						3	3.00	0.39	-3.17	0.22	<=10	Pass
						MIMO	3.00	0.39	1.45	7.84	<=10	Pass
			5510	/	/	1	3.00	0.39	3.61	7.00	<=17	Pass
						2	3.00	0.38	5.30	8.68	<=17	Pass
						3	3.00	0.39	3.07	6.46	<=17	Pass
						MIMO	3.00	0.39	8.87	15.26	<=17	Pass
			5710	/	/	1	3.00	0.39	2.76	6.15	<=17	Pass
						2	3.00	0.38	4.49	7.87	<=17	Pass
						3	3.00	0.39	2.88	6.27	<=17	Pass
						MIMO	3.00	0.39	8.22	14.61	<=17	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	3.00	0.20	-3.30	-0.10	<=10	Pass
						2	3.00	0.19	-0.34	2.85	<=10	Pass
						3	3.00	0.20	-1.47	1.73	<=10	Pass
						MIMO	3.00	0.20	3.23	9.43	<=10	Pass
			5240	/	/	1	3.00	0.20	-2.89	0.31	<=10	Pass
						2	3.00	0.19	-0.19	3.00	<=10	Pass
						3	3.00	0.20	-1.00	2.20	<=10	Pass
						MIMO	3.00	0.20	3.55	9.75	<=10	Pass
			5260	/	/	1	3.00	0.20	-2.79	0.41	<=10	Pass
						2	3.00	0.20	-0.36	2.84	<=10	Pass
						3	3.00	0.20	-1.19	2.01	<=10	Pass
						MIMO	3.00	0.20	3.44	9.64	<=10	Pass
			5320	/	/	1	3.00	0.20	-2.85	0.35	<=10	Pass
						2	3.00	0.20	0.02	3.22	<=10	Pass
						3	3.00	0.20	-1.02	2.18	<=10	Pass
						MIMO	3.00	0.20	3.64	9.84	<=10	Pass
			5500	/	/	1	3.00	0.20	5.50	8.70	<=17	Pass
						2	3.00	0.20	7.24	10.44	<=17	Pass
						3	3.00	0.20	4.75	7.95	<=17	Pass
						MIMO	3.00	0.20	10.73	16.93	<=17	Pass
			5720	/	/	1	3.00	0.20	5.62	8.82	<=17	Pass
						2	3.00	0.20	7.26	10.46	<=17	Pass
						3	3.00	0.20	4.59	7.79	<=17	Pass
						MIMO	3.00	0.20	10.74	16.94	<=17	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	3.00	0.39	-3.63	-0.24	<=10	Pass
						2	3.00	0.38	-0.45	2.93	<=10	Pass
						3	3.00	0.38	-2.07	1.31	<=10	Pass
						MIMO	3.00	0.38	2.91	9.29	<=10	Pass
			5230	/	/	1	3.00	0.39	-3.94	-0.55	<=10	Pass
						2	3.00	0.38	-0.52	2.86	<=10	Pass
						3	3.00	0.38	-1.97	1.41	<=10	Pass
						MIMO	3.00	0.38	2.85	9.23	<=10	Pass

			5270	/	/	1	3.00	0.39	-3.98	-0.59	<=10	Pass
						2	3.00	0.38	-0.87	2.51	<=10	Pass
						3	3.00	0.38	-2.40	0.98	<=10	Pass
						MIMO	3.00	0.38	2.54	8.92	<=10	Pass
			5310	/	/	1	3.00	0.39	-4.79	-1.40	<=10	Pass
						2	3.00	0.38	-1.90	1.48	<=10	Pass
						3	3.00	0.38	-2.87	0.51	<=10	Pass
						MIMO	3.00	0.38	1.74	8.12	<=10	Pass
			5510	/	/	1	3.00	0.39	3.73	7.12	<=17	Pass
						2	3.00	0.38	5.48	8.86	<=17	Pass
						3	3.00	0.38	2.37	5.75	<=17	Pass
						MIMO	3.00	0.38	8.82	15.20	<=17	Pass
			5710	/	/	1	3.00	0.39	3.64	7.03	<=17	Pass
						2	3.00	0.38	5.16	8.54	<=17	Pass
						3	3.00	0.38	2.70	6.08	<=17	Pass
						MIMO	3.00	0.38	8.72	15.10	<=17	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	1	/	/	/	-3.50	<=10	Pass
						2	/	/	/	-0.61	<=10	Pass
						3	/	/	/	-1.16	<=10	Pass
						MIMO	/	/	/	6.04	<=10	Pass
			5290	/	/	1	/	/	/	-3.18	<=10	Pass
						2	/	/	/	0.03	<=10	Pass
						3	/	/	/	-1.67	<=10	Pass
						MIMO	/	/	/	6.26	<=10	Pass
			5530	/	/	1	/	/	/	5.26	<=17	Pass
						2	/	/	/	6.88	<=17	Pass
						3	/	/	/	4.83	<=17	Pass
						MIMO	/	/	/	13.34	<=17	Pass
			5690	/	/	1	/	/	/	5.04	<=17	Pass
						2	/	/	/	6.82	<=17	Pass
						3	/	/	/	4.76	<=17	Pass
						MIMO	/	/	/	13.28	<=17	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	1	/	/	/	-5.96	<=10	Pass
						2	/	/	/	-2.92	<=10	Pass
						3	/	/	/	-3.61	<=10	Pass
						MIMO	/	/	/	3.67	<=10	Pass
			5570	/	/	1	/	/	/	2.56	<=17	Pass
						2	/	/	/	4.28	<=17	Pass
						3	/	/	/	2.58	<=17	Pass
						MIMO	/	/	/	10.80	<=17	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	1	/	/	/	0.34	<=10	Pass
						2	/	/	/	2.99	<=10	Pass
						3	/	/	/	2.80	<=10	Pass
						MIMO	/	/	/	9.69	<=10	Pass
			5240	SU	/	1	/	/	/	2.42	<=10	Pass
						2	/	/	/	2.28	<=10	Pass
						3	/	/	/	2.80	<=10	Pass
						MIMO	/	/	/	9.96	<=10	Pass
			5260	SU	/	1	/	/	/	0.79	<=10	Pass
						2	/	/	/	3.30	<=10	Pass
						3	/	/	/	2.22	<=10	Pass
						MIMO	/	/	/	9.58	<=10	Pass
			5320	SU	/	1	/	/	/	1.25	<=10	Pass

						2	/	/	/	2.33	<=10	Pass
						3	/	/	/	2.44	<=10	Pass
						MIMO	/	/	/	9.42	<=10	Pass
			5500	SU	/	1	/	/	/	9.00	<=17	Pass
						2	/	/	/	9.86	<=17	Pass
						3	/	/	/	8.87	<=17	Pass
						MIMO	/	/	/	16.75	<=17	Pass
			5720	SU	/	1	/	/	/	8.23	<=17	Pass
						2	/	/	/	10.22	<=17	Pass
						3	/	/	/	8.62	<=17	Pass
						MIMO	/	/	/	16.66	<=17	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	1	/	/	/	0.74	<=10	Pass
						2	/	/	/	0.88	<=10	Pass
						3	/	/	/	2.15	<=10	Pass
						MIMO	/	/	/	8.76	<=10	Pass
			5230	SU	/	1	/	/	/	-0.74	<=10	Pass
						2	/	/	/	2.21	<=10	Pass
						3	/	/	/	1.78	<=10	Pass
						MIMO	/	/	/	8.91	<=10	Pass
			5270	SU	/	1	/	/	/	0.70	<=10	Pass
						2	/	/	/	1.68	<=10	Pass
						3	/	/	/	1.72	<=10	Pass
						MIMO	/	/	/	8.93	<=10	Pass
			5310	SU	/	1	/	/	/	0.53	<=10	Pass
						2	/	/	/	2.30	<=10	Pass
						3	/	/	/	1.43	<=10	Pass
						MIMO	/	/	/	9.09	<=10	Pass
			5510	SU	/	1	/	/	/	7.95	<=17	Pass
						2	/	/	/	9.36	<=17	Pass
						3	/	/	/	7.62	<=17	Pass
						MIMO	/	/	/	15.89	<=17	Pass
			5710	SU	/	1	/	/	/	7.98	<=17	Pass
						2	/	/	/	9.71	<=17	Pass
						3	/	/	/	7.70	<=17	Pass
						MIMO	/	/	/	16.13	<=17	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	1	/	/	/	-3.34	<=10	Pass
						2	/	/	/	-0.51	<=10	Pass
						3	/	/	/	-0.76	<=10	Pass
						MIMO	/	/	/	6.28	<=10	Pass
			5290	SU	/	1	/	/	/	-3.11	<=10	Pass
						2	/	/	/	-0.17	<=10	Pass
						3	/	/	/	-1.60	<=10	Pass
						MIMO	/	/	/	6.19	<=10	Pass
			5530	SU	/	1	/	/	/	4.97	<=17	Pass
						2	/	/	/	6.25	<=17	Pass
						3	/	/	/	4.57	<=17	Pass
						MIMO	/	/	/	12.96	<=17	Pass
			5690	SU	/	1	/	/	/	4.94	<=17	Pass
						2	/	/	/	6.55	<=17	Pass
						3	/	/	/	4.63	<=17	Pass
						MIMO	/	/	/	13.02	<=17	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	1	/	/	/	3.02	<=10	Pass
						2	/	/	/	2.95	<=10	Pass





						3	/	/	/	3.25	<=10	Pass
						MIMO	/	/	/	3.02	<=10	Pass
			5570	SU	/	1	/	/	/	9.91	<=17	Pass
						2	/	/	/	10.19	<=17	Pass
						3	/	/	/	10.36	<=17	Pass
						MIMO	/	/	/	10.03	<=17	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	3.00	0.67	-4.69	-1.02	<=10	Pass
						2	3.00	0.67	-0.22	3.45	<=10	Pass
						3	3.00	0.67	-1.95	1.72	<=10	Pass
						MIMO	3.00	0.67	2.85	9.52	<=10	Pass
			5240	SU	/	1	3.00	0.67	-4.21	-0.54	<=10	Pass
						2	3.00	0.67	-0.12	3.55	<=10	Pass
						3	3.00	0.67	-1.19	2.48	<=10	Pass
						MIMO	3.00	0.67	3.25	9.92	<=10	Pass
			5260	SU	/	1	3.00	0.67	-3.18	0.49	<=10	Pass
						2	3.00	0.67	-1.40	2.27	<=10	Pass
						3	3.00	0.67	-1.40	2.27	<=10	Pass
						MIMO	3.00	0.67	2.85	9.52	<=10	Pass
			5320	SU	/	1	3.00	0.67	-3.70	-0.03	<=10	Pass
						2	3.00	0.67	-0.31	3.36	<=10	Pass
						3	3.00	0.67	-2.43	1.24	<=10	Pass
						MIMO	3.00	0.67	2.85	9.52	<=10	Pass
			5500	SU	/	1	3.00	0.67	4.61	8.28	<=17	Pass
						2	3.00	0.66	6.40	10.06	<=17	Pass
						3	3.00	0.67	4.91	8.58	<=17	Pass
						MIMO	3.00	0.67	10.15	16.82	<=17	Pass
			5720	SU	/	1	3.00	0.67	4.93	8.60	<=17	Pass
						2	3.00	0.66	6.71	10.37	<=17	Pass
						3	3.00	0.67	3.67	7.34	<=17	Pass
						MIMO	3.00	0.67	10.06	16.73	<=17	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	1	3.00	0.67	-4.18	-0.51	<=10	Pass
						2	3.00	0.67	-2.32	1.35	<=10	Pass
						3	3.00	0.66	-2.91	0.75	<=10	Pass
						MIMO	3.00	0.66	1.70	8.36	<=10	Pass
			5230	SU	/	1	3.00	0.67	-5.21	-1.54	<=10	Pass
						2	3.00	0.67	-0.78	2.89	<=10	Pass
						3	3.00	0.66	-2.24	1.42	<=10	Pass
						MIMO	3.00	0.66	2.39	9.05	<=10	Pass
			5270	SU	/	1	3.00	0.67	-4.30	-0.63	<=10	Pass
						2	3.00	0.67	-1.12	2.55	<=10	Pass
						3	3.00	0.66	-2.75	0.91	<=10	Pass
						MIMO	3.00	0.66	2.24	8.90	<=10	Pass
			5310	SU	/	1	3.00	0.67	-5.32	-1.65	<=10	Pass
						2	3.00	0.67	-1.95	1.72	<=10	Pass
						3	3.00	0.66	-3.39	0.27	<=10	Pass
						MIMO	3.00	0.66	1.43	8.09	<=10	Pass
			5510	SU	/	1	3.00	0.67	3.28	6.95	<=17	Pass
						2	3.00	0.66	4.22	7.88	<=17	Pass
						3	3.00	0.67	2.52	6.19	<=17	Pass
						MIMO	3.00	0.67	8.17	14.84	<=17	Pass
			5710	SU	/	1	3.00	0.67	2.56	6.23	<=17	Pass
						2	3.00	0.66	4.39	8.05	<=17	Pass
						3	3.00	0.67	1.84	5.51	<=17	Pass





						MIMO	3.00	0.67	7.84	14.51	<=17	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	3.00	0.69	-8.14	-4.45	<=10	Pass
						2	3.00	0.70	-6.06	-2.36	<=10	Pass
						3	3.00	0.69	-5.76	-2.07	<=10	Pass
						MIMO	3.00	0.69	-1.76	4.93	<=10	Pass
			5290	SU	/	1	3.00	0.70	-9.50	-5.80	<=10	Pass
						2	3.00	0.69	-4.55	-0.86	<=10	Pass
						3	3.00	0.70	-6.50	-2.80	<=10	Pass
						MIMO	3.00	0.70	-1.63	5.07	<=10	Pass
			5530	SU	/	1	3.00	0.70	0.14	3.84	<=17	Pass
						2	3.00	0.70	0.94	4.64	<=17	Pass
						3	3.00	0.62	-0.09	3.53	<=17	Pass
						MIMO	3.00	0.62	5.12	11.74	<=17	Pass
			5690	SU	/	1	3.00	0.70	-0.46	3.24	<=17	Pass
						2	3.00	0.70	1.72	5.42	<=17	Pass
						3	3.00	0.62	-0.11	3.51	<=17	Pass
						MIMO	3.00	0.62	5.26	11.88	<=17	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	3.00	0.69	-11.28	-7.59	<=10	Pass
						2	3.00	0.69	-8.43	-4.74	<=10	Pass
						3	3.00	0.70	-8.58	-4.88	<=10	Pass
						MIMO	3.00	0.70	-4.48	2.22	<=10	Pass
			5570	SU	/	1	3.00	0.68	-2.39	1.29	<=17	Pass
						2	3.00	0.68	-0.76	2.92	<=17	Pass
						3	3.00	0.69	-3.63	0.06	<=17	Pass
						MIMO	3.00	0.69	2.67	9.36	<=17	Pass





Note1: Beamforming Gain=3.00dBi
Note2: E.I.R.PD = PD + Antenna Gain + DCCF + Beamforming Gain





4.2 Test Graph





4.2.1 PSD





802.11a_LCH_5180MHz_Ant1_NTNV	802.11a_LCH_5180MHz_Ant2_NTNV
	
802.11a_LCH_5180MHz_Ant3_NTNV	802.11a_HCH_5240MHz_Ant1_NTNV
	





802.11a_HCH_5240MHz_Ant2_NTNV	802.11a_HCH_5240MHz_Ant3_NTNV
	
802.11a_LCH_5260MHz_Ant1_NTNV	802.11a_LCH_5260MHz_Ant2_NTNV
	





802.11a_LCH_5260MHz_Ant3_NTNV	802.11a_HCH_5320MHz_Ant1_NTNV
	
802.11a_HCH_5320MHz_Ant2_NTNV	802.11a_HCH_5320MHz_Ant3_NTNV
	





802.11a_LCH_5500MHz_Ant1_NTNV	802.11a_LCH_5500MHz_Ant2_NTNV
	
802.11a_LCH_5500MHz_Ant3_NTNV	802.11a_HCH_5720MHz_Ant1_NTNV
	





802.11a_HCH_5720MHz_Ant2_NTNV	802.11a_HCH_5720MHz_Ant3_NTNV
	
802.11n(HT20)_LCH_5180MHz_Ant1_NTNV	802.11n(HT20)_LCH_5180MHz_Ant2_NTNV
	





802.11n(HT20)_LCH_5180MHz_Ant3_NTNV	802.11n(HT20)_HCH_5240MHz_Ant1_NTNV
	
802.11n(HT20)_HCH_5240MHz_Ant2_NTNV	802.11n(HT20)_HCH_5240MHz_Ant3_NTNV
	





802.11n(HT20)_LCH_5260MHz_Ant1_NTNV	802.11n(HT20)_LCH_5260MHz_Ant2_NTNV
	
802.11n(HT20)_LCH_5260MHz_Ant3_NTNV	802.11n(HT20)_HCH_5320MHz_Ant1_NTNV
	





802.11n(HT20)_HCH_5320MHz_Ant2_NTNV	802.11n(HT20)_HCH_5320MHz_Ant3_NTNV
	
802.11n(HT20)_LCH_5500MHz_Ant1_NTNV	802.11n(HT20)_LCH_5500MHz_Ant2_NTNV
	





802.11n(HT20)_LCH_5500MHz_Ant3_NTNV	802.11n(HT20)_HCH_5720MHz_Ant1_NTNV
	
802.11n(HT20)_HCH_5720MHz_Ant2_NTNV	802.11n(HT20)_HCH_5720MHz_Ant3_NTNV
	





802.11n(HT40)_LCH_5190MHz_Ant1_NTNV	802.11n(HT40)_LCH_5190MHz_Ant2_NTNV
	
802.11n(HT40)_LCH_5190MHz_Ant3_NTNV	802.11n(HT40)_HCH_5230MHz_Ant1_NTNV
	





802.11n(HT40)_HCH_5230MHz_Ant2_NTNV	802.11n(HT40)_HCH_5230MHz_Ant3_NTNV
	
802.11n(HT40)_LCH_5270MHz_Ant1_NTNV	802.11n(HT40)_LCH_5270MHz_Ant2_NTNV
	





802.11n(HT40)_LCH_5270MHz_Ant3_NTNV	802.11n(HT40)_HCH_5310MHz_Ant1_NTNV
	
802.11n(HT40)_HCH_5310MHz_Ant2_NTNV	802.11n(HT40)_HCH_5310MHz_Ant3_NTNV
	





802.11n(HT40)_LCH_5510MHz_Ant1_NTNV	802.11n(HT40)_LCH_5510MHz_Ant2_NTNV
	
802.11n(HT40)_LCH_5510MHz_Ant3_NTNV	802.11n(HT40)_HCH_5710MHz_Ant1_NTNV
	





802.11n(HT40)_HCH_5710MHz_Ant2_NTNV	802.11n(HT40)_HCH_5710MHz_Ant3_NTNV
	
802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV	802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV
	





802.11ac(VHT20)_LCH_5180MHz_Ant3_NTNV	802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV
	
802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV	802.11ac(VHT20)_HCH_5240MHz_Ant3_NTNV
	





802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV	802.11ac(VHT20)_LCH_5260MHz_Ant2_NTNV
	
802.11ac(VHT20)_LCH_5260MHz_Ant3_NTNV	802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV
	





802.11ac(VHT20)_HCH_5320MHz_Ant2_NTNV	802.11ac(VHT20)_HCH_5320MHz_Ant3_NTNV
	
802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV	802.11ac(VHT20)_LCH_5500MHz_Ant2_NTNV
	





802.11ac(VHT20)_LCH_5500MHz_Ant3_NTNV	802.11ac(VHT20)_HCH_5720MHz_Ant1_NTNV
	
802.11ac(VHT20)_HCH_5720MHz_Ant2_NTNV	802.11ac(VHT20)_HCH_5720MHz_Ant3_NTNV
	





802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV
	
802.11ac(VHT40)_LCH_5190MHz_Ant3_NTNV	802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV
	





802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV	802.11ac(VHT40)_HCH_5230MHz_Ant3_NTNV
	
802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV
	





802.11ac(VHT40)_LCH_5270MHz_Ant3_NTNV	802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV
	
802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV	802.11ac(VHT40)_HCH_5310MHz_Ant3_NTNV
	





802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV
	
802.11ac(VHT40)_LCH_5510MHz_Ant3_NTNV	802.11ac(VHT40)_HCH_5710MHz_Ant1_NTNV
	





802.11ac(VHT40)_HCH_5710MHz_Ant2_NTNV	802.11ac(VHT40)_HCH_5710MHz_Ant3_NTNV
	
802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV	802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV
	





802.11ac(VHT80)_MCH_5210MHz_Ant3_NTNV	802.11ac(VHT80)_MCH_5210MHz_MIMO_NTNV
	
802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV	802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV
	





802.11ac(VHT80)_MCH_5290MHz_Ant3_NTNV	802.11ac(VHT80)_MCH_5290MHz_MIMO_NTNV
	
802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV	802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV
	





802.11ac(VHT80)_LCH_5530MHz_Ant3_NTNV	802.11ac(VHT80)_LCH_5530MHz_MIMO_NTNV
	
802.11ac(VHT80)_HCH_5690MHz_Ant1_NTNV	802.11ac(VHT80)_HCH_5690MHz_Ant2_NTNV
	





802.11ac(VHT80)_HCH_5690MHz_Ant3_NTNV	802.11ac(VHT80)_HCH_5690MHz_MIMO_NTNV
	
802.11ac(VHT160)_MCH_5250MHz_Ant1_NTNV	802.11ac(VHT160)_MCH_5250MHz_Ant2_NTNV
	





802.11ac(VHT160)_MCH_5250MHz_Ant3_NTNV	802.11ac(VHT160)_MCH_5250MHz_MIMO_NTNV
	
802.11ac(VHT160)_MCH_5570MHz_Ant1_NTNV	802.11ac(VHT160)_MCH_5570MHz_Ant2_NTNV
	





802.11ac(VHT160)_MCH_5570MHz_Ant3_NTNV	802.11ac(VHT160)_MCH_5570MHz_MIMO_NTNV
	
802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_LCH_5180MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_HCH_5240MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_LCH_5260MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_HCH_5320MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_LCH_5500MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW20)_HCH_5720MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_HCH_5720MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_HCH_5720MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_HCH_5720MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_LCH_5190MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_HCH_5230MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_LCH_5270MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_HCH_5310MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_LCH_5510MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW40)_HCH_5710MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_HCH_5710MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_HCH_5710MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_HCH_5710MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant3_NTNV	802.11ax(HEW80)_MCH_5210MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant2_NTNV
	

802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant3_NTNV	802.11ax(HEW80)_MCH_5290MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant2_NTNV
	


802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant3_NTNV	802.11ax(HEW80)_LCH_5530MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW80)_HCH_5690MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_HCH_5690MHz_SU_ / _Ant2_NTNV
	

802.11ax(HEW80)_HCH_5690MHz_SU_ / _Ant3_NTNV	802.11ax(HEW80)_HCH_5690MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant1_NTNV	802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant2_NTNV
	


802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant3_NTNV	802.11ax(HEW160)_MCH_5250MHz_SU_ / _MIMO_NTNV
	
802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant1_NTNV	802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant2_NTNV
	

802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant3_NTNV	802.11ax(HEW160)_MCH_5570MHz_SU_ / _MIMO_NTNV
	
802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant1_NTNV	802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant2_NTNV
	


802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant3_NTNV




802.11be(EHT20)_HCH_5240MHz_SU_ / _Ant1_NTNV











802.11be(EHT20)_HCH_5240MHz_SU_ / _Ant2_NTNV




802.11be(EHT20)_HCH_5240MHz_SU_ / _Ant3_NTNV




802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant1_NTNV	802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant3_NTNV	802.11be(EHT20)_HCH_5320MHz_SU_ / _Ant1_NTNV
	

802.11be(EHT20)_HCH_5320MHz_SU_ / _Ant2_NTNV	802.11be(EHT20)_HCH_5320MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant1_NTNV	802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant2_NTNV
	


802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant3_NTNV




802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant1_NTNV











802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant2_NTNV











802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant3_NTNV







802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant3_NTNV	802.11be(EHT40)_HCH_5230MHz_SU_ / _Ant1_NTNV
	


802.11be(EHT40)_HCH_5230MHz_SU_ / _Ant2_NTNV	802.11be(EHT40)_HCH_5230MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant2_NTNV
	

802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant3_NTNV	802.11be(EHT40)_HCH_5310MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT40)_HCH_5310MHz_SU_ / _Ant2_NTNV	802.11be(EHT40)_HCH_5310MHz_SU_ / _Ant3_NTNV
	


802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant3_NTNV	**802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant1_NTNV**
	

802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant2_NTNV	802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant1_NTNV	802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant2_NTNV
	


802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant3_NTNV




802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant1_NTNV











802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant2_NTNV







802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant3_NTNV



802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant1_NTNV	802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant3_NTNV	802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant1_NTNV
	

802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant2_NTNV	802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant1_NTNV	802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant2_NTNV
	

802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant3_NTNV	802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant2_NTNV	802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant3_NTNV
	

5. Transmitter Unwanted Emissions Within The 5 GHz RLAN Bands

5.1 Test Result

5.1.1 Mask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11a	SISO	5180	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5240	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5260	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5320	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5500	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5720	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
	802.11n (HT20)	MIMO	5180	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5240	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5260	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5320	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5500	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5720	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
	802.11n (HT40)	MIMO	5190	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5230	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass
			5270	/	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
						3	Refer To Test Graph		Pass

			5310	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5510	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5710	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5240	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5260	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5320	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5500	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5720	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ac (VHT40)	MIMO	5190	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5230	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5270	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5310	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5510	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5710	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ac (VHT80)	MIMO	5210	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5290	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5530	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass





						3	Refer To Test Graph	Pass
			5690	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ac (VHT160)	MIMO	5250	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5570	/	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5240	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5260	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5320	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5500	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5720	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ax (HEW40)	MIMO	5190	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5230	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5270	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5310	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5510	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5710	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ax (HEW80)	MIMO	5210	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5290	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5530	SU	/	1	Refer To Test Graph	Pass





						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5690	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11ax (HEW160)	MIMO	5250	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5570	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5240	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5260	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5320	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5500	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5720	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11be (EHT40)	MIMO	5190	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5230	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5270	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5310	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5510	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5710	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11be (EHT80)	MIMO	5210	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5290	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass





			5530	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5690	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
	802.11be (EHT160)	MIMO	5250	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass
			5570	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
						3	Refer To Test Graph	Pass





5.2 Test Graph





5.2.1 Mask





802.11a_LCH_5180MHz_Ant1_NTNV	802.11a_LCH_5180MHz_Ant2_NTNV
	
802.11a_LCH_5180MHz_Ant3_NTNV	802.11a_HCH_5240MHz_Ant1_NTNV
	





802.11a_HCH_5240MHz_Ant2_NTNV	802.11a_HCH_5240MHz_Ant3_NTNV
	
802.11a_LCH_5260MHz_Ant1_NTNV	802.11a_LCH_5260MHz_Ant2_NTNV
	





802.11a_LCH_5260MHz_Ant3_NTNV	802.11a_HCH_5320MHz_Ant1_NTNV
	
802.11a_HCH_5320MHz_Ant2_NTNV	802.11a_HCH_5320MHz_Ant3_NTNV
	





802.11a_LCH_5500MHz_Ant1_NTNV	802.11a_LCH_5500MHz_Ant2_NTNV
	
802.11a_LCH_5500MHz_Ant3_NTNV	**802.11a_HCH_5720MHz_Ant1_NTNV**
	





802.11a_HCH_5720MHz_Ant2_NTNV	802.11a_HCH_5720MHz_Ant3_NTNV
	
802.11n(HT20)_LCH_5180MHz_Ant1_NTNV	802.11n(HT20)_LCH_5180MHz_Ant2_NTNV
	





802.11n(HT20)_LCH_5180MHz_Ant3_NTNV	802.11n(HT20)_HCH_5240MHz_Ant1_NTNV
	
802.11n(HT20)_HCH_5240MHz_Ant2_NTNV	802.11n(HT20)_HCH_5240MHz_Ant3_NTNV
	





802.11n(HT20)_LCH_5260MHz_Ant1_NTNV	802.11n(HT20)_LCH_5260MHz_Ant2_NTNV
	
802.11n(HT20)_LCH_5260MHz_Ant3_NTNV	802.11n(HT20)_HCH_5320MHz_Ant1_NTNV
	





802.11n(HT20)_HCH_5320MHz_Ant2_NTNV	802.11n(HT20)_HCH_5320MHz_Ant3_NTNV
	
802.11n(HT20)_LCH_5500MHz_Ant1_NTNV	802.11n(HT20)_LCH_5500MHz_Ant2_NTNV
	





802.11n(HT20)_LCH_5500MHz_Ant3_NTNV	802.11n(HT20)_HCH_5720MHz_Ant1_NTNV
	
802.11n(HT20)_HCH_5720MHz_Ant2_NTNV	802.11n(HT20)_HCH_5720MHz_Ant3_NTNV
	





802.11n(HT40)_LCH_5190MHz_Ant1_NTNV	802.11n(HT40)_LCH_5190MHz_Ant2_NTNV
	
802.11n(HT40)_LCH_5190MHz_Ant3_NTNV	802.11n(HT40)_HCH_5230MHz_Ant1_NTNV
	





802.11n(HT40)_HCH_5230MHz_Ant2_NTNV	802.11n(HT40)_HCH_5230MHz_Ant3_NTNV
	
802.11n(HT40)_LCH_5270MHz_Ant1_NTNV	802.11n(HT40)_LCH_5270MHz_Ant2_NTNV
	





802.11n(HT40)_LCH_5270MHz_Ant3_NTNV	802.11n(HT40)_HCH_5310MHz_Ant1_NTNV
	
802.11n(HT40)_HCH_5310MHz_Ant2_NTNV	802.11n(HT40)_HCH_5310MHz_Ant3_NTNV
	





802.11n(HT40)_LCH_5510MHz_Ant1_NTNV	802.11n(HT40)_LCH_5510MHz_Ant2_NTNV
	
802.11n(HT40)_LCH_5510MHz_Ant3_NTNV	802.11n(HT40)_HCH_5710MHz_Ant1_NTNV
	





802.11n(HT40)_HCH_5710MHz_Ant2_NTNV	802.11n(HT40)_HCH_5710MHz_Ant3_NTNV
	
802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV	802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV
	





802.11ac(VHT20)_LCH_5180MHz_Ant3_NTNV	802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV
	
802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV	802.11ac(VHT20)_HCH_5240MHz_Ant3_NTNV
	





802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV	802.11ac(VHT20)_LCH_5260MHz_Ant2_NTNV
	
802.11ac(VHT20)_LCH_5260MHz_Ant3_NTNV	802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV
	





802.11ac(VHT20)_HCH_5320MHz_Ant2_NTNV	802.11ac(VHT20)_HCH_5320MHz_Ant3_NTNV
	
802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV	802.11ac(VHT20)_LCH_5500MHz_Ant2_NTNV
	





802.11ac(VHT20)_LCH_5500MHz_Ant3_NTNV	802.11ac(VHT20)_HCH_5720MHz_Ant1_NTNV
	
802.11ac(VHT20)_HCH_5720MHz_Ant2_NTNV	802.11ac(VHT20)_HCH_5720MHz_Ant3_NTNV
	





802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV
	
802.11ac(VHT40)_LCH_5190MHz_Ant3_NTNV	802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV
	





802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV	802.11ac(VHT40)_HCH_5230MHz_Ant3_NTNV
	
802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV
	





802.11ac(VHT40)_LCH_5270MHz_Ant3_NTNV	802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV
	
802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV	802.11ac(VHT40)_HCH_5310MHz_Ant3_NTNV
	

802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV	802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV
	
802.11ac(VHT40)_LCH_5510MHz_Ant3_NTNV	802.11ac(VHT40)_HCH_5710MHz_Ant1_NTNV
	


802.11ac(VHT40)_HCH_5710MHz_Ant2_NTNV	802.11ac(VHT40)_HCH_5710MHz_Ant3_NTNV
	
802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV	802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV
	

802.11ac(VHT80)_MCH_5210MHz_Ant3_NTNV	802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV
	
802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV	802.11ac(VHT80)_MCH_5290MHz_Ant3_NTNV
	


802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV	802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV
	
802.11ac(VHT80)_LCH_5530MHz_Ant3_NTNV	802.11ac(VHT80)_HCH_5690MHz_Ant1_NTNV
	

802.11ac(VHT80)_HCH_5690MHz_Ant2_NTNV	802.11ac(VHT80)_HCH_5690MHz_Ant3_NTNV
	
802.11ac(VHT160)_MCH_5250MHz_Ant1_NTNV	802.11ac(VHT160)_MCH_5250MHz_Ant2_NTNV
	


802.11ac(VHT160)_MCH_5250MHz_Ant3_NTNV




802.11ac(VHT160)_MCH_5570MHz_Ant1_NTNV











802.11ac(VHT160)_MCH_5570MHz_Ant2_NTNV











802.11ac(VHT160)_MCH_5570MHz_Ant3_NTNV











802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV	802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant3_NTNV
	
802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant1_NTNV
	
802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant2_NTNV	802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant3_NTNV
	





802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant1_NTNV	802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant3_NTNV	802.11ax(HEW20)_HCH_5720MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW20)_HCH_5720MHz_SU_ / _Ant2_NTNV	802.11ax(HEW20)_HCH_5720MHz_SU_ / _Ant3_NTNV
	
802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV
	
802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV	802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant3_NTNV
	





802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant2_NTNV	802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant3_NTNV
	
802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant1_NTNV	802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant3_NTNV	802.11ax(HEW40)_HCH_5710MHz_SU_ / _Ant1_NTNV
	
802.11ax(HEW40)_HCH_5710MHz_SU_ / _Ant2_NTNV	802.11ax(HEW40)_HCH_5710MHz_SU_ / _Ant3_NTNV
	





802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant3_NTNV	802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant2_NTNV	802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant3_NTNV
	
802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant1_NTNV	802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant2_NTNV
	





802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant3_NTNV	802.11ax(HEW80)_HCH_5690MHz_SU_ / _Ant1_NTNV
	
802.11ax(HEW80)_HCH_5690MHz_SU_ / _Ant2_NTNV	802.11ax(HEW80)_HCH_5690MHz_SU_ / _Ant3_NTNV
	





802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant1_NTNV	802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant2_NTNV
	
802.11ax(HEW160)_MCH_5250MHz_SU_ / _Ant3_NTNV	802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant1_NTNV
	





802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant2_NTNV	802.11ax(HEW160)_MCH_5570MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant1_NTNV	802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant2_NTNV
	





802.11be(EHT20)_LCH_5180MHz_SU_ / _Ant3_NTNV	802.11be(EHT20)_HCH_5240MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT20)_HCH_5240MHz_SU_ / _Ant2_NTNV	802.11be(EHT20)_HCH_5240MHz_SU_ / _Ant3_NTNV
	





802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant1_NTNV	802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT20)_LCH_5260MHz_SU_ / _Ant3_NTNV	802.11be(EHT20)_HCH_5320MHz_SU_ / _Ant1_NTNV
	





802.11be(EHT20)_HCH_5320MHz_SU_ / _Ant2_NTNV	802.11be(EHT20)_HCH_5320MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant1_NTNV	802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant2_NTNV
	





802.11be(EHT20)_LCH_5500MHz_SU_ / _Ant3_NTNV	802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant2_NTNV	802.11be(EHT20)_HCH_5720MHz_SU_ / _Ant3_NTNV
	

802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT40)_LCH_5190MHz_SU_ / _Ant3_NTNV	802.11be(EHT40)_HCH_5230MHz_SU_ / _Ant1_NTNV
	


802.11be(EHT40)_HCH_5230MHz_SU_ / _Ant2_NTNV	802.11be(EHT40)_HCH_5230MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant2_NTNV
	

802.11be(EHT40)_LCH_5270MHz_SU_ / _Ant3_NTNV	802.11be(EHT40)_HCH_5310MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT40)_HCH_5310MHz_SU_ / _Ant2_NTNV	802.11be(EHT40)_HCH_5310MHz_SU_ / _Ant3_NTNV
	


802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant1_NTNV	802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT40)_LCH_5510MHz_SU_ / _Ant3_NTNV	802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant1_NTNV
	

802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant2_NTNV	802.11be(EHT40)_HCH_5710MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant1_NTNV	802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant2_NTNV
	


802.11be(EHT80)_MCH_5210MHz_SU_ / _Ant3_NTNV




802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant1_NTNV











802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant2_NTNV







802.11be(EHT80)_MCH_5290MHz_SU_ / _Ant3_NTNV



802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant1_NTNV	802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant2_NTNV
	
802.11be(EHT80)_LCH_5530MHz_SU_ / _Ant3_NTNV	802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant1_NTNV
	

802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant2_NTNV	802.11be(EHT80)_HCH_5690MHz_SU_ / _Ant3_NTNV
	
802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant1_NTNV	802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant2_NTNV
	

802.11be(EHT160)_MCH_5250MHz_SU_ / _Ant3_NTNV	802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant1_NTNV
	
802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant2_NTNV	802.11be(EHT160)_MCH_5570MHz_SU_ / _Ant3_NTNV
	


6. Adaptivity (Channel Access Mechanism)

6.1 Test Result


TestMode	Antenna	Frequency[MHz]	Priority Class	Max. COT [ms]	Limit [ms]	Min.Idle Time[ms]	Limit [ms]	Idle Period probability	Verdict
11A	Ant1	5180	2	0.429	6.000	0.033	0.027	See the graph	PASS
11A	Ant1	5260	2	0.387	6.000	0.032	0.027	See the graph	PASS
11A	Ant1	5500	2	0.399	6.000	0.032	0.027	See the graph	PASS
11BE160MIMO	Ant1	5250	2	0.430	6.000	0.032	0.027	See the graph	PASS
11BE160MIMO	Ant1	5570	2	0.415	6.000	0.033	0.027	See the graph	PASS

TestMode	Antenna	Frequency[MHz]	Interference Type	Add interference Time [ms]	Interference Level [dBm/MHz]	Max. Short Control number [n]	Limit [n]	Max. Short Control Time [ms]	Limit [ms]	Verdict
11A	Ant1	5180	AWGN	3001	-75.00	1	50	0.10	2.5	PASS
11A	Ant1	5180	OFDM	3001	-75.00	0	50	0.00	2.5	PASS
11A	Ant1	5180	LTE	3001	-75.00	1	50	0.20	2.5	PASS
11A	Ant1	5260	AWGN	3001	-75.00	1	50	0.20	2.5	PASS
11A	Ant1	5260	OFDM	3001	-75.00	0	50	0.00	2.5	PASS
11A	Ant1	5260	LTE	3001	-75.00	1	50	0.10	2.5	PASS
11A	Ant1	5500	AWGN	3001	-75.00	2	50	0.20	2.5	PASS
11A	Ant1	5500	OFDM	3001	-75.00	0	50	0.00	2.5	PASS
11A	Ant1	5500	LTE	3001	-75.00	0	50	0.00	2.5	PASS
11BE160MIMO	Ant1	5250	AWGN	3001	-75.00	1	50	0.20	2.5	PASS
11BE160MIMO	Ant1	5250	OFDM	3001	-75.00	0	50	0.00	2.5	PASS
11BE160MIMO	Ant1	5250	LTE	3001	-75.00	1	50	0.10	2.5	PASS
11BE160MIMO	Ant1	5570	AWGN	3001	-75.00	0	50	0.00	2.5	PASS
11BE160MIMO	Ant1	5570	OFDM	3001	-75.00	1	50	0.20	2.5	PASS
11BE160MIMO	Ant1	5570	LTE	3001	-75.00	1	50	0.10	2.5	PASS


6.2 Test Graph




11A-Ant1-5180-PASS




11A-Ant1-5180-PASS




11A-Ant1-5180-PASS




11A-Ant1-5260-PASS




11A-Ant1-5260-PASS




11A-Ant1-5260-PASS




11A-Ant1-5500-PASS




11A-Ant1-5500-PASS




11A-Ant1-5500-PASS






11BE160MIMO-Ant1-5250-PASS




11BE160MIMO-Ant1-5250-PASS




11BE160MIMO-Ant1-5250-PASS


	
11BE160MIMO-Ant1-5570-PASS	11BE160MIMO-Ant1-5570-PASS
	
11BE160MIMO-Ant1-5570-PASS	




11A-Ant1-5180-PASS




11A-Ant1-5180-PASS




11A-Ant1-5180-PASS









11A-Ant1-5180-PASS




11A-Ant1-5180-PASS




11A-Ant1-5180-PASS


	
11A-Ant1-5260-PASS	11A-Ant1-5260-PASS
	
11A-Ant1-5260-PASS	11A-Ant1-5260-PASS
	
11A-Ant1-5260-PASS	11A-Ant1-5260-PASS




11A-Ant1-5500-PASS




11A-Ant1-5500-PASS




11A-Ant1-5500-PASS









11A-Ant1-5500-PASS









11A-Ant1-5500-PASS



11A-Ant1-5500-PASS

	
11BE160MIMO-Ant1-5250-PASS	11BE160MIMO-Ant1-5250-PASS
	
11BE160MIMO-Ant1-5250-PASS	11BE160MIMO-Ant1-5250-PASS
	
11BE160MIMO-Ant1-5250-PASS	11BE160MIMO-Ant1-5250-PASS

	
11BE160MIMO-Ant1-5570-PASS	11BE160MIMO-Ant1-5570-PASS
	
11BE160MIMO-Ant1-5570-PASS	11BE160MIMO-Ant1-5570-PASS
	
11BE160MIMO-Ant1-5570-PASS	11BE160MIMO-Ant1-5570-PASS

7. Receiver Blocking

7.1 Test Result

7.1.1 Ant1

Ant1												
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Pmin (dBm)	Wanted signal level (dBm)	Blocking Signal		PER (%)	Limit (%)	Verdict
								Frequency (MHz)	Power (dBm)			
NTNV	802.11a	SISO	5180	/	/	-91.00	-85.00	4900	-47	0.10	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.30	<=10	Pass
								5975	-47	0.00	<=10	Pass
			5260	/	/	-91.00	-85.00	4900	-47	0.10	<=10	Pass
								5000	-47	0.20	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.10	<=10	Pass
			5500	/	/	-90.00	-84.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.10	<=10	Pass
								5975	-47	0.00	<=10	Pass
	802.11n (HT20)	MIMO	5180	/	/	-91.00	-85.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.10	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass
			5260	/	/	-91.00	-85.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.20	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass
			5500	/	/	-90.00	-84.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.30	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	-91.00	-85.00	4900	-47	0.10	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass
			5260	/	/	-91.00	-85.00	4900	-47	0.10	<=10	Pass
								5000	-47	0.10	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass
			5500	/	/	-90.00	-84.00	4900	-47	0.10	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.10	<=10	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	-91.00	-85.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.30	<=10	Pass
			5260	SU	/	-91.00	-85.00	4900	-47	0.10	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.30	<=10	Pass
								5975	-47	0.10	<=10	Pass

			5500	SU	/	-90.00	-84.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.10	<=10	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	-91.00	-85.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.00	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass
			5260	SU	/	-91.00	-85.00	4900	-47	0.00	<=10	Pass
								5000	-47	0.10	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass
			5500	SU	/	-90.00	-84.00	4900	-47	0.20	<=10	Pass
								5000	-47	0.20	<=10	Pass
								5100	-53	0.00	<=10	Pass
								5975	-47	0.00	<=10	Pass

8. Adjacent channel selectivity

8.1 Test Result

8.1.1 Ant1

Ant1												
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Pmin (dBm)	Wanted signal level (dBm)	Interferer Signal		PER (%)	Limit (%)	Verdict
								Frequency (MHz)	Power (dBm)			
NTNV	802.11a	SISO	5180	/	/	-91.00	-81.00	5160	-65	0.00	<=10	Pass
								5200	-65	0.20	<=10	Pass
			5260	/	/	-91.00	-81.00	5240	-65	0.10	<=10	Pass
								5280	-65	0.00	<=10	Pass
			5500	/	/	-90.00	-80.00	5480	-64	0.10	<=10	Pass
								5520	-64	0.00	<=10	Pass
	802.11n (HT20)	MIMO	5180	/	/	-91.00	-81.00	5160	-65	0.00	<=10	Pass
								5200	-65	0.00	<=10	Pass
			5260	/	/	-91.00	-81.00	5240	-65	0.30	<=10	Pass
								5280	-65	0.00	<=10	Pass
			5500	/	/	-90.00	-80.00	5480	-64	0.00	<=10	Pass
								5520	-64	0.00	<=10	Pass
	802.11ac (VHT20)	MIMO	5180	/	/	-91.00	-81.00	5160	-65	0.00	<=10	Pass
								5200	-65	0.00	<=10	Pass
			5260	/	/	-91.00	-81.00	5240	-65	0.00	<=10	Pass
								5280	-65	0.30	<=10	Pass
			5500	/	/	-90.00	-80.00	5480	-64	0.00	<=10	Pass
								5520	-64	0.00	<=10	Pass
	802.11ax (HEW20)	MIMO	5180	SU	/	-91.00	-81.00	5160	-65	0.10	<=10	Pass
								5200	-65	0.00	<=10	Pass
			5260	SU	/	-91.00	-81.00	5240	-65	0.00	<=10	Pass
								5280	-65	0.10	<=10	Pass
			5500	SU	/	-90.00	-80.00	5480	-64	0.00	<=10	Pass
								5520	-64	0.10	<=10	Pass
	802.11be (EHT20)	MIMO	5180	SU	/	-91.00	-81.00	5160	-65	0.10	<=10	Pass
								5200	-65	0.20	<=10	Pass
			5260	SU	/	-91.00	-81.00	5240	-65	0.10	<=10	Pass
								5280	-65	0.00	<=10	Pass
			5500	SU	/	-90.00	-80.00	5480	-64	0.00	<=10	Pass
								5520	-64	0.00	<=10	Pass

End of Report