TEST REPORT

Product	:	XGS-PON ONT
Trade mark	:	ZTE
Model/Type reference	:	ZXHN F8708
Serial Number	:	N/A
Report Number	:	EED32S821445
Date of Issue	:	October 27, 2026
Test Standards	:	ETSI EN 300 328 V2.2.2(2019-07)
Test result	:	PASS

Prepared for:

ZTE Corporation

ZTE Plaza, Keji Road South, Hi-Tech Industrial Park, NanshanDistrict, Shenzhen, Guangdong , P. R. China

Prepared by:

Centre Testing International Group Co., Ltd.
Hongwei Industrial Park, Zone 70, Bao'an District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Compiled by: Frazer Li — Reviewed by: Tom Chen

Approved by: Aaron Ma — Date: October 27, 2026

Check No.:8234020926

1 Test Summary

Test Item	Test Requirement	Test Method	Limit	Result
RF output power	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.2	EN 300 328 V2.2.2 (2019-07)Clause 5.4.2	Refer clause 4.3.2.2.3	PASS
Power Spectral Density	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.3	EN 300 328 V2.2.2 (2019-07)Clause 5.4.3	Refer clause 4.3.2.3.3	PASS
Duty Cycle, Tx-sequence, Tx-gap	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.4	EN 300 328 V2.2.2 (2019-07)Clause 5.4.2	Refer clause 4.3.2.4.3	N/A[1]
Medium Utilization (MU) factor	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.5	EN 300 328 V2.2.2 (2019-07)Clause 5.4.2	Refer clause 4.3.2.5.3	N/A[2]
Adaptivity	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.6	EN 300 328 V2.2.2 (2019-07)Clause 5.4.6	Refer clause 4.3.2.6.3.2	PASS
Occupied Channel Bandwidth	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.7	EN 300 328 V2.2.2 (2019-07)Clause 5.4.7	Refer clause 4.3.2.7.3	PASS
Transmitter unwanted emissions in the out-of-band domain	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.8	EN 300 328 V2.2.2 (2019-07)Clause 5.4.8	Refer clause 4.3.2.8.3	PASS
Transmitter unwanted emissions in the spurious domain	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.9	EN 300 328 V2.2.2 (2019-07)Clause 5.4.9	Refer clause 4.3.2.9.3	PASS
Receiver spurious emissions	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.10	EN 300 328 V2.2.2 (2019-07)Clause 5.4.10	Refer clause 4.3.2.10.3	PASS
Receiver Blocking	EN 300 328 V2.2.2 (2019-07)Clause 4.3.2.11	EN 300 328 V2.2.2 (2019-07)Clause 5.4.11	Refer clause 4.3.2.11.4	PASS
Geo-location capability	EN 300 328 V2.2.2 (2019-07)Clause 4.3.1.13	EN 300 328 V2.2.2 (2019-07)Clause 4.3.1.13	Refer Clause 4.3.1.13.3	N/A[3]

Remark:

N/A[1]: Because these requirements apply to non-adaptive frequency hopping equipment mode and RF output power of greater than or equal to 10 dBm.

N/A[2] Because these requirements apply to non-adaptive frequency hopping equipment mode and RF output power of greater than or equal to 10 dBm.

N/A[3] Because these requirements apply to equipment with geo-location capability

Tx: In this whole report Tx (or tx) means Transmitter.
Rx: In this whole report Rx (or rx) means Receiver.
RF: In this whole report RF means Radiated Frequency.
CH: In this whole report CH means channel.
Volt: In this whole report Volt means Voltage.
Temp: In this whole report Temp means Temperature.
Humid: In this whole report Humid means humidity.
Press: In this whole report Press means Pressure.
N/A: In this whole report not application.

2 Content

1 TEST SUMMARY **2**

2 CONTENT **3**

3 TEST REQUIREMENT **4**

3.1 TEST SETUP 4
3.1.1 *For Conducted test setup* *4*
3.1.2 *For Radiated Emissions test setup* *4*
3.2 TEST ENVIRONMENT 6
3.3 TEST CONDITION 6

4 GENERAL INFORMATION **8**

4.1 CLIENT INFORMATION 8
4.2 GENERAL DESCRIPTION OF EUT 8
4.3 OTHER INFORMATION 9
4.4 DESCRIPTION OF SUPPORT UNITS 9
4.5 TEST LOCATION 9
4.6 DEVIATION FROM STANDARDS 9
4.7 ABNORMALITIES FROM STANDARD CONDITIONS 9
4.8 OTHER INFORMATION REQUESTED BY THE CUSTOMER 10
4.9 MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2) 10

5 EQUIPMENT LIST **11**

6 RADIO TECHNICAL REQUIREMENTS SPECIFICATION **13**


Appendix A: Spurious emissions *14*

7 PHOTOGRAPHS **79**

3 Test Requirement

3.1 Test setup

3.1.1 For Conducted test setup



3.1.2 For Radiated Emissions test setup

Radiated Emissions setup:




Figure 1. 30MHz to 1GHz




Figure 2. Above 1GHz




Figure 1. 30MHz to 1GHz




Figure 2. Above 1GHz

3.2 Test Environment

Environment Parameter	Selected Values During Tests		
Test condition	Ambient		
	Temperature(℃)	Voltage(V)	Relative Humidity(%)
NT/NV	23	12	52
LT/NV	0	12	52
HT/NV	40	12	52

Note:

1) The EUT just work in such extreme temperature of 0℃~40℃, so here the EUT is tested in the temperature of 0℃~400℃

2) NV: Normal Voltage NT:Normal Temperature
LT: Low Extreme Test Temperature HT:High Extreme Test Temperature

5.1.2 Normal test conditions

5.1.2.1 Normal temperature and humidity

Unless otherwise declared by the manufacturer, the normal temperature and humidity conditions for tests shall be any convenient combination of temperature and humidity within the following ranges:

- temperature: +15 °C to +35 °C;
- relative humidity: 20 % to 75 %.

The actual values during the tests shall be recorded.

5.1.2.2 Normal power source

The normal test voltage for the equipment shall be the nominal voltage for which the equipment was designed.

5.1.3 Extreme test conditions

Some tests in the present document need to be repeated at extreme temperatures. Where that is the case, measurements shall be made over the extremes of the operating temperature range as declared by the manufacturer.

3.3 Test Condition

Test channel

Test Mode	Tx/Rx	RF Channel		
		Low(L)	Middle(M)	High(H)
802.11b	2412MHz ~2472MHz	Channel 1	Channel 7	Channel 13
		2412MHz	2442MHz	2472MHz
802.11g	2412MHz ~2472MHz	Channel 1	Channel 7	Channel 13
		2412MHz	2442MHz	2472MHz
802.11n(HT20)	2412MHz ~2472MHz	Channel 1	Channel 7	Channel 13
		2412MHz	2442MHz	2472MHz
802.11n(HT40)	2422MHz ~2462MHz	Channel 3	Channel 7	Channel 11
		2422MHz	2442MHz	2462MHz
802.11ax(HE20)	2412MHz ~2472MHz	Channel 1	Channel 7	Channel 13
		2412MHz	2442MHz	2472MHz
802.11ax(HE40)	2422MHz ~2462MHz	Channel 3	Channel 7	Channel 11
		2422MHz	2442MHz	2462MHz
802.11be(EHT20)	2412MHz ~2472MHz	Channel 1	Channel 7	Channel 13

		2412MHz	2442MHz	2472MHz
802.11be(EHT40)	2422MHz ~2462MHz	Channel 3	Channel 7	Channel 11
		2422MHz	2442MHz	2462MHz
Through Pre-scan all rate, 1Mbps of rate the power is the worst case of 802.11b; 6Mbps of rate the power is the worst case of 802.11g; 6.5Mbps of rate the power is the worst case of 802.11n(HT20); 13.5Mbps of rate the power is the worst case of 802.11n(HT40); 8.6Mbps of rate the power is the worst case of 802.11ax(HE20); 17.2Mbps of rate the power is the worst case of 802.11ax(HE40); 8.6Mbps of rate the power is the worst case of 802.11be(EHT20); 17.2Mbps of rate the power is the worst case of 802.11be(EHT40); only the worse case was recorded in the report.				

4 General Information

4.1 Client Information

Applicant:	ZTE Corporation
Address of Applicant:	ZTE Plaza, Keji Road South, Hi-Tech Industrial Park, NanshanDistrict, Shenzhen, Guangdong , P. R. China
Manufacturer:	ZTE Corporation
Address of Manufacturer:	ZTE Plaza, Keji Road South, Hi-Tech Industrial Park, NanshanDistrict, Shenzhen, Guangdong , P. R. China

4.2 General Description of EUT

Product Name:	XGS-PON ONT
Model No.:	ZXHN F8708
Test model No.:	ZXHN F8708
Model difference:	N/A
Trade mark:	ZTE
Type of Modulation:	IEEE for 802.11b:DSSS(CCK,DQPSK,DBPSK) IEEE for 802.11g:OFDM(64QAM, 16QAM, QPSK, BPSK) IEEE for 802.11n(HT20 and HT40): OFDM (64QAM, 16QAM,QPSK,BPSK) IEEE for 802.11ax(HE20 and HE40): OFDMA (1024QAM, 256QAM, 64QAM 16QAM, QPSK, BPSK) IEEE for 802.11be(EHT20 and EHT40): OFDMA (4096QAM, 1024QAM, 64QAM, 16QAM, QPSK, BPSK)
Operating Frequency:	IEEE 802.11b/g/n(HT20)/ax(HE20)/be(EHT20): 2412MHz to 2472MHz IEEE 802.11n(HT40)/ax(HE40)/ax(EHT40): 2422MHz to 2462MHz
Channels Step:	Channels with 5MHz step
Transmit Data Rate:	802.11b:1M/2M/5.5M/11M bps 802.11g:6M/9M/12M/18M/24M/36M/48M/54M bps 802.11n(HT20): MCS0-MCS15 802.11n(HT40): MCS0-MCS15 802.11ax(HE20): MCS0-MCS11 802.11ax(HE40): MCS0-MCS11 802.11be(EHT20): MCS0-MCS13 802.11be(EHT40): MCS0-MCS13
Function	☒SISO ☒2x2 MIMO ☐3x3 MIMO ☐4x4MIMO
Sample Type:	Fix Location
Test Power Grade:	Default
Test Software of EUT:	PhyPlusKit
Antenna Type:	Dipole antenna
Antenna Gain:	2dBi; Max Beamforming gain:2dBi
Power Supply:	DC 12V
Test voltage:	DC 12V

4.3 Other Information

RED Directive:	2014/53/EU
Sample Received Date:	Sep. 08, 2026
Sample tested Date:	Sep. 08, 2026 to Sep. 26, 2026

Operation Frequency each of channel(802.11b/g/n HT20/ax HE20/be EHT20)							
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
1	2412	5	2432	9	2452	13	2472
2	2417	6	2437	10	2457		
3	2422	7	2442	11	2462		
4	2427	8	2447	12	2467		

Operation Frequency each of channel(802.11n HT40/ax HE40/be EHT 40)					
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
1	2422	4	2437	7	2452
2	2427	5	2442	8	2457
3	2432	6	2447	9	2462

4.4 Description of Support Units

Description	Manufacturer	Model No.	Certification	Supplied by
Netbook	Dell	P77F	FCC&CE	CTI
Router	Asus	GT-AXE11000	FCC&CE	CTI

4.5 Test Location

All tests were performed at:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Park, Zone 70, Bao'an District, Shenzhen, Guangdong, China
Telephone: +86 (0) 755 3368 3668 Fax:+86 (0) 755 3368 3385
No tests were sub-contracted.

4.6 Deviation from Standards

None.

4.7 Abnormalities from Standard Conditions

None.

4.8 Other Information Requested by the Customer

None.

4.9 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Occupied Bandwidth	0.52dB
2	RF Power conducted	0.46dB(30MHz-1GHz)
		0.55dB(1GHz-18GHz)
3	Power Spectral Density, conducted	0.57dB
4	Unwanted Emission, conducted	0.46dB(30MHz-1GHz)
		0.55dB(1GHz-18GHz)
5	All Emission, radiated	4.9dB(30MHz-1GHz)
		4.7dB(1GHz-18GHz)
6	Temperature test	0.64°C
7	Humidity test	3.8%
8	DC and low frequency voltages test	0.026%

5 Equipment List

RF test system					
Equipment	**Manufacturer**	**Model No.**	**Serial Number**	**Cal. Date (mm-dd-yyyy)**	**Cal. Due date (mm-dd-yyyy)**
Spectrum Analyzer	Keysight	N9010A	MY54510339	11-25-2025	11-24-2026
Spectrum Analyzer	R&S	FSVS3044	101509	05-14-2026	05-13-2027
Spectrum Analyzer	R&S	FSW43	102978	08-07-2026	07-06-2027
Signal Generator	Keysight	N5182B	MY53051549	11-13-2025	11-12-2026
Signal Generator	Agilent	N5181A	MY46240094	11-25-2025	11-24-2026
DC Power	Keysight	E3642A	MY56376072	11-13-2025	11-12-2026
Communication test set	R&S	CMW500	169004	02-06-2026	02-05-2027
RF control unit(power unit)	JS Tonscend	JS0806-2	24I80620925	07-15-2026	07-14-2027
Wi-Fi 7GHz Band Extendder	JS Tonscend	TS-WF7U2	2206200002	05-09-2026	05-08-2027
high-low temperature test chamber	Dong Guang Qin Zhuo	LK-80GA	QZ20150611879	11-13-2025	11-12-2026
Temperature/ Humidity Indicator	biaozhi	HM10	1804186	05-22-2026	05-21-2027
BT&WI-FI Automatic test software	JS Tonscend	JS1120-3	V3.6.21	---	---
Digital multimeter	FLUKE	17B MAX	59545050WS	10-15-2025	10-14-2026

3M full-anechoic Chamber					
Equipment	**Manufacturer**	**Model No.**	**Serial Number**	**Cal. Date (mm-dd-yyyy)**	**Cal. Due date (mm-dd-yyyy)**
Fully Anechoic Chamber	TDK	FAC-3	---	01-29-2024	01-28-2027
Receiver	Keysight	N9038A	MY57290136	12-22-2025	12-21-2026
Spectrum Analyzer	Keysight	N9020B	MY57111112	12-21-2025	12-20-2026
Spectrum Analyzer	Keysight	N9030B	MY57140871	12-21-2025	12-20-2026
TRILOG Broadband Antenna	Schwarzbeck	VULB 9163	9163-1148	03-29-2026	03-28-2027
Horn Antenna	Schwarzbeck	BBHA 9170	9170-832	04-03-2026	04-02-2027
Horn Antenna	ETS-LINDGREN	3117	57407	05-10-2026	05-09-2027
Preamplifier	EMCI	EMC001330	980563	02-06-2026	02-05-2027
Preamplifier	EMCI	EMC051845SE	980380	11-25-2025	11-24-2026
Preamplifier	Tonscend	TAP-011858	AP21B806112	06-22-2026	06-21-2027
Communication test set	R&S	CMW500	104466	11-25-2025	11-24-2026
Temperature/ Humidity Indicator	biaozhi	GM1360	EE1186631	03-24-2026	03-23-2027
RSE Automatic test software	JS Tonscend	JS36-RSE	V5.0.0.1	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0001	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0002	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0003	---	---
Cable line	Times	SFT205-NMSM-2.50M	393495-0001	---	---
Cable line	Times	EMC104-NMNM-1000	SN160710	---	---
Cable line	Times	SFT205-NMSM-3.00M	394813-0001	---	---
Cable line	Times	SFT205-NMNM-1.50M	381964-0001	---	---
Cable line	Times	SFT205-NMSM-7.00M	394815-0001	---	---
Cable line	Times	HF160-KMKM-3.00M	393493-0001	---	---

6 Radio Technical Requirements Specification

Reference documents for testing:

No.	Identity	Document Title
1	ETSI EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum

Test Results List:

ETSI EN 300 328 V2.2.2 (2019-07)		Test Descriptions & Test Conditions	Verdict	Note
Test Requirement	Test Method			
Clause 4.3.2.2	Clause 5.4.2	RF output power		Note 1
		NT/NV	PASS	
		LT/NV	PASS	
		HT/NV	PASS	
Clause 4.3.2.3	Clause 5.4.3	Power Spectral Density		Note 1
		NT/NV	PASS	
Clause 4.3.2.4	Clause 5.4.2	Duty Cycle, Tx-sequence, Tx-gap		N/A
		NT/NV	N/A	
Clause 4.3.2.5	Clause 5.4.2	Medium Utilisation (MU) factor		N/A
		NT/NV	N/A	
Clause 4.3.2.6	Clause 5.4.6	Adaptivity (adaptive equipment using modulations other than FHSS)		Note 1
		NT/NV	PASS	
Clause 4.3.2.7	Clause 5.4.7	Occupied Channel Bandwidth		Note 1
		NT/NV	PASS	
Clause 4.3.2.8	Clause 5.4.8	Transmitter unwanted emissions in the out-of-band domain		Note 1
		NT/NV	PASS	
Clause 4.3.2.11	Clause 5.4.11	Receiver Blocking		Note 1
		NT/NV	PASS	
Clause 4.3.2.9	Clause 5.4.9	Transmitter unwanted emissions in the spurious domain		Appendix A
		NT/NV	PASS	
Clause 4.3.2.10	Clause 5.4.10	Receiver spurious emissions		Appendix A
		NT/NV	PASS	
Note 1: The test data please refer to Appendix: 2.4G Wi-Fi of EED32S821445				

Appendix A: Spurious emissions

Test Procedure:

1. Scan from 30MHz to 12.75GHz; find the maximum radiation frequency to measure.
2. The technique used to find the Spurious Emissions of the transmitter was the antenna substitution method. Substitution method was performed to determine the actual ERP/EIRP emission levels of the EUT.

Test procedure as below:

1) The EUT was powered ON and placed on a 1.5m hight table at a 3 meter fully Anechoic Chamber. The antenna of the transmitter was extended to its maximum length. Modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
2) The EUT was set 3 meters (above 18GHz the distance is 1 meter) away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
3) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
4) Steps 1) to 3) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
5) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter.
6) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 3) is obtained for this set of conditions.
7) The output power into the substitution antenna was then measured.
8) Steps 6) and 7) were repeated with both antennas polarized.
9) Calculate power in dBm by the following formula:

ERP(dBm) = Pg(dBm) – cable loss (dB) + antenna gain (dBd)
EIRP(dBm) = Pg(dBm) – cable loss (dB) + antenna gain (dBi)
EIRP=ERP+2.15dB

where:

Pg is the generator output power into the substitution antenna.

10) Test the EUT in the lowest channel , the Highest channel
11) Repeat above procedures until all frequencies measured was complete.

Limit:

Transmitter limits for spurious emissions

Frequency range	Maximum power, e.r.p. (≤ 1 GHz) e.i.r.p. (> 1 GHz)	Bandwidth
30MHz to 47MHz	-36dBm	100kHz
47MHz to 74MHz	-54dBm	100kHz
74MHz to 87,5MHz	-36dBm	100kHz
87,5MHz to 118MHz	-54dBm	100kHz
118MHz to 174MHz	-36dBm	100kHz
174MHz to 230MHz	-54dBm	100kHz
230MHz to 470MHz	-36dBm	100kHz
470MHz to 694MHz	-54dBm	100kHz
694MHz to 1GHz	-36dBm	100kHz
1GHz to 12.75GHz	-30dBm	1MHz

Spurious emission limits for receivers

Frequency range	Maximum power e.r.p. (≤ 1 GHz) e.i.r.p. (> 1 GHz)	Bandwidth
30MHz to 1GHz	-57dBm	100kHz
1GHz to 12.75GHz	-47dBm	1MHz

Radiated Spurious Emissions test Data:

1) Transmitter unwanted emissions in the spurious domain

SISO:

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.4516	150	260	-65.84	-54.00	11.84	PASS	Horizontal
2	104.7539	150	360	-61.42	-54.00	7.42	PASS	Horizontal
3	208.8592	150	100	-65.39	-54.00	11.39	PASS	Horizontal
4	2151.9152	150	290	-44.12	-30.00	14.12	PASS	Horizontal
5	6967.8645	150	210	-45.51	-30.00	15.51	PASS	Horizontal
6	12504.2836	150	280	-37.14	-30.00	7.14	PASS	Horizontal

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.4016	150	150	-59.58	-54.00	5.58	PASS	Vertical
2	203.5589	150	240	-63.44	-54.00	9.44	PASS	Vertical
3	491.9238	150	20	-68.91	-54.00	14.91	PASS	Vertical
4	2123.9124	150	300	-42.77	-30.00	12.77	PASS	Vertical
5	6913.2609	150	120	-45.45	-30.00	15.45	PASS	Vertical
6	12504.9337	150	290	-38.04	-30.00	8.04	PASS	Vertical

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4012	150	152	-64.89	-54.00	10.89	PASS	Horizontal
2	217.1317	150	181	-64.97	-54.00	10.97	PASS	Horizontal
3	597.3127	150	3	-70.29	-54.00	16.29	PASS	Horizontal
4	2036.7037	150	358	-43.37	-30.00	13.37	PASS	Horizontal
5	7578.2552	150	236	-44.34	-30.00	14.34	PASS	Horizontal
6	12556.9371	150	313	-37.81	-30.00	7.81	PASS	Horizontal

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	69.968	150	246	-62.92	-54.00	8.92	PASS	Vertical
2	205.2965	150	3	-63.82	-54.00	9.82	PASS	Vertical
3	677.0547	150	125	-64.60	-54.00	10.60	PASS	Vertical
4	2152.9153	150	68	-42.15	-30.00	12.15	PASS	Vertical
5	7008.8173	150	0	-43.86	-30.00	13.86	PASS	Vertical
6	12486.7324	150	97	-37.13	-30.00	7.13	PASS	Vertical

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3517	150	88	-65.27	-54.00	11.27	PASS	Horizontal
2	209.3592	150	136	-65.08	-54.00	11.08	PASS	Horizontal
3	598.6293	150	147	-59.43	-54.00	5.43	PASS	Horizontal
4	2167.3167	150	224	-43.15	-30.00	13.15	PASS	Horizontal
5	6562.8875	150	99	-44.92	-30.00	14.92	PASS	Horizontal
6	12487.3825	150	197	-37.90	-30.00	7.90	PASS	Horizontal

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	66.6519	150	290	-64.13	-54.00	10.13	PASS	Vertical
2	208.6092	150	138	-62.10	-54.00	8.10	PASS	Vertical
3	676.7333	150	310	-61.88	-54.00	7.88	PASS	Vertical
4	2031.1031	150	338	-42.96	-30.00	12.96	PASS	Vertical
5	6641.5428	150	0	-45.40	-30.00	15.40	PASS	Vertical
6	12582.9389	150	99	-37.53	-30.00	7.53	PASS	Vertical

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.2072	150	238	-64.35	-54.00	10.35	PASS	Horizontal
2	237.6008	150	13	-65.01	-36.00	29.01	PASS	Horizontal
3	580.7241	150	134	-69.55	-54.00	15.55	PASS	Horizontal
4	2124.9125	150	190	-43.34	-30.00	13.34	PASS	Horizontal
5	6978.9153	150	53	-44.10	-30.00	14.10	PASS	Horizontal
6	12477.6318	150	192	-37.82	-30.00	7.82	PASS	Horizontal

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	103.8244	150	3	-62.23	-54.00	8.23	PASS	Vertical
2	201.7072	150	3	-63.53	-54.00	9.53	PASS	Vertical
3	580.8211	150	77	-70.03	-54.00	16.03	PASS	Vertical
4	2098.5099	150	322	-42.67	-30.00	12.67	PASS	Vertical
5	6376.9751	150	34	-43.61	-30.00	13.61	PASS	Vertical
6	12554.337	150	165	-37.10	-30.00	7.10	PASS	Vertical

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	107.454	150	147	-57.52	-54.00	3.52	PASS	Horizontal
2	208.8092	150	3	-65.70	-54.00	11.70	PASS	Horizontal
3	582.6285	150	139	-69.35	-54.00	15.35	PASS	Horizontal
4	2106.7107	150	3	-44.48	-30.00	14.48	PASS	Horizontal
5	6856.0571	150	177	-45.22	-30.00	15.22	PASS	Horizontal
6	12428.8786	150	125	-37.89	-30.00	7.89	PASS	Horizontal

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	105.9039	150	3	-65.90	-54.00	11.90	PASS	Vertical
2	218.3097	150	130	-64.88	-54.00	10.88	PASS	Vertical
3	630.0309	150	3	-59.82	-54.00	5.82	PASS	Vertical
4	2120.312	150	140	-42.36	-30.00	12.36	PASS	Vertical
5	6718.8979	150	177	-45.05	-30.00	15.05	PASS	Vertical
6	12546.5364	150	177	-37.46	-30.00	7.46	PASS	Vertical

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	105.9586	150	97	-59.52	-54.00	5.52	PASS	Horizontal
2	209.565	150	143	-64.31	-54.00	10.31	PASS	Horizontal
3	662.0182	150	179	-63.54	-54.00	9.54	PASS	Horizontal
4	1954.4954	150	179	-45.37	-30.00	15.37	PASS	Horizontal
5	6451.0801	150	99	-44.98	-30.00	14.98	PASS	Horizontal
6	12572.5382	150	125	-37.49	-30.00	7.49	PASS	Horizontal

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	48.9169	150	89	-60.89	-54.00	6.89	PASS	Vertical
2	200.9311	150	3	-64.27	-54.00	10.27	PASS	Vertical
3	586.4476	150	98	-68.13	-54.00	14.13	PASS	Vertical
4	1958.2958	150	180	-44.46	-30.00	14.46	PASS	Vertical
5	6374.375	150	13	-41.85	-30.00	11.85	PASS	Vertical
6	12560.1873	150	0	-37.87	-30.00	7.87	PASS	Vertical

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4517	150	66	-64.20	-54.00	10.20	PASS	Horizontal
2	211.6094	150	124	-65.40	-54.00	11.40	PASS	Horizontal
3	582.9785	150	124	-69.75	-54.00	15.75	PASS	Horizontal
4	2079.3079	150	132	-44.47	-30.00	14.47	PASS	Horizontal
5	6498.5332	150	177	-44.72	-30.00	14.72	PASS	Horizontal
6	12482.8322	150	4	-38.09	-30.00	8.09	PASS	Horizontal

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	63.3517	150	13	-60.36	-54.00	6.36	PASS	Vertical
2	208.9092	150	173	-61.25	-54.00	7.25	PASS	Vertical
3	597.8793	150	120	-66.85	-54.00	12.85	PASS	Vertical
4	2178.7179	150	3	-42.32	-30.00	12.32	PASS	Vertical
5	6618.1412	150	12	-45.45	-30.00	15.45	PASS	Vertical
6	12402.2268	150	98	-37.64	-30.00	7.64	PASS	Vertical

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	174	-65.10	-54.00	11.10	PASS	Horizontal
2	208.8859	150	3	-63.96	-54.00	9.96	PASS	Horizontal
3	597.0217	150	126	-66.75	-54.00	12.75	PASS	Horizontal
4	2132.3132	150	33	-43.17	-30.00	13.17	PASS	Horizontal
5	6920.4114	150	64	-44.64	-30.00	14.64	PASS	Horizontal
6	12475.6817	150	117	-37.73	-30.00	7.73	PASS	Horizontal

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.17	150	87	-60.91	-54.00	6.91	PASS	Vertical
2	204.0354	150	179	-62.39	-54.00	8.39	PASS	Vertical
3	627.1917	150	134	-66.11	-54.00	12.11	PASS	Vertical
4	2016.1016	150	3	-43.67	-30.00	13.67	PASS	Vertical
5	6396.4764	150	12	-43.12	-30.00	13.12	PASS	Vertical
6	12585.539	150	47	-36.15	-30.00	6.15	PASS	Vertical

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4517	150	24	-64.19	-54.00	10.19	PASS	Horizontal
2	218.9097	150	180	-65.68	-54.00	11.68	PASS	Horizontal
3	592.079	150	127	-70.17	-54.00	16.17	PASS	Horizontal
4	2009.3009	150	109	-45.37	-30.00	15.37	PASS	Horizontal
5	6659.0939	150	2	-44.80	-30.00	14.80	PASS	Horizontal
6	12504.2836	150	142	-38.09	-30.00	8.09	PASS	Horizontal

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.0515	150	109	-61.70	-54.00	7.70	PASS	Vertical
2	207.2591	150	148	-63.75	-54.00	9.75	PASS	Vertical
3	625.1307	150	3	-66.17	-54.00	12.17	PASS	Vertical
4	2040.7041	150	89	-42.77	-30.00	12.77	PASS	Vertical
5	6654.5436	150	0	-45.50	-30.00	15.50	PASS	Vertical
6	12392.4762	150	143	-38.39	-30.00	8.39	PASS	Vertical

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	107.0257	150	3	-59.07	-54.00	5.07	PASS	Horizontal
2	208.8859	150	150	-66.75	-54.00	12.75	PASS	Horizontal
3	577.3287	150	131	-70.37	-54.00	16.37	PASS	Horizontal
4	2001.3001	150	178	-45.56	-30.00	15.56	PASS	Horizontal
5	6790.4027	150	39	-44.68	-30.00	14.68	PASS	Horizontal
6	12481.5321	150	21	-37.86	-30.00	7.86	PASS	Horizontal

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.267	150	88	-61.69	-54.00	7.69	PASS	Vertical
2	212.7663	150	143	-65.38	-54.00	11.38	PASS	Vertical
3	599.544	150	125	-66.22	-54.00	12.22	PASS	Vertical
4	2003.9004	150	106	-44.12	-30.00	14.12	PASS	Vertical
5	6394.5263	150	13	-41.86	-30.00	11.86	PASS	Vertical
6	12496.4831	150	160	-37.17	-30.00	7.17	PASS	Vertical

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3017	150	136	-65.19	-54.00	11.19	PASS	Horizontal
2	208.9092	150	108	-66.90	-54.00	12.90	PASS	Horizontal
3	598.7793	150	136	-68.97	-54.00	14.97	PASS	Horizontal
4	2043.1043	150	41	-44.71	-30.00	14.71	PASS	Horizontal
5	6486.1824	150	8	-45.93	-30.00	15.93	PASS	Horizontal
6	12565.3877	150	159	-37.84	-30.00	7.84	PASS	Horizontal

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	104.1538	150	3	-64.51	-54.00	10.51	PASS	Vertical
2	207.0091	150	180	-64.19	-54.00	10.19	PASS	Vertical
3	627.6808	150	3	-60.75	-54.00	6.75	PASS	Vertical
4	2035.3035	150	63	-43.33	-30.00	13.33	PASS	Vertical
5	7991.6828	150	61	-42.05	-30.00	12.05	PASS	Vertical
6	12563.4376	150	159	-37.94	-30.00	7.94	PASS	Vertical

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	108.0928	150	163	-58.85	-54.00	4.85	PASS	Horizontal
2	216.8407	150	153	-65.60	-54.00	11.60	PASS	Horizontal
3	598.0888	150	51	-66.91	-54.00	12.91	PASS	Horizontal
4	2018.5018	150	180	-44.70	-30.00	14.70	PASS	Horizontal
5	6383.4756	150	177	-45.21	-30.00	15.21	PASS	Horizontal
6	12548.4866	150	160	-37.72	-30.00	7.72	PASS	Horizontal

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	57.5508	150	151	-57.10	-54.00	3.10	PASS	Vertical
2	209.953	150	114	-63.08	-54.00	9.08	PASS	Vertical
3	597.7008	150	151	-70.16	-54.00	16.16	PASS	Vertical
4	2119.512	150	22	-43.02	-30.00	13.02	PASS	Vertical
5	6377.6252	150	74	-42.87	-30.00	12.87	PASS	Vertical
6	12557.5872	150	30	-37.46	-30.00	7.46	PASS	Vertical

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	112.8043	150	3	-60.48	-54.00	6.48	PASS	Horizontal
2	208.9092	150	180	-66.14	-54.00	12.14	PASS	Horizontal
3	625.0307	150	69	-71.48	-54.00	17.48	PASS	Horizontal
4	1919.2919	150	180	-45.87	-30.00	15.87	PASS	Horizontal
5	6481.6321	150	63	-44.52	-30.00	14.52	PASS	Horizontal
6	12562.1375	150	73	-37.84	-30.00	7.84	PASS	Horizontal

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	63.4017	150	172	-62.32	-54.00	8.32	PASS	Vertical
2	214.3595	150	124	-65.32	-54.00	11.32	PASS	Vertical
3	636.6313	150	3	-64.66	-54.00	10.66	PASS	Vertical
4	2097.9098	150	154	-43.39	-30.00	13.39	PASS	Vertical
5	6888.5592	150	55	-44.92	-30.00	14.92	PASS	Vertical
6	12486.0824	150	125	-38.68	-30.00	8.68	PASS	Vertical

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	103	-64.96	-54.00	10.96	PASS	Horizontal
2	208.8859	150	3	-66.51	-54.00	12.51	PASS	Horizontal
3	575.2915	150	123	-71.08	-54.00	17.08	PASS	Horizontal
4	2069.907	150	11	-44.44	-30.00	14.44	PASS	Horizontal
5	6902.8602	150	0	-44.38	-30.00	14.38	PASS	Horizontal
6	12495.183	150	133	-38.39	-30.00	8.39	PASS	Horizontal

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	69.871	150	163	-64.06	-54.00	10.06	PASS	Vertical
2	205.9756	150	180	-64.48	-54.00	10.48	PASS	Vertical
3	598.7679	150	126	-68.54	-54.00	14.54	PASS	Vertical
4	2068.5069	150	180	-42.88	-30.00	12.88	PASS	Vertical
5	6386.0757	150	12	-42.58	-30.00	12.58	PASS	Vertical
6	12473.0815	150	3	-37.64	-30.00	7.64	PASS	Vertical

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	109.1041	150	130	-57.16	-54.00	3.16	PASS	Horizontal
2	208.9092	150	11	-66.94	-54.00	12.94	PASS	Horizontal
3	625.0307	150	93	-72.13	-54.00	18.13	PASS	Horizontal
4	2043.3043	150	178	-44.34	-30.00	14.34	PASS	Horizontal
5	6525.185	150	142	-45.68	-30.00	15.68	PASS	Horizontal
6	12582.2888	150	133	-37.98	-30.00	7.98	PASS	Horizontal

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	104.2038	150	3	-66.41	-54.00	12.41	PASS	Vertical
2	224.66	150	130	-63.62	-54.00	9.62	PASS	Vertical
3	633.6311	150	3	-65.05	-54.00	11.05	PASS	Vertical
4	2052.1052	150	140	-43.01	-30.00	13.01	PASS	Vertical
5	6566.7878	150	46	-45.93	-30.00	15.93	PASS	Vertical
6	12551.7368	150	168	-37.46	-30.00	7.46	PASS	Vertical

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.6179	150	77	-65.79	-54.00	11.79	PASS	Horizontal
2	208.8859	150	162	-65.91	-54.00	11.91	PASS	Horizontal
3	567.2397	150	115	-70.20	-54.00	16.20	PASS	Horizontal
4	2008.5008	150	77	-45.30	-30.00	15.30	PASS	Horizontal
5	6871.6581	150	99	-44.25	-30.00	14.25	PASS	Horizontal
6	12579.0386	150	91	-37.31	-30.00	7.31	PASS	Horizontal

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	63.1773	150	162	-60.65	-54.00	6.65	PASS	Vertical
2	213.6394	150	143	-64.80	-54.00	10.80	PASS	Vertical
3	576.1646	150	143	-63.95	-54.00	9.95	PASS	Vertical
4	2055.5056	150	3	-43.02	-30.00	13.02	PASS	Vertical
5	6397.7765	150	73	-43.52	-30.00	13.52	PASS	Vertical
6	12480.8821	150	73	-38.08	-30.00	8.08	PASS	Vertical

MIMO:

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	108.7041	150	125	-58.61	-54.00	4.61	PASS	Horizontal
2	208.9092	150	173	-65.96	-54.00	11.96	PASS	Horizontal
3	597.9293	150	125	-64.95	-54.00	10.95	PASS	Horizontal
4	2159.3159	150	21	-43.49	-30.00	13.49	PASS	Horizontal
5	6949.6633	150	150	-44.70	-30.00	14.70	PASS	Horizontal
6	12497.7832	150	168	-37.83	-30.00	7.83	PASS	Horizontal

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.0515	150	172	-60.17	-54.00	6.17	PASS	Vertical
2	208.5592	150	180	-64.96	-54.00	10.96	PASS	Vertical
3	579.7283	150	116	-69.31	-54.00	15.31	PASS	Vertical
4	2071.9072	150	172	-43.59	-30.00	13.59	PASS	Vertical
5	6872.3082	150	177	-45.32	-30.00	15.32	PASS	Vertical
6	12521.1847	150	151	-38.58	-30.00	8.58	PASS	Vertical

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	107.2197	150	147	-62.01	-54.00	8.01	PASS	Horizontal
2	208.8859	150	129	-65.85	-54.00	11.85	PASS	Horizontal
3	661.2421	150	40	-64.24	-54.00	10.24	PASS	Horizontal
4	2068.9069	150	3	-44.14	-30.00	14.14	PASS	Horizontal
5	6399.0766	150	0	-45.01	-30.00	15.01	PASS	Horizontal
6	12521.1847	150	13	-37.57	-30.00	7.57	PASS	Horizontal

Mode	802.11 b Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	68.1248	150	161	-65.14	-54.00	11.14	PASS	Vertical
2	203.4533	150	3	-65.45	-54.00	11.45	PASS	Vertical
3	598.8649	150	142	-66.17	-54.00	12.17	PASS	Vertical
4	2058.7059	150	125	-43.06	-30.00	13.06	PASS	Vertical
5	4993.6829	150	0	-47.37	-30.00	17.37	PASS	Vertical
6	12517.2845	150	98	-38.33	-30.00	8.33	PASS	Vertical

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.5516	150	343	-63.82	-54.00	9.82	PASS	Horizontal
2	110.7042	150	116	-61.18	-54.00	7.18	PASS	Horizontal
3	596.4292	150	127	-68.07	-54.00	14.07	PASS	Horizontal
4	2068.1068	150	40	-44.55	-30.00	14.55	PASS	Horizontal
5	6553.7869	150	217	-45.94	-30.00	15.94	PASS	Horizontal
6	12348.2732	150	191	-38.58	-30.00	8.58	PASS	Horizontal

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	70.0021	150	86	-63.37	-54.00	9.37	PASS	Vertical
2	204.809	150	228	-63.94	-54.00	9.94	PASS	Vertical
3	598.1293	150	143	-65.66	-54.00	11.66	PASS	Vertical
4	2103.1103	150	198	-43.00	-30.00	13.00	PASS	Vertical
5	6579.7887	150	173	-45.78	-30.00	15.78	PASS	Vertical
6	12570.588	150	313	-38.24	-30.00	8.24	PASS	Vertical

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	108.0928	150	3	-60.69	-54.00	6.69	PASS	Horizontal
2	208.8859	150	3	-67.46	-54.00	13.46	PASS	Horizontal
3	658.4288	150	92	-71.45	-54.00	17.45	PASS	Horizontal
4	2068.9069	150	56	-43.24	-30.00	13.24	PASS	Horizontal
5	6389.326	150	12	-45.65	-30.00	15.65	PASS	Horizontal
6	12553.0369	150	0	-37.44	-30.00	7.44	PASS	Horizontal

Mode	802.11 g Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.073	150	77	-60.67	-54.00	6.67	PASS	Vertical
2	203.3563	150	3	-65.29	-54.00	11.29	PASS	Vertical
3	550.9421	150	105	-68.59	-54.00	14.59	PASS	Vertical
4	2039.504	150	3	-43.07	-30.00	13.07	PASS	Vertical
5	6366.5744	150	13	-43.39	-30.00	13.39	PASS	Vertical
6	12502.9835	150	64	-37.71	-30.00	7.71	PASS	Vertical

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4017	150	24	-64.09	-54.00	10.09	PASS	Horizontal
2	208.9092	150	3	-65.48	-54.00	11.48	PASS	Horizontal
3	599.0793	150	145	-63.82	-54.00	9.82	PASS	Horizontal
4	2131.3131	150	337	-43.90	-30.00	13.90	PASS	Horizontal
5	6457.5805	150	183	-45.70	-30.00	15.70	PASS	Horizontal
6	12542.6362	150	61	-38.24	-30.00	8.24	PASS	Horizontal

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	70.0021	150	246	-62.65	-54.00	8.65	PASS	Vertical
2	200.7088	150	3	-64.72	-54.00	10.72	PASS	Vertical
3	589.3288	150	132	-64.20	-54.00	10.20	PASS	Vertical
4	2000.3	150	92	-43.40	-30.00	13.40	PASS	Vertical
5	6516.0844	150	200	-45.03	-30.00	15.03	PASS	Vertical
6	12504.2836	150	288	-37.59	-30.00	7.59	PASS	Vertical

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.2072	150	94	-64.07	-54.00	10.07	PASS	Horizontal
2	208.8859	150	123	-65.96	-54.00	11.96	PASS	Horizontal
3	599.738	150	3	-70.14	-54.00	16.14	PASS	Horizontal
4	2056.5057	150	61	-44.26	-30.00	14.26	PASS	Horizontal
5	6386.7258	150	0	-43.56	-30.00	13.56	PASS	Horizontal
6	12567.9879	150	177	-37.47	-30.00	7.47	PASS	Horizontal

Mode	802.11 n(HT20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	63.4683	150	88	-62.88	-54.00	8.88	PASS	Vertical
2	208.3038	150	180	-62.31	-54.00	8.31	PASS	Vertical
3	567.4337	150	88	-68.46	-54.00	14.46	PASS	Vertical
4	2060.5061	150	172	-43.12	-30.00	13.12	PASS	Vertical
5	6379.5753	150	82	-44.55	-30.00	14.55	PASS	Vertical
6	12463.3309	150	46	-37.99	-30.00	7.99	PASS	Vertical

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	109.0041	150	88	-60.49	-54.00	6.49	PASS	Horizontal
2	208.9092	150	90	-67.58	-54.00	13.58	PASS	Horizontal
3	625.0307	150	3	-73.16	-54.00	19.16	PASS	Horizontal
4	2040.304	150	3	-44.02	-30.00	14.02	PASS	Horizontal
5	6963.3142	150	43	-44.76	-30.00	14.76	PASS	Horizontal
6	12559.5373	150	52	-38.39	-30.00	8.39	PASS	Horizontal

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.0014	150	87	-61.29	-54.00	7.29	PASS	Vertical
2	204.709	150	3	-65.21	-54.00	11.21	PASS	Vertical
3	578.6783	150	87	-73.36	-54.00	19.36	PASS	Vertical
4	2043.1043	150	34	-42.98	-30.00	12.98	PASS	Vertical
5	6934.7123	150	18	-45.30	-30.00	15.30	PASS	Vertical
6	12566.0377	150	8	-38.60	-30.00	8.60	PASS	Vertical

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.2072	150	55	-64.28	-54.00	10.28	PASS	Horizontal
2	208.8859	150	3	-66.77	-54.00	12.77	PASS	Horizontal
3	597.7978	150	142	-69.20	-54.00	15.20	PASS	Horizontal
4	2193.7194	150	104	-41.64	-30.00	11.64	PASS	Horizontal
5	7475.5484	150	38	-44.45	-30.00	14.45	PASS	Horizontal
6	12459.4306	150	46	-37.50	-30.00	7.50	PASS	Horizontal

Mode	802.11 n(HT40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	100.429	150	74	-68.59	-54.00	14.59	PASS	Vertical
2	210.8261	150	180	-64.35	-54.00	10.35	PASS	Vertical
3	673.3683	150	111	-68.15	-54.00	14.15	PASS	Vertical
4	2045.7046	150	148	-43.57	-30.00	13.57	PASS	Vertical
5	6353.5736	150	29	-44.69	-30.00	14.69	PASS	Vertical
6	12379.4753	150	125	-37.89	-30.00	7.89	PASS	Vertical

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	107.704	150	89	-60.74	-54.00	6.74	PASS	Horizontal
2	208.9092	150	4	-66.34	-54.00	12.34	PASS	Horizontal
3	625.0807	150	4	-72.85	-54.00	18.85	PASS	Horizontal
4	2064.9065	150	89	-44.46	-30.00	14.46	PASS	Horizontal
5	6974.365	150	8	-45.43	-30.00	15.43	PASS	Horizontal
6	12579.6886	150	18	-38.48	-30.00	8.48	PASS	Horizontal

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	104.4038	150	3	-67.98	-54.00	13.98	PASS	Vertical
2	204.909	150	3	-65.52	-54.00	11.52	PASS	Vertical
3	627.5308	150	3	-64.92	-54.00	10.92	PASS	Vertical
4	2129.713	150	3	-42.68	-30.00	12.68	PASS	Vertical
5	6529.0853	150	87	-46.16	-30.00	16.16	PASS	Vertical
6	12431.4788	150	53	-38.42	-30.00	8.42	PASS	Vertical

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	108.1898	150	3	-60.51	-54.00	6.51	PASS	Horizontal
2	208.8859	150	3	-66.70	-54.00	12.70	PASS	Horizontal
3	657.7498	150	89	-73.60	-54.00	19.60	PASS	Horizontal
4	2036.1036	150	71	-44.91	-30.00	14.91	PASS	Horizontal
5	4923.4782	150	0	-49.34	-30.00	19.34	PASS	Horizontal
6	12580.3387	150	44	-37.95	-30.00	7.95	PASS	Horizontal

Mode	802.11 ax(HE20) Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	59.879	150	22	-60.72	-54.00	6.72	PASS	Vertical
2	203.6474	150	3	-64.38	-54.00	10.38	PASS	Vertical
3	668.3238	150	78	-71.03	-54.00	17.03	PASS	Vertical
4	2023.1023	150	3	-43.81	-30.00	13.81	PASS	Vertical
5	6430.2787	150	52	-44.61	-30.00	14.61	PASS	Vertical
6	12726.5984	150	87	-38.14	-30.00	8.14	PASS	Vertical

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4517	150	22	-63.97	-54.00	9.97	PASS	Horizontal
2	208.9092	150	4	-68.13	-54.00	14.13	PASS	Horizontal
3	625.0807	150	89	-72.47	-54.00	18.47	PASS	Horizontal
4	2072.9073	150	4	-44.79	-30.00	14.79	PASS	Horizontal
5	6621.3914	150	52	-45.28	-30.00	15.28	PASS	Horizontal
6	12528.3352	150	78	-38.62	-30.00	8.62	PASS	Horizontal

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	59.9515	150	90	-61.50	-54.00	7.50	PASS	Vertical
2	208.9092	150	21	-65.74	-54.00	11.74	PASS	Vertical
3	597.6793	150	77	-68.45	-54.00	14.45	PASS	Vertical
4	2034.1034	150	77	-43.22	-30.00	13.22	PASS	Vertical
5	7970.8814	150	25	-41.08	-30.00	11.08	PASS	Vertical
6	12385.3257	150	60	-38.77	-30.00	8.77	PASS	Vertical

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	108.0928	150	89	-61.33	-54.00	7.33	PASS	Horizontal
2	208.8859	150	3	-67.29	-54.00	13.29	PASS	Horizontal
3	625.0575	150	72	-72.33	-54.00	18.33	PASS	Horizontal
4	2063.9064	150	89	-45.08	-30.00	15.08	PASS	Horizontal
5	6349.0233	150	18	-45.00	-30.00	15.00	PASS	Horizontal
6	11997.2498	150	78	-38.73	-30.00	8.73	PASS	Horizontal

Mode	802.11 ax(HE40) Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	101.9812	150	3	-67.82	-54.00	13.82	PASS	Vertical
2	225.4745	150	90	-66.36	-54.00	12.36	PASS	Vertical
3	673.6594	150	90	-69.67	-54.00	15.67	PASS	Vertical
4	2027.5028	150	50	-42.93	-30.00	12.93	PASS	Vertical
5	6381.5254	150	78	-43.54	-30.00	13.54	PASS	Vertical
6	12432.7789	150	42	-37.69	-30.00	7.69	PASS	Vertical

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	109.2041	150	3	-59.38	-54.00	5.38	PASS	Horizontal
2	208.8592	150	3	-66.36	-54.00	12.36	PASS	Horizontal
3	637.5813	150	57	-70.92	-54.00	16.92	PASS	Horizontal
4	2054.5055	150	46	-43.79	-30.00	13.79	PASS	Horizontal
5	6967.2145	150	43	-43.83	-30.00	13.83	PASS	Horizontal
6	12488.0325	150	52	-38.60	-30.00	8.60	PASS	Horizontal

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	63.4517	150	90	-63.31	-54.00	9.31	PASS	Vertical
2	199.0087	150	11	-65.77	-54.00	11.77	PASS	Vertical
3	623.9806	150	3	-66.75	-54.00	12.75	PASS	Vertical
4	2135.5136	150	3	-42.91	-30.00	12.91	PASS	Vertical
5	5007.3338	150	52	-47.97	-30.00	17.97	PASS	Vertical
6	11938.7459	150	0	-38.86	-30.00	8.86	PASS	Vertical

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	107.3167	150	3	-61.05	-54.00	7.05	PASS	Horizontal
2	208.8859	150	3	-67.51	-54.00	13.51	PASS	Horizontal
3	625.0575	150	84	-71.50	-54.00	17.50	PASS	Horizontal
4	2066.9067	150	90	-44.54	-30.00	14.54	PASS	Horizontal
5	5002.1335	150	0	-48.45	-30.00	18.45	PASS	Horizontal
6	12581.6388	150	87	-38.07	-30.00	8.07	PASS	Horizontal

Mode	802.11 be(EHT20)Transmitting	Remark	\
Band	\	Channel	2472Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	101.3021	150	3	-66.61	-54.00	12.61	PASS	Vertical
2	202.4832	150	21	-63.88	-54.00	9.88	PASS	Vertical
3	669.682	150	50	-72.28	-54.00	18.28	PASS	Vertical
4	2064.5065	150	3	-43.32	-30.00	13.32	PASS	Vertical
5	4970.2814	150	87	-47.74	-30.00	17.74	PASS	Vertical
6	12563.4376	150	10	-38.04	-30.00	8.04	PASS	Vertical

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	107.004	150	3	-61.28	-54.00	7.28	PASS	Horizontal
2	208.9092	150	3	-67.25	-54.00	13.25	PASS	Horizontal
3	663.5827	150	82	-68.49	-54.00	14.49	PASS	Horizontal
4	2106.5107	150	71	-44.42	-30.00	14.42	PASS	Horizontal
5	5001.4834	150	0	-49.83	-30.00	19.83	PASS	Horizontal
6	12354.1236	150	0	-39.92	-30.00	9.92	PASS	Horizontal

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	99.5036	150	65	-67.94	-54.00	13.94	PASS	Vertical
2	208.9092	150	37	-66.23	-54.00	12.23	PASS	Vertical
3	621.6305	150	3	-72.50	-54.00	18.50	PASS	Vertical
4	2100.11	150	90	-43.06	-30.00	13.06	PASS	Vertical
5	6472.5315	150	27	-46.15	-30.00	16.15	PASS	Vertical
6	12459.4306	150	8	-38.56	-30.00	8.56	PASS	Vertical

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	110.6151	150	88	-57.76	-54.00	3.76	PASS	Horizontal
2	208.8859	150	3	-66.49	-54.00	12.49	PASS	Horizontal
3	597.8948	150	22	-70.12	-54.00	16.12	PASS	Horizontal
4	2072.3072	150	3	-44.53	-30.00	14.53	PASS	Horizontal
5	5002.7835	150	57	-48.43	-30.00	18.43	PASS	Horizontal
6	12554.337	150	1	-37.85	-30.00	7.85	PASS	Horizontal

Mode	802.11 be(EHT40)Transmitting	Remark	\
Band	\	Channel	2462Mhz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	101.6902	150	3	-64.54	-54.00	10.54	PASS	Vertical
2	208.8859	150	57	-66.23	-54.00	12.23	PASS	Vertical
3	573.9334	150	90	-68.45	-54.00	14.45	PASS	Vertical
4	2039.704	150	21	-43.08	-30.00	13.08	PASS	Vertical
5	4932.5788	150	15	-48.33	-30.00	18.33	PASS	Vertical
6	12503.6336	150	68	-38.05	-30.00	8.05	PASS	Vertical

2) Receiver spurious emissions test data

SISO:

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	132.1946	150	127	-68.34	-57.00	11.34	PASS	Horizontal
2	267.3224	150	252	-71.06	-57.00	14.06	PASS	Horizontal
3	798.7149	150	195	-78.92	-57.00	21.92	PASS	Horizontal
4	2279.703	150	204	-58.33	-47.00	11.33	PASS	Horizontal
5	5008.3258	150	329	-59.12	-47.00	12.12	PASS	Horizontal
6	11994.3994	150	147	-50.74	-47.00	3.74	PASS	Horizontal

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	70.0145	150	25	-68.37	-57.00	11.37	PASS	Vertical
2	208.8769	150	16	-70.50	-57.00	13.50	PASS	Vertical
3	750.067	150	168	-70.89	-57.00	13.89	PASS	Vertical
4	2279.703	150	150	-56.97	-47.00	9.97	PASS	Vertical
5	5003.6254	150	253	-58.57	-47.00	11.57	PASS	Vertical
6	11290.504	150	168	-51.53	-47.00	4.53	PASS	Vertical

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	35.2385	150	150	-64.55	-57.00	7.55	PASS	Horizontal
2	130.6961	150	122	-64.17	-57.00	7.17	PASS	Horizontal
3	411.6362	150	34	-71.01	-57.00	14.01	PASS	Horizontal
4	2279.639	150	267	-57.26	-47.00	10.26	PASS	Horizontal
5	5015.7633	150	24	-58.34	-47.00	11.34	PASS	Horizontal
6	11286.4643	150	132	-51.71	-47.00	4.71	PASS	Horizontal

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.6179	150	59	-61.47	-57.00	4.47	PASS	Vertical
2	208.8859	150	221	-67.80	-57.00	10.80	PASS	Vertical
3	740.5961	150	357	-70.45	-57.00	13.45	PASS	Vertical
4	3186.7843	150	79	-55.76	-47.00	8.76	PASS	Vertical
5	6971.6486	150	346	-54.19	-47.00	7.19	PASS	Vertical
6	11247.0999	150	79	-49.92	-47.00	2.92	PASS	Vertical

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	109.2045	150	3	-66.79	-57.00	9.79	PASS	Horizontal
2	277.2654	150	140	-69.09	-57.00	12.09	PASS	Horizontal
3	750.067	150	300	-77.99	-57.00	20.99	PASS	Horizontal
4	2279.703	150	360	-58.52	-47.00	11.52	PASS	Horizontal
5	5013.0263	150	270	-59.00	-47.00	12.00	PASS	Horizontal
6	11244.6745	150	300	-52.60	-47.00	5.60	PASS	Horizontal

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	50.9045	150	27	-67.13	-57.00	10.13	PASS	Vertical
2	208.8769	150	223	-69.71	-57.00	12.71	PASS	Vertical
3	750.067	150	271	-73.37	-57.00	16.37	PASS	Vertical
4	2279.703	150	48	-57.38	-47.00	10.38	PASS	Vertical
5	5009.501	150	251	-58.39	-47.00	11.39	PASS	Vertical
6	11445.6196	150	166	-51.32	-47.00	4.32	PASS	Vertical

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	312	-69.50	-57.00	12.50	PASS	Horizontal
2	208.8859	150	340	-68.23	-57.00	11.23	PASS	Horizontal
3	625.0575	150	340	-74.85	-57.00	17.85	PASS	Horizontal
4	2279.639	150	67	-57.97	-47.00	10.97	PASS	Horizontal
5	5016.9383	150	238	-58.36	-47.00	11.36	PASS	Horizontal
6	11903.3702	150	350	-50.11	-47.00	3.11	PASS	Horizontal

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.364	150	338	-60.67	-57.00	3.67	PASS	Vertical
2	208.8859	150	217	-67.62	-57.00	10.62	PASS	Vertical
3	750.103	150	357	-71.22	-57.00	14.22	PASS	Vertical
4	2280.2265	150	275	-56.78	-47.00	9.78	PASS	Vertical
5	5014.0007	150	97	-57.60	-47.00	10.60	PASS	Vertical
6	11446.8598	150	357	-50.46	-47.00	3.46	PASS	Vertical

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	68.1229	150	333	-75.44	-57.00	18.44	PASS	Horizontal
2	208.8769	150	344	-69.56	-57.00	12.56	PASS	Horizontal
3	436.8383	150	57	-73.09	-57.00	16.09	PASS	Horizontal
4	2279.703	150	206	-58.81	-47.00	11.81	PASS	Horizontal
5	5007.1507	150	360	-59.13	-47.00	12.13	PASS	Horizontal
6	11270.5271	150	35	-52.68	-47.00	5.68	PASS	Horizontal

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	66.6678	150	236	-69.23	-57.00	12.23	PASS	Vertical
2	271.4936	150	113	-68.79	-57.00	11.79	PASS	Vertical
3	750.067	150	357	-71.28	-57.00	14.28	PASS	Vertical
4	2279.703	150	44	-57.77	-47.00	10.77	PASS	Vertical
5	5007.1507	150	357	-58.45	-47.00	11.45	PASS	Vertical
6	11244.6745	150	170	-51.61	-47.00	4.61	PASS	Vertical

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4012	150	24	-68.75	-57.00	11.75	PASS	Horizontal
2	208.8859	150	319	-68.03	-57.00	11.03	PASS	Horizontal
3	829.845	150	34	-68.93	-57.00	11.93	PASS	Horizontal
4	2279.639	150	202	-57.90	-47.00	10.90	PASS	Horizontal
5	5008.1254	150	3	-58.16	-47.00	11.16	PASS	Horizontal
6	11237.6994	150	3	-51.82	-47.00	4.82	PASS	Horizontal

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4012	150	6	-62.25	-57.00	5.25	PASS	Vertical
2	208.8859	150	194	-67.05	-57.00	10.05	PASS	Vertical
3	828.5839	150	357	-63.87	-57.00	6.87	PASS	Vertical
4	3195.0098	150	82	-55.69	-47.00	8.69	PASS	Vertical
5	6379.419	150	82	-53.44	-47.00	6.44	PASS	Vertical
6	11388.6944	150	346	-50.30	-47.00	3.30	PASS	Vertical

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	82.8191	150	14	-75.75	-57.00	18.75	PASS	Horizontal
2	265.4308	150	3	-75.37	-57.00	18.37	PASS	Horizontal
3	829.2715	150	90	-71.68	-57.00	14.68	PASS	Horizontal
4	2279.703	150	90	-59.10	-47.00	12.10	PASS	Horizontal
5	5010.6761	150	3	-59.17	-47.00	12.17	PASS	Horizontal
6	11268.1768	150	87	-52.66	-47.00	5.66	PASS	Horizontal

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.67	-57.00	14.67	PASS	Vertical
2	208.9254	150	87	-70.07	-57.00	13.07	PASS	Vertical
3	827.4284	150	0	-65.22	-57.00	8.22	PASS	Vertical
4	3186.8937	150	87	-56.32	-47.00	9.32	PASS	Vertical
5	6398.4898	150	25	-55.89	-47.00	8.89	PASS	Vertical
6	11483.2233	150	56	-51.44	-47.00	4.44	PASS	Vertical

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.461	150	360	-69.20	-57.00	12.20	PASS	Horizontal
2	208.8859	150	110	-68.47	-57.00	11.47	PASS	Horizontal
3	829.942	150	274	-70.23	-57.00	13.23	PASS	Horizontal
4	2280.2265	150	196	-57.97	-47.00	10.97	PASS	Horizontal
5	5008.1254	150	304	-58.18	-47.00	11.18	PASS	Horizontal
6	11265.3133	150	148	-51.56	-47.00	4.56	PASS	Horizontal

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4012	150	0	-61.12	-57.00	4.12	PASS	Vertical
2	208.8859	150	128	-67.54	-57.00	10.54	PASS	Vertical
3	826.5467	150	318	-64.24	-57.00	7.24	PASS	Vertical
4	2280.2265	150	99	-56.88	-47.00	9.88	PASS	Vertical
5	5015.7633	150	52	-57.70	-47.00	10.70	PASS	Vertical
6	11287.0519	150	346	-50.65	-47.00	3.65	PASS	Vertical

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	82.4311	150	12	-77.62	-57.00	20.62	PASS	Horizontal
2	208.8769	150	3	-69.64	-57.00	12.64	PASS	Horizontal
3	750.0185	150	3	-78.64	-57.00	21.64	PASS	Horizontal
4	2279.703	150	43	-59.04	-47.00	12.04	PASS	Horizontal
5	5005.9756	150	90	-59.27	-47.00	12.27	PASS	Horizontal
6	11244.6745	150	31	-52.43	-47.00	5.43	PASS	Horizontal

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.42	-57.00	14.42	PASS	Vertical
2	208.8769	150	56	-69.71	-57.00	12.71	PASS	Vertical
3	750.067	150	87	-71.69	-57.00	14.69	PASS	Vertical
4	2279.703	150	48	-58.07	-47.00	11.07	PASS	Vertical
5	5014.2014	150	28	-58.50	-47.00	11.50	PASS	Vertical
6	11479.698	150	56	-51.44	-47.00	4.44	PASS	Vertical

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4012	150	24	-68.92	-57.00	11.92	PASS	Horizontal
2	208.8859	150	128	-68.24	-57.00	11.24	PASS	Horizontal
3	750.103	150	3	-76.09	-57.00	19.09	PASS	Horizontal
4	2280.2265	150	195	-57.70	-47.00	10.70	PASS	Horizontal
5	5009.3005	150	281	-58.28	-47.00	11.28	PASS	Horizontal
6	11235.9368	150	205	-51.67	-47.00	4.67	PASS	Horizontal

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.6179	150	176	-60.53	-57.00	3.53	PASS	Vertical
2	208.8859	150	197	-67.61	-57.00	10.61	PASS	Vertical
3	750.103	150	62	-71.33	-57.00	14.33	PASS	Vertical
4	2280.2265	150	82	-56.97	-47.00	9.97	PASS	Vertical
5	5009.3005	150	273	-57.63	-47.00	10.63	PASS	Vertical
6	11292.9271	150	148	-50.16	-47.00	3.16	PASS	Vertical

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	106.6338	150	3	-73.04	-57.00	16.04	PASS	Horizontal
2	208.8769	150	3	-70.33	-57.00	13.33	PASS	Horizontal
3	750.067	150	89	-78.86	-57.00	21.86	PASS	Horizontal
4	2279.703	150	44	-59.06	-47.00	12.06	PASS	Horizontal
5	5004.8005	150	53	-59.13	-47.00	12.13	PASS	Horizontal
6	11275.2275	150	89	-52.79	-47.00	5.79	PASS	Horizontal

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.29	-57.00	14.29	PASS	Vertical
2	208.8769	150	87	-69.64	-57.00	12.64	PASS	Vertical
3	750.067	150	3	-71.51	-57.00	14.51	PASS	Vertical
4	2279.703	150	87	-57.89	-47.00	10.89	PASS	Vertical
5	5005.9756	150	29	-58.59	-47.00	11.59	PASS	Vertical
6	11388.0388	150	56	-51.77	-47.00	4.77	PASS	Vertical

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.6179	150	309	-69.64	-57.00	12.64	PASS	Horizontal
2	208.8859	150	117	-68.21	-57.00	11.21	PASS	Horizontal
3	750.103	150	250	-75.85	-57.00	18.85	PASS	Horizontal
4	2280.2265	150	51	-57.97	-47.00	10.97	PASS	Horizontal
5	5012.2381	150	76	-58.04	-47.00	11.04	PASS	Horizontal
6	11272.9511	150	146	-51.65	-47.00	4.65	PASS	Horizontal

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	90	-60.41	-57.00	3.41	PASS	Vertical
2	208.8859	150	62	-67.10	-57.00	10.10	PASS	Vertical
3	750.103	150	357	-70.62	-57.00	13.62	PASS	Vertical
4	2280.2265	150	14	-56.98	-47.00	9.98	PASS	Vertical
5	4996.9623	150	204	-58.43	-47.00	11.43	PASS	Vertical
6	11430.9966	150	82	-50.45	-47.00	3.45	PASS	Vertical

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	107.4584	150	23	-72.72	-57.00	15.72	PASS	Horizontal
2	255.5848	150	34	-69.62	-57.00	12.62	PASS	Horizontal
3	750.067	150	87	-78.10	-57.00	21.10	PASS	Horizontal
4	2279.703	150	3	-58.82	-47.00	11.82	PASS	Horizontal
5	5015.3765	150	90	-59.18	-47.00	12.18	PASS	Horizontal
6	11279.928	150	34	-52.86	-47.00	5.86	PASS	Horizontal

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.51	-57.00	14.51	PASS	Vertical
2	264.1212	150	87	-68.44	-57.00	11.44	PASS	Vertical
3	750.067	150	87	-70.58	-57.00	13.58	PASS	Vertical
4	2279.703	150	48	-57.98	-47.00	10.98	PASS	Vertical
5	5004.8005	150	0	-58.53	-47.00	11.53	PASS	Vertical
6	11477.3477	150	56	-51.31	-47.00	4.31	PASS	Vertical

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.461	150	300	-68.66	-57.00	11.66	PASS	Horizontal
2	130.5991	150	148	-65.75	-57.00	8.75	PASS	Horizontal
3	437.5378	150	338	-73.21	-57.00	16.21	PASS	Horizontal
4	2159.783	150	214	-60.73	-47.00	13.73	PASS	Horizontal
5	5010.4755	150	34	-58.30	-47.00	11.30	PASS	Horizontal
6	11265.3133	150	204	-51.66	-47.00	4.66	PASS	Horizontal

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	58.6179	150	229	-60.21	-57.00	3.21	PASS	Vertical
2	208.8859	150	77	-67.81	-57.00	10.81	PASS	Vertical
3	662.3092	150	115	-65.15	-57.00	8.15	PASS	Vertical
4	2280.2265	150	29	-56.90	-47.00	9.90	PASS	Vertical
5	5009.888	150	266	-57.75	-47.00	10.75	PASS	Vertical
6	10737.1244	150	95	-51.92	-47.00	4.92	PASS	Vertical

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	18	-78.79	-57.00	21.79	PASS	Horizontal
2	208.8769	150	3	-70.05	-57.00	13.05	PASS	Horizontal
3	750.1155	150	85	-77.60	-57.00	20.60	PASS	Horizontal
4	2279.703	150	3	-59.12	-47.00	12.12	PASS	Horizontal
5	4942.5193	150	55	-60.77	-47.00	13.77	PASS	Horizontal
6	11272.8773	150	37	-52.74	-47.00	5.74	PASS	Horizontal

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	69	-71.01	-57.00	14.01	PASS	Vertical
2	208.8769	150	59	-68.81	-57.00	11.81	PASS	Vertical
3	750.067	150	87	-70.61	-57.00	13.61	PASS	Vertical
4	2279.703	150	87	-57.92	-47.00	10.92	PASS	Vertical
5	5013.0263	150	87	-58.46	-47.00	11.46	PASS	Vertical
6	11811.0811	150	59	-51.40	-47.00	4.40	PASS	Vertical

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.461	150	321	-69.00	-57.00	12.00	PASS	Horizontal
2	208.8859	150	139	-68.17	-57.00	11.17	PASS	Horizontal
3	625.0575	150	160	-74.47	-57.00	17.47	PASS	Horizontal
4	2279.639	150	90	-57.85	-47.00	10.85	PASS	Horizontal
5	5017.5259	150	139	-58.31	-47.00	11.31	PASS	Horizontal
6	11248.2749	150	263	-51.61	-47.00	4.61	PASS	Horizontal

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	70.065	150	249	-68.24	-57.00	11.24	PASS	Vertical
2	208.8859	150	327	-68.09	-57.00	11.09	PASS	Vertical
3	750.103	150	204	-71.86	-57.00	14.86	PASS	Vertical
4	2280.2265	150	0	-56.99	-47.00	9.99	PASS	Vertical
5	5009.888	150	260	-57.43	-47.00	10.43	PASS	Vertical
6	11446.8598	150	336	-50.50	-47.00	3.50	PASS	Vertical

MIMO:

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	84.4197	150	3	-69.47	-57.00	12.47	PASS	Horizontal
2	264.2667	150	250	-71.59	-57.00	14.59	PASS	Horizontal
3	750.0185	150	3	-78.38	-57.00	21.38	PASS	Horizontal
4	2279.703	150	202	-58.41	-47.00	11.41	PASS	Horizontal
5	5005.9756	150	108	-59.19	-47.00	12.19	PASS	Horizontal
6	11241.1491	150	136	-52.55	-47.00	5.55	PASS	Horizontal

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	348	-71.12	-57.00	14.12	PASS	Vertical
2	274.9857	150	108	-64.65	-57.00	7.65	PASS	Vertical
3	750.067	150	272	-72.39	-57.00	15.39	PASS	Vertical
4	2279.703	150	42	-57.45	-47.00	10.45	PASS	Vertical
5	5004.8005	150	252	-58.45	-47.00	11.45	PASS	Vertical
6	10257.5758	150	224	-52.67	-47.00	5.67	PASS	Vertical

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.364	150	311	-69.27	-57.00	12.27	PASS	Horizontal
2	208.8859	150	141	-68.15	-57.00	11.15	PASS	Horizontal
3	791.2351	150	172	-76.58	-57.00	19.58	PASS	Horizontal
4	2280.2265	150	24	-57.55	-47.00	10.55	PASS	Horizontal
5	5005.1878	150	34	-57.99	-47.00	10.99	PASS	Horizontal
6	11242.9871	150	301	-51.63	-47.00	4.63	PASS	Horizontal

Mode	802.11 b Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	0	-60.99	-57.00	3.99	PASS	Vertical
2	263.6964	150	106	-65.35	-57.00	8.35	PASS	Vertical
3	750.103	150	357	-71.02	-57.00	14.02	PASS	Vertical
4	2280.2265	150	280	-56.31	-47.00	9.31	PASS	Vertical
5	6388.8194	150	14	-51.42	-47.00	4.42	PASS	Vertical
6	11282.3516	150	210	-50.52	-47.00	3.52	PASS	Vertical

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	109.7865	150	126	-67.81	-57.00	10.81	PASS	Horizontal
2	249.619	150	31	-70.98	-57.00	13.98	PASS	Horizontal
3	750.0185	150	88	-77.80	-57.00	20.80	PASS	Horizontal
4	2279.703	150	202	-58.34	-47.00	11.34	PASS	Horizontal
5	5008.3258	150	360	-59.16	-47.00	12.16	PASS	Horizontal
6	11243.4994	150	31	-52.60	-47.00	5.60	PASS	Horizontal

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	128	-71.44	-57.00	14.44	PASS	Vertical
2	279.351	150	109	-69.80	-57.00	12.80	PASS	Vertical
3	750.067	150	62	-71.27	-57.00	14.27	PASS	Vertical
4	2279.703	150	357	-57.45	-47.00	10.45	PASS	Vertical
5	4948.3948	150	300	-60.29	-47.00	13.29	PASS	Vertical
6	11452.6703	150	328	-51.40	-47.00	4.40	PASS	Vertical

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	25	-68.60	-57.00	11.60	PASS	Horizontal
2	208.8859	150	311	-68.38	-57.00	11.38	PASS	Horizontal
3	750.103	150	145	-75.31	-57.00	18.31	PASS	Horizontal
4	2280.2265	150	241	-57.08	-47.00	10.08	PASS	Horizontal
5	5014.5882	150	360	-58.34	-47.00	11.34	PASS	Horizontal
6	11231.2366	150	165	-51.57	-47.00	4.57	PASS	Horizontal

Mode	802.11 g Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	241	-60.61	-57.00	3.61	PASS	Vertical
2	208.8859	150	134	-67.38	-57.00	10.38	PASS	Vertical
3	750.103	150	280	-71.59	-57.00	14.59	PASS	Vertical
4	2280.2265	150	298	-56.51	-47.00	9.51	PASS	Vertical
5	5016.9383	150	203	-57.51	-47.00	10.51	PASS	Vertical
6	11238.2869	150	212	-50.54	-47.00	3.54	PASS	Vertical

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	82.4311	150	5	-73.16	-57.00	16.16	PASS	Horizontal
2	291.2341	150	33	-72.80	-57.00	15.80	PASS	Horizontal
3	798.7149	150	5	-78.60	-57.00	21.60	PASS	Horizontal
4	2279.703	150	5	-58.52	-47.00	11.52	PASS	Horizontal
5	4682.8183	150	51	-60.73	-47.00	13.73	PASS	Horizontal
6	11268.1768	150	86	-52.75	-47.00	5.75	PASS	Horizontal

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.36	-57.00	14.36	PASS	Vertical
2	208.9254	150	56	-70.47	-57.00	13.47	PASS	Vertical
3	750.067	150	87	-71.24	-57.00	14.24	PASS	Vertical
4	2279.703	150	48	-57.04	-47.00	10.04	PASS	Vertical
5	4913.1413	150	0	-60.42	-47.00	13.42	PASS	Vertical
6	11950.9201	150	3	-50.68	-47.00	3.68	PASS	Vertical

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	109.839	150	3	-69.46	-57.00	12.46	PASS	Horizontal
2	269.4199	150	66	-67.76	-57.00	10.76	PASS	Horizontal
3	750.103	150	84	-75.86	-57.00	18.86	PASS	Horizontal
4	2280.2265	150	38	-57.96	-47.00	10.96	PASS	Horizontal
5	5003.4252	150	76	-58.25	-47.00	11.25	PASS	Horizontal
6	11283.5267	150	90	-51.86	-47.00	4.86	PASS	Horizontal

Mode	802.11 n(HT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	59.4909	150	3	-60.14	-57.00	3.14	PASS	Vertical
2	208.8859	150	87	-68.21	-57.00	11.21	PASS	Vertical
3	733.2233	150	59	-67.19	-57.00	10.19	PASS	Vertical
4	2279.639	150	31	-56.59	-47.00	9.59	PASS	Vertical
5	4989.3245	150	49	-58.00	-47.00	11.00	PASS	Vertical
6	11438.6344	150	21	-50.49	-47.00	3.49	PASS	Vertical

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	108.8164	150	3	-72.92	-57.00	15.92	PASS	Horizontal
2	296.1328	150	3	-73.74	-57.00	16.74	PASS	Horizontal
3	750.067	150	87	-78.63	-57.00	21.63	PASS	Horizontal
4	2279.703	150	90	-58.56	-47.00	11.56	PASS	Horizontal
5	5004.8005	150	13	-59.23	-47.00	12.23	PASS	Horizontal
6	11242.3242	150	87	-52.76	-47.00	5.76	PASS	Horizontal

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	75	-71.93	-57.00	14.93	PASS	Vertical
2	208.8769	150	56	-70.06	-57.00	13.06	PASS	Vertical
3	750.067	150	87	-70.82	-57.00	13.82	PASS	Vertical
4	2279.703	150	87	-57.43	-47.00	10.43	PASS	Vertical
5	5009.501	150	27	-58.45	-47.00	11.45	PASS	Vertical
6	11447.9698	150	56	-51.46	-47.00	4.46	PASS	Vertical

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.3042	150	42	-69.84	-57.00	12.84	PASS	Horizontal
2	208.8859	150	3	-68.63	-57.00	11.63	PASS	Horizontal
3	750.103	150	51	-75.34	-57.00	18.34	PASS	Horizontal
4	2280.2265	150	61	-56.94	-47.00	9.94	PASS	Horizontal
5	4900.6075	150	90	-59.29	-47.00	12.29	PASS	Horizontal
6	11244.1622	150	3	-51.88	-47.00	4.88	PASS	Horizontal

Mode	802.11 n(HT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	69.968	150	22	-69.15	-57.00	12.15	PASS	Vertical
2	208.8859	150	87	-69.22	-57.00	12.22	PASS	Vertical
3	750.103	150	87	-70.31	-57.00	13.31	PASS	Vertical
4	2280.2265	150	22	-56.62	-47.00	9.62	PASS	Vertical
5	5004.6002	150	32	-57.83	-47.00	10.83	PASS	Vertical
6	11238.2869	150	11	-50.63	-47.00	3.63	PASS	Vertical

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	87.9604	150	14	-72.58	-57.00	15.58	PASS	Horizontal
2	208.9254	150	3	-71.37	-57.00	14.37	PASS	Horizontal
3	678.8654	150	84	-77.14	-57.00	20.14	PASS	Horizontal
4	2279.703	150	90	-58.50	-47.00	11.50	PASS	Horizontal
5	5004.8005	150	56	-59.25	-47.00	12.25	PASS	Horizontal
6	11242.3242	150	84	-52.73	-47.00	5.73	PASS	Horizontal

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.05	-57.00	14.05	PASS	Vertical
2	208.8769	150	87	-68.92	-57.00	11.92	PASS	Vertical
3	750.067	150	0	-70.68	-57.00	13.68	PASS	Vertical
4	2279.703	150	0	-57.47	-47.00	10.47	PASS	Vertical
5	5013.0263	150	0	-58.55	-47.00	11.55	PASS	Vertical
6	11465.5966	150	0	-51.33	-47.00	4.33	PASS	Vertical

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	79.96	150	3	-73.59	-57.00	16.59	PASS	Horizontal
2	208.8859	150	3	-68.93	-57.00	11.93	PASS	Horizontal
3	750.006	150	3	-75.72	-57.00	18.72	PASS	Horizontal
4	2280.2265	150	56	-57.91	-47.00	10.91	PASS	Horizontal
5	4975.2238	150	14	-59.41	-47.00	12.41	PASS	Horizontal
6	11277.6514	150	34	-51.96	-47.00	4.96	PASS	Horizontal

Mode	802.11 ax(HE20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	59.879	150	3	-64.11	-57.00	7.11	PASS	Vertical
2	260.301	150	87	-62.59	-57.00	5.59	PASS	Vertical
3	831.0091	150	87	-68.85	-57.00	11.85	PASS	Vertical
4	2280.2265	150	29	-56.48	-47.00	9.48	PASS	Vertical
5	5004.0127	150	38	-57.73	-47.00	10.73	PASS	Vertical
6	11666.5958	150	49	-50.60	-47.00	3.60	PASS	Vertical

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	82.6251	150	3	-76.80	-57.00	19.80	PASS	Horizontal
2	208.8769	150	34	-71.88	-57.00	14.88	PASS	Horizontal
3	750.1155	150	85	-76.64	-57.00	19.64	PASS	Horizontal
4	2279.703	150	3	-58.62	-47.00	11.62	PASS	Horizontal
5	5013.0263	150	3	-59.18	-47.00	12.18	PASS	Horizontal
6	11237.6238	150	85	-52.76	-47.00	5.76	PASS	Horizontal

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.34	-57.00	14.34	PASS	Vertical
2	208.9254	150	56	-70.89	-57.00	13.89	PASS	Vertical
3	829.999	150	87	-71.42	-57.00	14.42	PASS	Vertical
4	2279.703	150	0	-57.22	-47.00	10.22	PASS	Vertical
5	5005.9756	150	87	-58.41	-47.00	11.41	PASS	Vertical
6	11463.2463	150	56	-51.43	-47.00	4.43	PASS	Vertical

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	62.4012	150	24	-68.36	-57.00	11.36	PASS	Horizontal
2	208.8859	150	90	-69.12	-57.00	12.12	PASS	Horizontal
3	625.0575	150	80	-76.81	-57.00	19.81	PASS	Horizontal
4	2280.2265	150	62	-57.61	-47.00	10.61	PASS	Horizontal
5	5009.3005	150	88	-58.37	-47.00	11.37	PASS	Horizontal
6	11241.2246	150	72	-51.62	-47.00	4.62	PASS	Horizontal

Mode	802.11 ax(HE40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	68.1248	150	11	-69.24	-57.00	12.24	PASS	Vertical
2	208.8859	150	87	-68.11	-57.00	11.11	PASS	Vertical
3	750.006	150	87	-71.50	-57.00	14.50	PASS	Vertical
4	2280.2265	150	11	-56.22	-47.00	9.22	PASS	Vertical
5	5000.4875	150	41	-58.00	-47.00	11.00	PASS	Vertical
6	11422.1836	150	49	-50.58	-47.00	3.58	PASS	Vertical

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	81.8976	150	3	-78.18	-57.00	21.18	PASS	Horizontal
2	208.8769	150	3	-69.91	-57.00	12.91	PASS	Horizontal
3	750.1155	150	89	-79.03	-57.00	22.03	PASS	Horizontal
4	2279.703	150	42	-58.51	-47.00	11.51	PASS	Horizontal
5	5004.8005	150	3	-59.20	-47.00	12.20	PASS	Horizontal
6	11274.0524	150	81	-52.63	-47.00	5.63	PASS	Horizontal

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2412MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	70	-71.80	-57.00	14.80	PASS	Vertical
2	272.6091	150	87	-70.17	-57.00	13.17	PASS	Vertical
3	741.8701	150	87	-71.74	-57.00	14.74	PASS	Vertical
4	2279.703	150	44	-57.45	-47.00	10.45	PASS	Vertical
5	5005.9756	150	87	-58.45	-47.00	11.45	PASS	Vertical
6	11469.1219	150	7	-51.43	-47.00	4.43	PASS	Vertical

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	60.364	150	25	-70.32	-57.00	13.32	PASS	Horizontal
2	208.8859	150	14	-68.43	-57.00	11.43	PASS	Horizontal
3	658.2348	150	90	-75.21	-57.00	18.21	PASS	Horizontal
4	2280.2265	150	44	-57.41	-47.00	10.41	PASS	Horizontal
5	5014.5882	150	72	-58.29	-47.00	11.29	PASS	Horizontal
6	11283.5267	150	44	-51.36	-47.00	4.36	PASS	Horizontal

Mode	802.11 be(EHT20) Receiving	Remark	\
Band	\	Channel	2472MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	49.0139	150	2	-65.28	-57.00	8.28	PASS	Vertical
2	208.8859	150	87	-68.20	-57.00	11.20	PASS	Vertical
3	723.9104	150	49	-69.50	-57.00	12.50	PASS	Vertical
4	2279.639	150	10	-56.50	-47.00	9.50	PASS	Vertical
5	5016.9383	150	0	-57.87	-47.00	10.87	PASS	Vertical
6	11241.2246	150	2	-50.61	-47.00	3.61	PASS	Vertical

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	59.4895	150	11	-71.73	-57.00	14.73	PASS	Horizontal
2	208.8769	150	30	-69.83	-57.00	12.83	PASS	Horizontal
3	750.067	150	3	-77.84	-57.00	20.84	PASS	Horizontal
4	2279.703	150	90	-58.56	-47.00	11.56	PASS	Horizontal
5	5004.8005	150	3	-59.18	-47.00	12.18	PASS	Horizontal
6	11238.7989	150	30	-52.47	-47.00	5.47	PASS	Horizontal

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2422MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	80.006	150	76	-71.64	-57.00	14.64	PASS	Vertical
2	208.8769	150	87	-68.75	-57.00	11.75	PASS	Vertical
3	750.067	150	0	-73.69	-57.00	16.69	PASS	Vertical
4	2279.703	150	87	-57.52	-47.00	10.52	PASS	Vertical
5	5015.3765	150	29	-58.52	-47.00	11.52	PASS	Vertical
6	11484.3984	150	57	-51.42	-47.00	4.42	PASS	Vertical

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	35.2385	150	79	-65.31	-57.00	8.31	PASS	Horizontal
2	208.8859	150	3	-68.59	-57.00	11.59	PASS	Horizontal
3	829.2629	150	71	-73.95	-57.00	16.95	PASS	Horizontal
4	2279.639	150	52	-57.27	-47.00	10.27	PASS	Horizontal
5	5004.6002	150	23	-58.41	-47.00	11.41	PASS	Horizontal
6	11285.2893	150	33	-51.63	-47.00	4.63	PASS	Horizontal

Mode	802.11 be(EHT40) Receiving	Remark	\
Band	\	Channel	2462MHz

Suspected List								
NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	79.96	150	87	-69.49	-57.00	12.49	PASS	Vertical
2	208.8859	150	58	-67.48	-57.00	10.48	PASS	Vertical
3	750.103	150	87	-70.87	-57.00	13.87	PASS	Vertical
4	2279.639	150	87	-56.64	-47.00	9.64	PASS	Vertical
5	4978.1614	150	87	-58.67	-47.00	11.67	PASS	Vertical
6	11297.6274	150	0	-50.46	-47.00	3.46	PASS	Vertical

7 PHOTOGRAPHS

Refer to Appendix Photographs of Report No. EED32S821444.

Statement

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;

2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;

3. The result(s) shown in this report refer(s) only to the sample(s) tested;

4. Unless otherwise stated,the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule stated in ILAC-G8:09/2019/CNAS-GL015:2022;

5. Without written approval of CTI, this report can't be reproduced except in full;

*** End of Report ***